Notice and Agenda of a Meeting of the Beaumont Basin Watermaster

Wednesday, October 5, 2016 at 10:00 a.m.

Meeting Location:

Beaumont Cherry Valley Water District 560 Magnolia Avenue Beaumont, California 92223 (951) 845-9581

Watermaster Members:

City of Banning City of Beaumont Beaumont Cherry Valley Water District South Mesa Water Company Yucaipa Valley Water District

I. Call to Order

II. Roll Call

City of Banning: Arturo Vela (Alternate: Michael Rock) City of Beaumont: ______ (Alternate: Kyle Warsinski) Beaumont Cherry Valley Water District: Eric Fraser (Alternate: Tony Lara) South Mesa Water Company: George Jorritsma (Alternate: Dave Armstrong) Yucaipa Valley Water District: Joseph Zoba (Alternate: Jennifer Ares)

III. Pledge of Allegiance

IV. Public Comments At this time, members of the public may address the Beaumont Basin Watermaster on matters within its jurisdiction; however, no action or discussion may take place on any item not on the agenda. To provide comments on specific agenda items, please complete a Request to Speak form and provide that form to the Secretary prior to the commencement of the meeting.

V. Consent Calendar

- A. Meeting Minutes
 - 1. Meeting Minutes for August 3, 2016

VI. Reports

- A. Report from Engineering Consultant Hannibal Blandon, ALDA Engineering
- B. Report from Legal Counsel Keith McCullough/Thierry Montoya, Alvarado Smith

VII. Discussion Items

A. Status Report on Water Level Monitoring throughout the Beaumont Basin [Memorandum No. 16-14, Page 9 of 97]

Recommendation: No recommendation.

B. Overview of Total Dissolved Solids (TDS) and Nitrate (N) in the Beaumont Basin and Surrounding Area [Memorandum No. 16-15, Page 17 of 97]

Recommendation: No recommendation.

C. Adoption of the 2015 Consolidated Annual Report and Engineering Report [Memorandum No. 16-16, Page 25 of 97]

> Recommendation: That the Watermaster Committee adopts the 2015 Consolidated Annual Report and Engineering Report.

D. Concept for the Formation of a Groundwater Sustainability Agency for the San Timoteo Basin 8-2.08 [Memorandum No. 16-17, Page 26 of 97]

Recommendation: Pending

E. Application by the San Gorgonio Pass Water Agency (SGPWA) for a Groundwater Storage Agreement in the Beaumont Basin [Memorandum No. 16-17, Page 28 of 97]

Recommendation: Pending

VIII. Topics for Future Meetings

- A. Groundwater Storage Agreement in the Beaumont Basin for the San Gorgonio Pass Water Agency
- B. Development of a methodology and policy to account for new yield from capturing local stormwater in the basin.
- C. Development of a methodology and policy to account for groundwater storage losses in the basin resulting from the spreading of additional water sources.
- D. Development of a methodology and policy to account for recycled water recharge.
- E. Develop a protocol to increase the accuracy and consistency of data reported to the Watermaster.
- F. Develop a policy to account for transfers of water that may result when an Appropriator provides water service to an Overlying Party.

IX. Comments from the Watermaster Committee Members

X. Announcements

A. The next regular meeting of the Beaumont Basin Watermaster is scheduled for Wednesday, December 7, 2016 at 10:00 a.m.

XI. Adjournment

Consent Calendar

Beaumont Basin Watermaster - October 5, 2016 - Page 3 of 97

Record of the Minutes of the Beaumont Basin Committee Meeting of the Beaumont Basin Watermaster Wednesday, August 3, 2016

Meeting Location:

Beaumont-Cherry Valley Water District 560 Magnolia Avenue Beaumont, CA 92223

I. Call to Order

Chairman Arturo Vela called the meeting to order at 10:03 a.m.

II. Roll Call

City of Banning	Arturo Vela	Present
City of Beaumont	Kyle Warsinski	Present
Beaumont Cherry Valley Water District	Eric Fraser	Present
South Mesa Water Company	George Jorritsma	Present
Yucaipa Valley Water District	Joseph Zoba	Present

Kyle Warsinski was present as the alternate representing the City of Beaumont in the absence of Member Dave Dillon. Arturo Vela was present as the alternate representing the City of Banning in the absence of Chairman Duane Burke. Thierry Montoya was present representing legal counsel for the Beaumont Basin Watermaster.

Members of the public who registered their attendance were: Bill Dickson, Mike Kostelecky, Mary Ann Melleby, Fran Flanders, Tom Harder, John Covington, Tom Shalhoub, Rosilicie Bogh, and Hannibal Blandon.

III. Pledge of Allegiance

Chairman Vela led the pledge of allegiance.

IV. Public Comments

No public comment was received at this time.

V. Consent Calendar

- A. Meeting Minutes
 - 1. Meeting Minutes for June 3, 2015
 - 2. Meeting Minutes for June 1, 2016

Member Joseph Zoba motioned to approve the consent calendar. The motion was seconded by Member Arturo Vela and passed 5-0.

VI. Reports

A. Report from Engineering Consultant - Hannibal Blandon, ALDA Engineering

Engineer Hannibal Blandon stated he had nothing to report.

B. Report from Legal Counsel - Thierry Montoya, Alvarado Smith

Legal Counsel Thierry Montoya reported on the pending motion to have the Court approve new Watermaster alternates.

VII. Discussion Items

A. Status Report on Water Level Monitoring throughout the Beaumont Basin [Memorandum No. 16-12, Page 14 of 22]

Recommendation: No recommendation.

Engineer Blandon gave a status report of the water level monitoring project, which included proposed monitoring agreements for new sites and issues encountered with several of those sites, discussion of water levels at sites being monitored, and troubleshooting of monitoring equipment issues.

B. 2015 Consolidated Annual Report and Engineering Report - Presentation of Draft Report [Memorandum No. 16-13, Page 22 of 22]

Recommendation: No recommendation.

Engineer Blandon presented the draft 2015 Annual Report, beginning with the activities and accomplishments of the Watermaster committee in 2015. His presentation also included discussion of groundwater conditions, groundwater production and recharge, transfers and adjustment of rights, and accounting of the storage.

Tom Harder, hydrogeologist for the Watermaster, next spoke about water level trends across the basin as well as the operating safe yield for the basin.

Engineer Blandon concluded the presentation of the draft 2015 Annual Report with an analysis and discussion of water quality in the basin, detailing levels of common analytes in each well, and provided recommendations to be considered by the Watermaster in the future.

Member Eric Fraser noted the importance of the timing of the collection of nitrate samples, since there can be serious deviations in water quality data within a well based on whether the well is running or not or how long it has been running. Member Joseph Zoba provided some recommendations for the following year's report and commended Engineer Blandon on his presentation.

VIII. Topics for Future Meetings

- A. Recycled Water Recharge Policy
- B. Groundwater Storage Agreement in the Beaumont Basin for the San Gorgonio Pass Water Agency

IX. Comments from the Watermaster Committee Members

There were no comments from the Watermaster Committee Members.

X. Announcements

A. The next regular meeting of the Beaumont Basin Watermaster is scheduled for Wednesday, October 5, 2016 at 10:00 a.m.

XI. Adjournment

Chairman Vela adjourned the meeting at 11:04 a.m.

Attest:

Eric Fraser, Secretary Beaumont Basin Watermaster



Beaumont Basin Watermaster - October 5, 2016 - Page 7 of 97

Discussion Items

Beaumont Basin Watermaster - October 5, 2016 - Page 8 of 97

BEAUMONT BASIN WATERMASTER MEMORANDUM NO. 16-14

Date: October 5, 2016

From: Hannibal Blandon, ALDA Inc.

Subject: Status Report on Water Level Monitoring throughout the Beaumont Basin

Recommendation: No recommendation.

At the present time, there are 12 monitoring wells collecting water level information on an hourly basis at various locations throughout the basin. Monitoring equipment was installed at the Oak Valley Partners Singleton Ranch No. 5 well. In addition, there are two monitoring probes collecting barometric pressures at opposite ends of the Beaumont Basin. The location of active monitoring wells is depicted in the attached Figure No. 1.

One additional monitoring well, located in the Sunny-Cal Egg Ranch area, is being used to collect water level; however, a formal contract with the current property owners has not been established. It is anticipated that a separate well located in this property will be used for monitoring purposes in the future since the current well is too close to BCVWD Well No. 29.

No progress has been made with the installation of the monitoring well at the Icon Warehouse (a.k.a. the Downing Orchard well). We have made numerous attempts to contact the new management at the warehouse site, but have not been successful. We pass the information to legal counsel to contact Icon's legal counsel on this matter.

Ultimately, it is anticipated that we will have a total of 18 operating monitoring sites throughout the basin. Figure No. 2 depicts water level data collected since the program began. In general, water levels continue to be unchanged throughout the basin; however, some changes have occurred at the following wells:

- ✓ Bonita Vista No. 2 Well Water levels at this well have declined by three feet over the last 16 months as illustrated in Figure 2.
- ✓ Banning M-9 The water level at this well increased by nine (9) feet between October 2015 and May 22, 2016 to 2,148 ft. as illustrated in Figure 4; however, in the last four months, a decline of 14 feet to an elevation of 2,134 has been recorded.
- ✓ Noble Creek Observation Well 4S (Shallow) and 4D (Deep) are illustrated in Figure 5 – Water levels in the shallow aquifer are generally 100 to 120 feet higher than in the deeper aquifer and subject to higher water level fluctuations. Over the last 14


months, the water level at 4S declined by 22 feet with a minor recovery over the last few months while at 4D a 10-foot decline was recorded.


✓ Summit Cemetery – The water level at this well is highly influenced by the intermittent operations of a nearby local production well as observed in Figure 6. A general uptrend in water level was recorded between Jul 2015 and April 2016 when a rise of 7 feet was recorded; however; over the last five summer months the water level at this well declined by several feet as a result of increase summer pumping from Well No. 2.


Troubleshooting Issues


The following malfunctioning issues were encountered during our July 25, 2016 field visit:


- \checkmark BCVWD No 2 Communication cable is not working and needs to be replaced.
- ✓ Sun Lakes Well Communication cable is not working and needs to be replaced
- Data Logger malfunction during the September download and may need to be sent to Solinst for repairs and/or replacement
















2,525

2,505

2,489

2,494

2,475

2,500

(ft) noitevala tetewbruoro

Figure No. 6

2,550

stollert

stolpult

stocked it.

stallshot

storistic

stollalla

stallalt

STOALTING

stollals

2,450

BEAUMONT BASIN WATERMASTER MEMORANDUM NO. 16-15

Date: October 5, 2016

From: Hannibal Blandon, ALDA Inc.


Subject:Overview of Total Dissolved Solids (TDS) and Nitrate (N) in the
Beaumont Basin and Surrounding Area


Recommendation: No recommendation.


This agenda item is for information purposes to provide an overview of water quality in the Beaumont Basin. The water quality information was obtained from Dudek Engineering, as part of the 2015 Maximum Benefit Monitoring Program and supplemented with information obtained from the California Department of Health Services Water Quality Database.


Water quality at seven distinct locations in the basin is presented. The following general observations are made.


- ✓ North-West Area TDS is generally below 300 mg/l and Nitrate is below 4 mg/l with occasional spikes to 8 mg/l
- Central Area TDS is generally between 200 and 300 mg/l and Nitrate is below 2.5 mg/l
- ✓ Singleton Basin TDS is generally above 300 mg/l and up to 700 mg/l and Nitrate from low single digits up to 22 mg/l
- ✓ Canyon Area Above Basin TDS is generally below 300 mg/l with spikes up to 400 mg/l and Nitrate is generally below 4 mg/l with spikes up to 7 mg/l
- ✓ South-East of Noble Creek Spreading Grounds TDS is generally below 300 mg/l and Nitrate is generally below 3 mg/l with spikes up to 9 mg/l at BCVWD No. 21
- Banning Area TDS is generally between 200 and 300 mg/l and Nitrate generally below 2 mg/l
- ✓ Beaumont South Basin TDS varies significantly depending upon location from 200 mg/l to 800 mg/l while Nitrate ranges from 4 mg/l to 13 mg/l

















BEAUMONT BASIN WATERMASTER MEMORANDUM NO. 16-16

Date: October 5, 2016

From: Joseph Zoba, Treasurer

Subject: Adoption of the 2015 Consolidated Annual Report and Engineering Report

Recommendation: That the Watermaster Committee adopts the 2015 Consolidated Annual Report and Engineering Report.

ALDA Inc., in association with Thomas Harder & Company distributed and provided a presentation of the draft of the 2015 Beaumont Basin Annual Report at the August 3, 2016 Watermaster meeting. The presentation addressed conditions of the basin including groundwater production, water levels, spreading, and water quality conditions recorded in 2015.


At the current meeting, Watermaster Committee members will have the opportunity to ask additional questions and comment on the various sections of the report and presentation.

The Watermaster Committee should consider adopting the 2015 Consolidated Annual Report and Engineering Report pending the incorporation of comments in the final document.

BEA	UMONT BASIN WATERMASTER MEMORANDUM NO. 16-16
Date:	October 5, 2016
From:	Joseph Zoba, Treasurer
Subject:	Concept for the Formation of a Groundwater Sustainability Agency for the San Timoteo Basin 8-2.08
Recommendation:	Pending


The Sustainable Groundwater Management Act (SGMA) established a new structure for managing California's groundwater resources at a local level by local agencies. SGMA requires the formation of locally-controlled groundwater sustainability agencies (GSAs) in the State's high- and medium-priority groundwater basins and subbasins (basins). A GSA is responsible for developing and implementing a groundwater sustainability plan to meet the sustainability goal of the basin to ensure that it is operated within its sustainable yield, without causing undesirable results.

Since the Beaumont Basin is adjudicated, the management of the Beaumont subbasin significantly contributes to the overall sustainability of the San Timoteo Basin.. However, the remaining portion of the San Timoteo Basin (8-2.08) resides within the boundary of the **Beaumont Cherry Valley Water** District, the Yucaipa Valley Water District and the San Gorgonio Pass Water Agency which is subiect to the Sustainable Groundwater Management Act which will require the formation of a



groundwater sustainability agency.

The purpose of this agenda item is to discuss the concept regarding the formation of a groundwater sustainability agency to manage the groundwater supplies beyond the boundary of the Beaumont Basin Watermater in the remaining portion of the San Timoteo Basin.



BEAUMONT BASIN WATERMASTER MEMORANDUM NO. 16-18

Date:October 5, 2016From:Hannibal Blandon, ALDA Inc.
Joseph Zoba, TreasurerSubject:Application by the San Gorgonio Pass Water Agency (SGPWA)
for a Groundwater Storage Agreement in the Beaumont BasinRecommendation:Pending

At the April Board meeting, copies of SGPWA's application for a groundwater storage agreement in the Beaumont Basin were distributed to members of the Watermaster Committee for their review.

At the Watermaster meeting on June 1, 2016, the Watermaster Committee discussed the importance of incorporating contingencies into the approval of the storage account to protect the rights and responsibilities of the Watermaster members to fulfill the terms of the Stipulated Judgment.

Based on discussions with Jeff Davis, General Manager of the San Gorgonio Pass Water Agency, there appears to be a common understanding that the following conditions could be included in the storage agreement with the San Gorgonio Pass Water Agency to represent the common goals of the parties:

- The storage account authorized to the San Gorgonio Pass Water Agency shall not negatively impact, impede, reduce or obstruct the purchase and delivery of supplemental water from the San Gorgonio Pass Water Agency to any water retailer of the Watermaster Committee at any location or time.
- 2. When the quantity of supplemental water available on an annual basis exceeds all demands and/or requests for supplemental water by the Watermaster Committee members, the San Gorgonio Pass Water Agency may recharge the excess supplemental water in the Beaumont Avenue Recharge Facility or any other location approved by the Beaumont Basin Watermaster.
- 3. Supplemental water stored by the San Gorgonio Pass Water Agency pursuant to the conditions herein and the approved Storage Agreement will be made available at any time to the members of the Watermaster without restrictions
- 4. Any member or members of the Watermaster shall maintain the first right of refusal to purchase the supplemental water placed in storage by the San Gorgonio Pass Water Agency. All Watermaster members shall be notified in writing a minimum

of 60 calendar days prior to any sale, transfer, distribution, or exchange of any supplemental water in the storage account of the San Gorgonio Pass Water Agency. The Watermaster maintains an opportunity to individually or collectively purchase the water in the storage account of the San Gorgonio Pass Water Agency under the same terms and conditions offered to a member of the Watermaster, non-member of the Watermaster, or any other entity.

5. Any future condition, issue, or operational constraint that conflicts with the ability of any Watermaster member to administer and fulfill their obligation(s) pursuant to the Stipulated Judgment shall be immediate cause for rescinding the storage agreement to the San Gorgonio Pass Water Agency.

The specific language included in this Watermaster Memorandum is in a draft form and has not been shared with representatives of the San Gorgonio Pass Water Agency or any Watermaster Committee member. To ensure the Watermaster members retain the unequivocal right and authority to implement the full intent, terms and conditions of the Stipulated Judgment, the language above should be fully discussed and reviewed with our legal counsel as well as the San Gorgonio Pass Water Agency.

Background:

The SGPWA is requesting to store up to 10,000 ac-ft of water in the Beaumont Basin through artificial recharge of water from State Water Project and/or other supplemental water of equal or better quality. The proposed recharge facilities are located in the southwest corner of Brookside Avenue and Beaumont Avenue.

ALDA Inc., in association with Thomas Harder & Company, have conducted an initial review of the documents provided by SGPWA, and would like to offer the following comments for your consideration. Please note that our initial comments are based on our current knowledge of the basin only as no additional calculations or modeling runs have been conducted.

- 1.- Beaumont Basin Watermaster Resolution No. 2005-01 establishes principles of groundwater storage in the Beaumont Basin by Non-Appropriators. The application by SGPWA addresses each of the four sections outlined in the resolution.
- 2.- Currently, there are storage agreements with all Appropriators totaling 260,000 acft. In addition, there is a storage agreement with Morongo Band of Mission Indians, a Non-Appropriator, for 20,000 ac-ft. for an overall total of 280,000 ac-ft. in storage agreements. The request by SGPWA to store up to 10,000 ac-ft. in the basin, if approved, will increase the total storage agreements by 3.57 percent to 290,000 acft.
- 3.- According to the application, the SGPWA will like to construct the spreading facility and take advantage of additional water available through the State Water Project in wet years. The application indicates that the sole purpose of the storage account

would be to temporarily store water purchase by SGPWA until it is purchased by (transferred to) a local retail agency that has a storage account in the Beaumont Basin. Having this water available in SGPWA's account will increase the reliability of supply in the Beaumont Basin as Appropriators could meet their replenishment obligations by buying water from SGPWA through a paper transfer of storage.

- 4.- In the near term (10-12 years), SGPWA plans to store a maximum of 7,500 ac-ft/yr based on 80 percent plus allocation from the State and additional Article 21 water available in that year and/or additional water that SGPWA could obtain by purchase, transfer or exchange. Ultimately, SGPWA would like to store up to 13,000 ac-ft based on the 20 cfs capacity of its connection.
- 5.- The storage of imported water in the central portion of the basin could have a positive impact on local water levels; however, storage losses could potentially increase in the long term.
- 6.- Water quality of the State Water Project is equal to or better than the local groundwater quality in the basin, as documented in the application.

A representative from the SGPWA will be present at the meeting to address any questions that members of the Watermaster Committee may have.



San Gorgonio Pass Water Agency

A California State Water Project Contractor 1210 Beaumont Avenue • Beaumont, CA 92223 Phone (951) 845-2577 • Fax (951) 845-0281

March 14, 2016

Mr. Hanibal Blandon Alda Engineering 5928 Vineyard Avenue Rancho Cucamonga, CA 91701

Dear Mr. Blandon:

Enclosed please find six copies of an application for a Beaumont Basin Watermaster storage account on behalf of the San Gorgonio Pass Water Agency. The application itself carries the "DRAFT" designation because we could not find a copy of the application on the Watermaster web site that did not include this.

The Agency has endeavored to provide as complete an application as possible. For the wells in the vicinity, we endeavored to garner as much water level and water quality data as was available from all well owners. We have provided six copies of the application package—one for each member of the Watermaster Board and one for yourself. If you require additional copies, please let me know.

I would be happy to answer any questions regarding this application from yourself or the Watermaster Board. Please place this item on the agenda for the next available Watermaster meeting.

Very truly yours,

Jug W Nows

President: John Jeter

Vice President: Bill Dickson

Treasurer: Mary Ann Melleby

Directors: Blair Ball Ron Duncan David Fenn Leonard Stephenson

General Manager & Chief Engineer: Jeff Davis, PE

Legal Counsel: Jeffry Ferre Best Best & Krieger

mont Basin Watermaster Memorandum No. 13-19		Page
DEALMONT DAONUM		
BEAUMONT BASIN W	ATERMASTER	
APPLICATI FOR	ON	
GROUNDWATER STORA	GE AGREEMENT	
- APPLICANT INFORMATION		
Name of Applicant: San Gorgon	10 Pars We	ter Agencu
Address for Notice: 121D Beaume	10 2	Paumant 972
Contact Name: Jeff Davis	ALL ALL	Charmon 100
Title: Ereneral Manager	For S	Staff Use Only
Telephone: 951-845-2577	Date Requested:	•.
Fax: 951-945-0281	Date Approved:	
E-mail Address:	Amount Requested:	ac-ft
Idavis@SEDWD, Com	Amount Approved:	ac-ft
Date of Application:	Agreement No.	
	Yes[] - No[]	Analysis and Written
		Summary Fee Collected
	L	
 PROJECT DESCRIPTION – Provide a gener, project sought under this application includi additional pages if necessary). 	al description of the ng potential impacts	groundwater storage and benefits. (Use
See attached		

3	AMO	OUNT REQUESTED: 10,600	_ acre feet.		
4	PUR	POSE OF STORAGE			
	[]	Stabilize or reduce future water	r cost / assessr	nents	
	14	Facilitate utilization of other ava	ailable sources	of supply	
	()	[] Facilitate replenishment under certain well sites			
	[]	Preserve pumping right for a ch	nanged future p	otential use	
	[]	Other, explain			
		-	1. S.		
			and the second sec		
5	METI	HOD OF PLACEMENT IN STOR	AGE		
	14	Artificial Recharge		······································	
	[]	Transfer of Water from One Sto checked, proceed to No. 16 bel	orage Account ow)	o Another Storage Account	(If
ð. -	SOUI	RCE OF WATER FOR RECHAR	GE		
	M	State Water Project	[]	Colorado River	
		Captured Storm Water	, , ()	Recycled Water	
	1	Other, explain Other 5	~pplem	ental instar e	gues or be
	as pa	any portion of the water proposed action from the Beaumont Basin, int of a water right or entitlement of please explain in detail.	production fron	n another basin, or in any w	av claimed
		-			

THIS APPLICATION IS SUBJECT TO REVIEW AND FURTHER CONSIDERATION BY WATERMASTER; APPLICANT IS SOLELY RESPONSIBLE TO PROVIDE WATERMASTER WITH COMPREHENSIVE INFORMATION 3553398.1 -- NI356.1 Beaumont Basin Watermaster Memorandum No. 13-19

Page 4 of 7

- 7.- RECHARGE SOURCE WATER QUALITY Provide a copy of the latest full Title 22 drinking water analysis report documenting the quality of water to be stored as Attachment A to this Application. See at facted.
- 8.- METHOD OF RECHARGE
 - [Surface Spreading Basin(s)
 - [] Injection Well(s)
- 9.- METHOD OF CONVEYANCE FROM SOURCE TO RECHARGE FACILITY
 - [] Open Unlined Channel
 - [] Open Lined Channel
 - [M Pipeline
- 10.- LOCATION VICINITY MAP include as an Attachment B to this Application a project location map at a scale of 1-inch = 2,000 ft or larger. Map shall include, as a minimum, the following, where applicable: See attached.
 - ✓ Proposed recharge facilities
 - ✓ Existing production, monitoring, and abandoned wells within one mile of project site
 - Existing or proposed raw water conveyance facilities
 - Existing creeks and other water features
- 11.- CURRENT GROUNDWATER LEVELS Provide quantitative 5-yr history of static (nonpumping) groundwater levels in the vicinity of proposed storage location. Include groundwater level hydrographs for two or more existing wells located down-gradient of recharge site and within a one-mile radius of proposed storage site. Attach responses as Attachment C to this Application. See a thached.
- 12.- CURRENT GROUNDWATER QUALITY Provide quantitative description of current groundwater quality conditions in the vicinity of proposed storage location including water quality trends for TDS and Nitrate over the last five years. Include copies of the most recent drinking water quality reports for two or more existing wells located down-gradient of recharge site and within a one-mile radius of proposed storage site. Attach responses as Attachment D to this Application.

THIS APPLICATION IS SUBJECT TO REVIEW AND FURTHER CONSIDERATION BY WATERMASTER; APPLICANT IS SOLELY RESPONSIBLE TO PROVIDE WATERMASTER WITH COMPREHENSIVE INFORMATION 35553398.1 ++ N1356.1

1	WATER QUANTITY – Provide an estimate of the quantity of water to be stored on an annual basis including estimates for maximum and minimum annual amounts. (Provide
	attachments to this Application as Attachment E for full response as necessary)
	see effectived
	,
41	IMPACTS TO OTHERS - Describe in detail any potential positive/negative impacts to any
l	party to the Stipulated Judgment or any person, entity or property located within or outside the Beaumont Basin that may result from the implementation of this project. (Provide attachments to this Application as Attachment F for full response as necessary)
	See attached.
-	
:	ENVIRONMENTAL REVIEW – Indicate whether the proposed water storage operation is subject to review under the California Environmental Quality Act? If so, describe the means of CEQA compliance and attach environmental review documentation and any responsive written review as Attachment G to this Application. If not, identify the basis for non-application and/or exemption.
	See attached resolution and CD.

-TRANSFERS OF			SE ACCOUNT TO	ANOTHER	
From: 54					
То:					
- CRITERIA ESTA					
			he 2004 Stipulated ted Watermaster,		
narrative respons	se to each of the	criteria identifi	ied in Section 2 Pi	referred Groundy	
	tion 3 <u>Types of G</u> 005-01, which ca		torage Programs	of Watermaster	
			tab "Documents	& Publications"	
(Provide attachm	ents to this Appli	cation as Atta	chment H for full	response as nec	essary)
See a	Hecher	· · ·			
	(MCC MCC.			4.5	
		* «			
	· · · ·				

THIS APPLICATION IS SUBJECT TO REVIEW AND FURTHER CONSIDERATION BY WATERMASTER; APPLICANT IS SOLELY RESPONSIBLE TO PROVIDE WATERMASTER WITH COMPREHENSIVE INFORMATION 3553398.1 •• N1356.1 Beaumont Basin Watermaster Memorandum No. 13-19

Page 7 of 7

18. LIST OF ATTACHMENTS

Required Attachments

A.- Complete Title 22 Drinking Water Analysis (Per Section 7)

B.- Vicinity Map - Minimum Scale: 1"=2,000 ft (Per Section 10)

C.- 5-year history of static water levels in the vicinity of project recharge facilities (Per Section 11)

D.- Current groundwater quality in the vicinity of project recharge facilities (Per Section 12)

E - Annual estimates of water to be recharged (Per Section 13)

F.- Description of positive or negative impacts resulting from project implementation (Per Section 14)

G.- Environmental Review Documentation (Per Section 15)

Additional Attachments (as Applicable and/or Necessary)

- H.- Watermaster Resolution No. 2005-01 Supporting Documentation (Per Section 17)

THIS APPLICATION IS SUBJECT TO REVIEW AND FURTHER CONSIDERATION BY WATERMASTER; APPLICANT IS SOLELY RESPONSIBLE TO PROVIDE WATERMASTER WITH COMPREHENSIVE INFORMATION 3553398.1 -- N1336.1

Beaumont Basin Watermaster

Application for Groundwater Storage Agreement

San Gorgonio Pass Water Agency

Supplemental Information

2. PROJECT DESCRIPTION

The San Gorgonio Pass Water Agency's Beaumont Avenue Recharge Facility is a planned conjunctive use facility located at the southwest corner of Beaumont Avenue and Brookside Avenue in Beaumont. The planned facility consists of five recharge ponds, an approximately 8000 foot long pipeline, and a 20-cfs connection to the East Branch Extension.

The Agency is constructing the facility in order to be able to take advantage of the additional water available through the State Water Project in wet years. Its planned operation would be for the Agency to purchase water in wet years that would or could not be purchased by local retail agencies, or that is purchased by a retail water agency that does not have access to a recharge facility. For water that is purchased by others, it would go directly into their storage account. For any water purchased by the Agency, whether it is Table A water, Article 21 water, or any other type of water, it would be placed into the Agency's proposed storage account. In this case, purchase of the water from the Agency would be a transfer of the water from the Agency's storage account to the retail water agency's storage account.

The Agency does not own or operate any extraction facilities, so the Agency would not extract any of the water from its storage account. The sole purpose of the storage account would be to temporarily store water purchased by the Agency until it is purchased by (transferred to) a local retail water agency that has a storage account in the Beaumont Basin.

The Agency foresees no negative impacts on the Beaumont Basin or any member of the Watermaster through the construction and operation of this facility. Rather, it increases the ability of Watermaster and its members to bring supplemental water into the basin. With the completion of Phase 2 of the East Branch Extension, the Agency will have 64 cfs of capacity to import water to the region. At the present time only 20 cfs can be removed from the pipeline for beneficial use as groundwater recharge. Thus, additional connected capacity is required in order to take advantage of the additional carrying capacity being constructed in Phase 2 of the East Branch Extension.

3. AMOUNT REQUESTED

At this time, the Agency is only requesting 10,000 AF for its storage account. If at some point in the future it would be beneficial to the region to increase this volume, the Agency would at that time apply to the Watermaster to increase the volume of the storage account.

The Agency feels that 10,000 should be sufficient for the immediate future, as it is expected that any water purchased by the Agency for its storage account would be purchased very shortly thereafter by a member of the Watermaster. Thus, water is not expected to stay in the account for long.

4. PURPOSE OF STORAGE

÷

The overall purpose of the storage is to augment the total storage in the basin. A secondary purpose is to facilitate utilization of other available sources of supply, such as Article 21 water or other water sources that the Agency may import to the region.

5. METHOD OF PLACEMENT IN STORAGE

See Application

6. SOURCE OF WATER FOR RECHARGE

See Application

7. RECHARGE SOURCE WATER QUALITY

Even though the water will not be used for potable purposes, attached is a Title 22 water quality analysis on water from Silverwood Lake, which is the source of the water that will be recharged in this proposed facility (it is also the source for all water delivered by the Agency to Watermaster members). The data is for 2004 through 2013 and is derived from the Metropolitan Water District of Southern California.

The data indicate that the source water is equal to or better than ambient basin water quality.

8. METHOD OF RECHARGE

See Application

9. METHOD OF CONVEYANCE FROM SOURCE TO RECHARGE FACILITY

See Application.

10. LOCATION VICINITY MAP

See attached map.

11. CURRENT GROUNDWATER LEVELS

See attached Excel spread sheet, which includes all available groundwater level data for the six selected wells from 2009 through 2014.

12. CURRENT GROUNDWATER QUALITY

See attached Excel spread sheet, which includes nitrate and TDS data available from the six selected wells from 2009 through 2015.

13. WATER QUANTITY (Attachment E)

The volume of water recharged in any year could vary from zero (in some years) to as much as 13,000 acre-feet (well in the future). The 13,000 acre-feet comes from the capacity of the connection (20 cfs). This could only happen in the future when our capacity in EBX has increased and when we have procured additional sources of water.

In the near term (the next 10-12 years), the most that we would expect to recharge would be 7,500 acre-feet per year. This would only occur in a year when we get 100% allocation from the state and there is additional Article 21 water available in that year. Or, alternatively, it could occur in a year when we get a high SWP allocation (80% or higher), plus Article 21 water, plus additional water that we would obtain in the future by purchase, transfer, or exchange.

It is likely that most of this water will go directly into storage accounts of Watermaster members who would purchase the water from the Agency. Any water available to the region that is not purchased by retail water districts would be purchased by the Agency and placed into the Agency's storage account, from where it would be transferred to a Watermaster member upon purchase.

14. IMPACTS TO OTHERS (Attachment F)

The impacts to others would only be positive. Storing more water in the ground than could otherwise be placed there will raise groundwater elevations, helping to preserve the basin and reducing pumping costs to appropriators and overliers alike. It is anticipated that most or all water in the account will be transferred to an account of a Watermaster member within a short time.

Basin losses due to use of this proposed facility are anticipated to be minimal or nonexistent.

During the EIR we analyzed potential damage to any homes that might be constructed on adjacent land in the future and found that this would not occur.

15. ENVIRONMENTAL REVIEW (Attachment G)

See attached EIR on CD, certified by the Agency Board of Directors on October 21, 2013. Also attached is Agency Resolution 2013-13, certifying the EIR.

RESOLUTION NO. 2013-13

A RESOLUTION OF THE SAN GORGONIO PASS WATER AGENCY CERTIFYING THE DRAFT ENVIRONMENTAL IMPACT REPORT FOR THE BEAUMONT AVENUE RECHARGE FACILITY AND PIPELINE PROJECT; ADOPTING ENVIRONMENTAL FINDINGS PURSUANT TO THE CALIFORNIA ENVIRONMENTAL QUALITY ACT; ADOPTING A MITIGATION MONITORING AND REPORTING PROGRAM; ADOPTING A STATEMENT OF PROJECT BENEFITS; AND APPROVING THE BEAUMONT AVENUE RECHARGE FACILITY AND PIPELINE PROJECT

WHEREAS, the San Gorgonio Pass Water Agency (the "Agency" or "SGPWA") is a state water contractor, that was formed with the purpose of importing water from the State Water Project ("SWP") into the San Gorgonio Pass area in 1961, the Agency's service area encompasses approximately 228 square miles and includes the Cities of Beaumont, Calimesa, and Banning, as well as the unincorporated areas of Cherry Valley, Cabazon, Poppet Flat, Banning Bench, and San Timoteo and Live Oak Canyons; and

WHEREAS, the most heavily developed portion of the Agency's service area, the Beaumont Basin, is currently experiencing an overdraft condition; and

WHEREAS, In 2003, Phase I of SWP's East Branch Extension ("EBX") was completed, bringing raw SWP water into SGPWA's service area; however, the capacity of Phase I allows for a maximum of approximately 12,000 acre feet per year ("AFY") of the Agency's existing SWP supply contract Table A amount (17,300 AFY); and

WHEREAS, In response to these conditions, the Agency proposes to construct a groundwater recharge facility on a vacant, undeveloped property in the City of Beaumont, California, to increase recharge capabilities with the delivery SWP water, as well as other supplemental water sources via a proposed pipeline and service connection facility and to enable the Agency to replenish the groundwater basin and provide water supply for the ongoing and projected needs of the Agency's service area (the "Project").

WHEREAS, pursuant to section 21067 of the Public Resources Code, and section 15367 of the State CEQA Guidelines (Cal. Code Regs., tit. 14, § 15000 et seq.), the Agency is the lead agency for the Project; and

WHEREAS, the Agency solicited comments, including details about the scope and content of the environmental information, as well as potential feasible mitigation measures, from responsible agencies, trustee agencies, and the public, in a Notice of Preparation ("NOP") for the EIR for the Project, which was issued on November 13, 2012 and circulated for a period of 30 days pursuant to State CEQA Guidelines sections 15082, subdivision (a) and 15375; and

55397.00016\8289065.4

WHEREAS, the Agency's Statement of Project Benefits is attached hereto as Exhibit "B"; and

WHEREAS, the Agency's Mitigation Monitoring and Reporting Program setting forth the mitigation measures to which the Agency shall bind itself in connection with the Project is attached hereto as Exhibit "C"; and

WHEREAS, the EIR reflects the independent judgment of the Agency and is fully adequate for purposes of making decisions on the merits of the Project; and

WHEREAS, the Agency has not received any comments or other information constituting substantial new information requiring recirculation of the EIR pursuant to Public Resources Code section 21092.1 and State CEQA Guidelines section 15088.5; and

WHEREAS, on October 21, 2013 the Agency conducted a duly noticed public meeting at which the Project was considered, at which time all persons wishing to testify were heard, and the Project was fully considered; and

WHEREAS, all other legal prerequisites to the adoption of this Resolution have occurred.

THE BOARD OF DIRECTORS OF THE SAN GORGONIO PASS WATER AGENCY DOES HEREBY RESOLVE AS FOLLOWS:

SECTION 1 – Consideration of EIR. The Agency finds that it has reviewed and considered the EIR (including the comment letters, responses to comments, and errata) in evaluating the Project's potential impacts; that the EIR has been completed in full compliance with CEQA, the State CEQA Guidelines, and the Agency's local procedures for implementing CEQA; and that the EIR reflects the independent judgment and analysis of the Agency.

SECTION 2 - Recirculation. Based on the entire record before the Agency, including all written and oral evidence presented, the Agency hereby finds that no evidence of new significant impacts or any other "significant new information" as defined by State CEQA Guidelines section 15088.5 has been received by the Agency after circulation of the Draft EIR which would require recirculation.

SECTION 3 - CEQA Findings. Based on the entire record before the Agency, including all written and oral evidence presented, the Agency hereby adopts the written CEQA Findings attached hereto as Exhibit "A" to this Resolution.

SECTION 4 – Project Benefits. Based on the entire record before the Agency, including all written and oral evidence presented, the Agency hereby adopts the Statement of Project Benefits attached as Exhibit "B" to this Resolution.

SECTION 5 – Certification of EIR. Based on the entire record before the Agency, including all written and oral evidence presented, the Agency hereby certifies the EIR and finds that the implementation of the Project will not have any significant and unavoidable environmental effects. All potentially significant environmental impacts have been analyzed

3

55397.00016\8289065.4

in the EIR and will be mitigated to a level of less than significant. Additionally, the Board finds that a range of reasonable and potentially feasible alternatives to the Project were fully analyzed in the EIR, but are rejected in favor of the Project.

SECTION 6 - MMRP. Pursuant to Public Resources Code section 21081.6, the Agency adopts the Mitigation Monitoring and Reporting Plan attached as Exhibit "C" to this Resolution. In the event of any inconsistencies between the mitigation measures as set forth in the EIR or the CEQA Findings in Exhibit A and the Mitigation Monitoring and Reporting Plan, the Mitigation Monitoring and Reporting Plan shall control.

SECTION 7 – Project Approval. Based on the entire record before the Agency, all written and oral evidence presented, the CEQA Findings, the Statement of Project Benefits, and Mitigation Monitoring Reporting Plan, and all other evidence, the Agency hereby approves the Beaumont Avenue Recharge Facility and Pipeline Project.

SECTION 8 ~ Custodian of Record. The documents and materials that constitute the record of proceedings on which this Resolution has been based are located at the San Gorgonio Pass Water Agency, 1210 Beaumont Ave., Beaumont, CA 92223. The custodian for these records is Jeff Davis, General Manager. This information is provided in compliance with Public Resources Code section 21081.6.

SECTION 9 – Notice of Determination. Agency staff shall cause a Notice of Determination to be filed and posted with the Clerk of the County of Riverside and the State Clearinghouse within five (5) working days of Project approval.

ADOPTED AND APPROVED this 21st day of October, 2013.

President, Board of Directors San Gorgonio Pass Water Agency

ATTEST:

Ken WK Board of Directors

San Gorgonio Pass Water Agency

APPROVED AS TO FORM:

A. Belleece

General Counsel San Gorgonio Pass Water Agency

55397.00016\8289065.4

4

16. TRANSFERS OF WATER FROM ONE STORAGE ACCOUNT TO ANOTHER

We anticipate that virtually all of the water that will be placed in this storage account will be transferred to storage accounts of Watermaster members via purchase of the water from the Agency.

17. CRITERIA ESTABLISHED BY WATERMASTER RESOLUTION 2005-01

Watermaster Resolution 2005-01 establishes principles of groundwater storage in the Beaumont Basin by non-Appropriators. The Agency is a non-Appropriator.

Section 2 of this resolution identifies groundwater storage projects that are given a preference. The following addresses each of the various types of storage and how the Agency's proposed project relates to that type of storage.

- a. Increase the reliability of water supplies. The Agency's proposed project will increase the reliability of water supplies by both providing additional storage capacity in the Basin and by providing additional connected capacity to the State Water Project. More water would be able to be stored in wet years, thus increasing the reliability of available supplies.
- b. Reduce the cost of enhancing the reliability of water supplies. The Agency's proposed facility will be funded up front with general fund revenues, to be reimbursed later (80% of costs) with developer fees. The cost of the project is not borne by water ratepayers, but by new growth and by general fund tax revenues that will be spent on this project as opposed to other expenditures that do not enhance reliability. Thus, the overall cost of enhancing reliability will be reduced for water ratepayers.
- c. Is proposed by, or is conducted for the benefit of, ratepayers. This project is proposed by the Agency and will benefit any purveyor that has a storage account in the Beaumont Basin, along with the ratepayers of those purveyors. While proposed as a project that benefits the entire region, it would have the benefit of benefitting ratepayers as the region would get additional storage and enhanced reliability without the use of ratepayer funds.
- d. Financially benefit ratepayers. The Agency's proposed project does not directly benefit water ratepayers but indirectly benefits them as additional storage would be made available using funds that are not from water rates.
- e. Will not injure existing Overlying and Appropriative Water Rights. The proposed project would not injure any party as it does not draw water out of the basin but enables any local water purveyor to add to storage in the basin. All appropriators and overliers should benefit from additional storage and from more reliability.
- f. Will not waste water. The proposed project is intended to prevent wasting water by enabling any party in the region, including any retail water purveyor or the Agency, to import all available water in wet years so that no State Water Project water gets left in Northern California to potentially be wasted in a future year.
- g. Will generate revenue to purchase rights to additional Supplemental Water and/or construct facilities for direct delivery of Supplemental Water or the percolation of Supplemental Water into the Beaumont Basin. The intent of the project is to enable the region to store more water, not necessarily to generate revenues.
- h. Will not impair future opportunities to store water in the Beaumont Basin. There is no reason that the proposed project would impair future opportunities to store water in the Beaumont Basin. If constructed, it would not prohibit any entity from constructing additional storage facilities, if needed. Studies indicate that it will not impact the ability of BCVWD to store water at its facility adjacent to the proposed site.

Section 3 of the resolution addresses types of storage projects, and states that the Watermaster will consider two types of storage programs:

- Projects which propose to rent Groundwater Storage Capacity in the Beaumont Basinrevenue generated thereby shall be used to fund capital facilities; and
- Projects which proposed the sale of Temporary Surplus—revenue generated thereby shall be used to purchase the rights to additional Supplemental Water supplies.

Agency staff has discussed this with Watermaster staff and it is not immediately clear to either what this section of the resolution is referring to. Agency staff has tried to determine if any other entity has addressed this issue in any previous application or related to construction of any facility, and has been unable to find a record of this.

Agency staff would be pleased to discuss this issue with the Watermaster so that this may be fully addressed as part of this application.

Attachment A

		Minimum											
		Reporting											
<u>Year</u>	<u>Units</u>	<u>Limit</u>	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	Average
Aluminum	ng/L	10	102	111	178	41	43	26	57	125	38	32	75
Antimony	ng/L	2	QN	QN	QN	ND	ND	ND	ND	QN	DN	QN	DN
Arsenic	ng/L	0.5	2.5	2.1	1.9	2.6	3.7	4.0	2.8	1.6	2.1	2.9	2.6
Barium	ng/L	£	34	37	28	36	39	34	30	26	30	36	33
Beryllium	ug/L	0.5	DN	ND	ND	ND	ND	QN	QN	QN	QN	QN	QN
Cadmium	ug/L	0.1	0.0	0.4	0.9	0.0	0.0	0.0	0	0	0	0	0.1
Chromium	ug/L	-	QN	QN	QN	ND	ND	QN	QN	QN	DN	DN	QN
Chromium-6	ug/L	0.03	0.1	0.1	0.1	0.2	0.6	0.4	0.24	0.06	0.1	0.18	0.2
Copper	ng/L	10	QN	QN	QN	ND	ND	ND	QN	ND	QN	DN	QN
Iron	ug/L	50	75	119	DN	ND	QN	DN	QN	88	QN	ΠŊ	Q
Lead	ug/L	~	QN	QN	DN	ND	QN						
Lithium	ug/L	10	QN	QN	QN	ND	ND	ND	QN	QN	DN	QN	QN
Manganese	ng/L	Ω	14	17	19	22	18	24	16	16	24	24	19
Mercury	ug/L	0.2	QN	QN	QN	ND	DN	DN	QN	QN	DN	DN	Q
Molybdenum	ng/L	7	QN	QN	QN	QN	3.0	2.5	QN	QN	DN	QN	QN
Nickel	ug/L	2	QN	2.5	2.0	QN	QN	ND	ND	QN	QN	QN	QN
Selenium	ng/L	2	QN	QN	QN	QN	DN	ND	ΠŊ	QN	QN	QN	QN
Silver	ng/L	5	QN	QN	QN	DN	DN	ND	ND	QN	QN	QN	QN
Strontium	ng/L	20	201	219	163	223	294	248	194	151	186	258	214
Thallium	ng/L	-	QN	QN	QN	QN	QN	DN	ND	QN	QN	QN	QN
Vanadium	ng/L	-	5.0	4.2	3.2	4.5	7.2	6.7	4.4	3	3.3	4.8	4.6
Zinc	ng/L	20	QN	QN	21.5	QN	QN	ND	DN	QN	DN	QN	QN
Average Annual values	values												
						-				-			

	GROSS ALPHA GROSS BETA RADIUM226 RADIUM228 RADIUM	GROSS BETA	RADIUM226	RADIUM228	COMBINED RADIUM	STRONTIUM90 TRITIUM URANIUM RADON222	TRITIUM	TOTAL URANIUM	RADON222
Minimum Reporting Limit	ŝ	4	H	H	H	2	1000	H	100
Year Sampled									
2011	ND	4.4	DN	ND	QN	ND	ND	1	QN
2008	3.5	4.2	QN	DN	ND	DN	QN	2.7	ND
2005	DN	QN	QN	QN	QN	QN	QN	QN	QN
Units - picoCuries per liter	ter (pCi/L)								
Average annual values									

and a second second

10.22

SITELOC	SAMPLE_DATE	Perchlorate	MBAS	Asbestos	Cyanide.	Odor
Minimum Reporting Lim	it	2	0.05	0.2	0.01	1
Units	p beauty and characteristic and a second second second	<u>ug/L</u>	<u>mg/L</u>	<u>mF/l</u>	mg/L	
SILVERWOOD LAKE	April-05	ND	ND		ND	12
SILVERWOOD LAKE	June-05		ND			
SILVERWOOD LAKE	July-05	ND				
SILVERWOOD LAKE	October-05			ND		
SILVERWOOD LAKE	October-05	ND				
SILVERWOOD LAKE	January-06	ND				
SILVERWOOD LAKE	April-06	ND	ND		ND	12
SILVERWOOD LAKE	July-06	ND				
SILVERWOOD LAKE	October-06	ND		ND		
SILVERWOOD LAKE	January-07	ND				
SILVERWOOD LAKE	April-07	ND	ND		ND	14
SILVERWOOD LAKE	July-07	ND				
SILVERWOOD LAKE	October-07	ND		ND		
SILVERWOOD LAKE	January-08	ND				
SILVERWOOD LAKE	April-08	ND	ND		ND	12
SILVERWOOD LAKE	July-08	ND				
SILVERWOOD LAKE	October-08	ND		ND		
SILVERWOOD LAKE	January-09	ND			and a state of the	
SILVERWOOD LAKE	April-09	ND	0.05	ND	ND	8
SILVERWOOD LAKE	July-09	ND				
SILVERWOOD LAKE	October-09	ND				
SILVERWOOD LAKE	January-10	ND				TO THE REAL PROPERTY AND INCOME.
SILVERWOOD LAKE	April-10	ND	ND		ND	14
SILVERWOOD LAKE	July-10	ND			Annual Contraction of Milling of Parameters	
SILVERWOOD LAKE	January-11	ND				
SILVERWOOD LAKE	April-11	ND	ND		ND	12
SILVERWOOD LAKE	July-11	ND			***=*	
SILVERWOOD LAKE	January-12	ND	a here a			
SILVERWOOD LAKE	April-12	ND	ND		ND	12
SILVERWOOD LAKE	July-12	ND				
SILVERWOOD LAKE	October-12	ND		·····		a for a second second
SILVERWOOD LAKE	January-13	ND				
SILVERWOOD LAKE	April-13	ND	ND		ND	12
SILVERWOOD LAKE	July-13	ND			ND	
SILVERWOOD LAKE	October-13	ND				
AVERAGE		ND	ND	ND	ND	12

Volatile Organic Compounds	2004-2013
Benzene	ND
Bromobenzene	ND
Bromochloromethane	ND
Bromodichloromethane	ND
Bromoform	ND
Bromomethane (Methyl bromide)	ND
sec-Butylbenzene	ND
n-Butylbenzene	ND
tert-Butylbenzene	ND
Carbon Tetrachloride	ND
Chlorobenzene or monochlorobenzene	ND
Chlorodibromomethane*	ND
Chloroethane	ND
Chloroform	ND
Chloromethane or methyl chloride	ND
2-Chlorotoluene or o-Chlorotoluene	ND
4-Chlorotoluene or p-Chlorotoluene	ND
Dibromomethane	ND
1,2-Dichlorobenzene (o)	ND
1,3-Dichlorobenzene	ND
1,4-Dichlorobenzene (p)	ND
1,2-Dichloroethane	ND
1,1-Dichloroethane	ND
1,1-Dichloroethene	ND
cis-1,2-Dichloroethene	ND
trans-1,2-Dichloroethene	ND
Dichlorodifluoromethane (FREON 12)	ND
1,2-Dichloropropane	ND
1,3-Dichloropropane	
2,2-Dichloropropane	ND
1,1-Dichloropropene	ND
1,3-Dichloropropene	
(or 1,3-Dichloropropylene)	ND
cis-1,3-Dichloropropene	ND
trans-1,3-Dichloropropene	ND
ETBE (Ethyl tertiary butyl ether)	ND
Ethylbenzene	ND
Hexachlorobutadiene	ND
lsopropylbenzene	ND
p-Isopropyltoluene	ND
MEK (or 2-BUTANONE)	ND
Methylene Chloride	ND
МТВЕ	ND
Naphthalene	ND
Nitrobenzene	ND

2

n-Propylbenzene	ND
Styrene	ND
TAME	
(Tertiary amyl methyl ether)	ND
1,1,1,2-Tetrachloroethane	ND
1,1,2,2-Tetrachloroethane	ND
Tetrachloroethene	ND
Toluene	ND
1,2,3-Trichlorobenzene	ND
1,2,4-Trichlorobenzene	ND
1,1,1-Trichloroethane	ND
1,1,2-Trichloroethane	ND
Trichloroethene (or trichloroethylene)	ND
Trichlorofluoromethane	ND
1,2,3-Trichloropropane	ND
1,1,2-Trichloro-1,2,2-trifluoroethane (FREON 113)	ND
1,3,5-Trimethylbenzene	ND
1,2,4-Trimethylbenzene	ND
Vinyl Chloride	ND
Xylenes (single isomer or sum of isomers)	ND
m,p-xylene	ND
o-xylene	ND
Organochlorine Pesticides Alachlor	ND
Aldrin	ND
Chlordane	ND
Chlorothanlonil	ND
Dieldrin	ND
Endrin	ND
Heptachlor	ND
Heptachlor Epoxide	ND
Hexachlorobenzene	ND
Hexachlorocyclopentadiene	ND
Lindane	ND
	ND
Methoxychlor	
Methoxychlor Polychlorinated Biphenyls	ND
Polychlorinated Biphenyls	ND ND
Polychlorinated Biphenyls Propachlor	
Polychlorinated Biphenyls	ND
Polychlorinated Biphenyls Propachlor	ND
Polychlorinated Biphenyls Propachlor Toxaphene Fumigants Ethylene dibromide (EDB)	ND
Polychlorinated Biphenyls Propachlor Toxaphene Fumigants	ND ND
Polychlorinated Biphenyls Propachlor Toxaphene Fumigants Ethylene dibromide (EDB) Dibromochloropropane (DBCP)	ND ND ND

Bentazon	ND
2,4-D	ND
Dalapon	ND
Dicamba	ND
Dinoseb	ND
Pentachlorophenol	ND
Picloram	ND
Silvex	ND
Carbamate Pesticides	
Diuron	ND
Aldicarb	ND
Aldicarb sulfone	ND
Aldicarb sulfoxide	ND
Baygon (aka Propoxur)	ND
Carbofuran	ND
Carbaryl	ND
3-hydroxycarbofuran	ND
Methomyi	ND
Oxamyl (Vydate)	ND
Miscellaneous	
Diquat	ND ND
Endothall	ND
Glyphosate	ND
2,3,7,8-TCDD Dioxin	ND
Nitrogen/Phosphorus Pesticides	
Atrazine	ND
Bromacil	ND
Butachlor	ND
Diazinon	ND
Dimethoate	ND
Malathion	ND
Metolachlor	ND
Metribuzin	ND
Molinate	ND
Prometryn	ND
Simazine	ND
Thiobencarb	ND

GR(DSS ALPHA	COMBINED GROSS ALPHA GROSS BETA RADIUM226 RADIUM228 RADIUM	RADIUM226	RADIUM228	COMBINED RADIUM	STRONTIUM90 TRITIUM	TRITIUM		TOTAL URANIUM RADON222
Minimum Reporting									
Limit	3	4	1	1	1	2	1000	1	100
Year Sampled									
2011	QN	4.4	QN	QN	ΟN	DN	ΠŊ	1	ND
2008	3.5	4.2	DN	ND	QN	DN	ND	2.7	DN
2005	DN	DN	ND	QN	ΠN	ΠN	QN	QN	ND

Units - picoCuries per liter (pCi/L) Average annual values

SITELOC	SAMPLE_DATE	Perchlorate	MBAS	Asbestos	Cyanide	Odor
Minimum Reporting Limit		2	0.05	0.2	0.01	1
Units		<u>ug/L</u>	mg/L	mF/l	mg/L	
SILVERWOOD LAKE	April-05	ND	ND	1111 / We dome 1 - 1	ND	12
SILVERWOOD LAKE	June-05		ND			····
SILVERWOOD LAKE	July-05	ND				
SILVERWOOD LAKE	October-05			ND .		
SILVERWOOD LAKE	October-05	ND				
SILVERWOOD LAKE	January-06	ND				
SILVERWOOD LAKE	April-06	ND	ND	ł	ND	12
SILVERWOOD LAKE	July-06	ND		1		
SILVERWOOD LAKE	October-06	ND		ND		1
SILVERWOOD LAKE	January-07	ND				
SILVERWOOD LAKE	April-07	ND	ND		ND	14
SILVERWOOD LAKE	July-07	ND	and the second second second			
SILVERWOOD LAKE	October-07	ND	The left of the second se	ND	An or over a summary strategy	
SILVERWOOD LAKE	January-08	ND	AND INC. A COLUMN TWO IS NOT			4
SILVERWOOD LAKE	April-08	ND	ND	- Latit - A a - Mana - a - A - 1 - a - A	ND	12
SILVERWOOD LAKE	July-08	ND				The Tarl International Control of
SILVERWOOD LAKE	October-08	ND		ND		
SILVERWOOD LAKE	January-09	ND	1011 100 100 100 100 100 100 100 100 10			
SILVERWOOD LAKE	April-09	ND	0.05	ND	ND	8
SILVERWOOD LAKE	July-09	ND				
SILVERWOOD LAKE	October-09	ND				
SILVERWOOD LAKE	January-10	ND	i			
SILVERWOOD LAKE	April-10	ND	ND		ND	14
SILVERWOOD LAKE	July-10	ND				
SILVERWOOD LAKE	January-11	ND			-*	
SILVERWOOD LAKE	April-11	ND	ND		ND	12
SILVERWOOD LAKE	July-11	ND			······	
SILVERWOOD LAKE	January-12	ND	·····		* 10070 Methods / 11 19	
SILVERWOOD LAKE	April-12	ND	ND		ND	12
SILVERWOOD LAKE	July-12	ND		· · · · · · · · · · · · · · · · · · ·		
SILVERWOOD LAKE	October-12	ND				
SILVERWOOD LAKE	January-13	ND		••	··· ·· ·· · · ····	··· ··· ···
SILVERWOOD LAKE	April-13	ND	ND		ND	12
SILVERWOOD LAKE	July-13	ND			ND	····
SILVERWOOD LAKE	October-13	ND				
AVERAGE		ND	NÐ	ND	ND	12

Beaumont Basin Watermaster - October 5, 2016 - Page 59 of 97

Volatile Organic Compounds	2004-2013
Benzene	ND
Bromobenzene	ND
Bromochloromethane	ND
Bromodichloromethane	ND
Bromoform	ND
Bromomethane (Methyl bromide)	ND
sec-Butylbenzene	ND
n-Butylbenzene	ND
tert-Butylbenzene	ND
Carbon Tetrachloride	ND
Chlorobenzene or monochlorobenzene	ND
Chlorodibromomethane*	ND
Chloroethane	ND
Chloroform	ND
Chloromethane or methyl chloride	ND
2-Chlorotoluene or o-Chlorotoluene	ND
4-Chlorotoluene or p-Chlorotoluene	ND
Dibromomethane	ND
1,2-Dichlorobenzene (o)	ND
1,3-Dichlorobenzene	ND
1,4-Dichlorobenzene (p)	ND
1,2-Dichloroethane	ND
1,1-Dichloroethane	ND
1,1-Dichloroethene	ND
cis-1,2-Dichloroethene	ND
trans-1,2-Dichloroethene	ND
Dichlorodifluoromethane (FREON 12)	ND
1,2-Dichloropropane	ND
1,3-Dichloropropane	
2,2-Dichloropropane	ND
1,1-Dichloropropene	ND
1,3-Dichloropropene	
(or 1,3-Dichloropropylene)	ND
cis-1,3-Dichloropropene	ND
trans-1,3-Dichloropropene	ND
ETBE (Ethyl tertiary butyl ether)	ND
Ethylbenzene	ND
Hexachlorobutadiene	ND
Isopropylbenzene	ND
p-Isopropyltoluene	ND
MEK (or 2-BUTANONE)	ND
Methylene Chloride	ND
МТВЕ	ND
Naphthalene	ND
Nitrobenzene	ND

.

n-Propylbenzene	ND
Styrene	ND
TAME	
(Tertiary amyl methyl ether)	ND
1,1,1,2-Tetrachloroethane	ND
1,1,2,2-Tetrachloroethane	ND
Tetrachloroethene	ND
Toluene	ND
1,2,3-Trichlorobenzene	ND
1,2,4-Trichlorobenzene	ND
1,1,1-Trichloroethane	ND
1,1,2-Trichloroethane	ND
Trichloroethene (or trichloroethylene)	ND
Trichlorofluoromethane	ND
1,2,3-Trichloropropane	ND
1,1,2-Trichloro-1,2,2-trifluoroethane (FREON 113)	
1,3,5-Trimethylbenzene	ND
	ND
1,2,4-Trimethylbenzene	ND
Vinyl Chloride	ND
Xylenes (single isomer or sum of isomers)	ND
m,p-xylene	ND
o-xylene	ND
Organochlorine Pesticides Alachlor	ND
Aldrin	ND
Chlordane	ND
Chlorothanlonil	ND
Dieldrin	ND
Endrin	ND
Heptachlor	ND
Heptachlor Epoxide	ND
Hexachlorobenzene	ND
Hexachlorocyclopentadiene	ND
Lindane	ND
Methoxychlor	ND
Polychlorinated Biphenyls	ND
Propachlor	ND
Toxaphene	ND
Fumigants	
Ethylene dibromide (EDB)	ND
Dibromochloropropane (DBCP)	
(1,2-dibromo-3-chloropropane)	ND
Organochlorine Herbicides	

Bentazon	ND
2,4-D	ND
Dalapon	ND
Dicamba	ND
Dinoseb	ND
Pentachlorophenol	ND
Picloram	ND
Silvex	ND
Carbamate Pesticides	
Diuron	ND
Aldicarb	ND
Aldicarb sulfone	ND
Aldicarb sulfoxide	ND
Baygon (aka Propoxur)	ND
Carbofuran	ND
Carbaryl	ND
3-hydroxycarbofuran	ND
Methomyl	ND
Oxamyl (Vydate)	ND
Miscellaneous	
Diquat	ND
Endothall	ND
Glyphosate	ND
2,3,7,8-TCDD Dioxin	ND
Nitrogen/Phosphorus Pesticides	
Atrazine	ND
Bromacil	ND
Butachlor	ND
Diazinon	ND
Dimethoate	ND
Malathion	.ND
Metolachlor	ND
Metribuzin	ND
Molinate	ND
Prometryn	ND
Simazine	ND
Thiobencarb	ND

		<u>Minimum</u> Reporting											
Year	Units	<u>Limit</u>	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	Average
Aluminum	ng/L	10	102	111	178	41	43	26	57	125	38	32	75
Antimony	ng/L	2	QN	QN	ON .	QN	DN	QN	ND	QN	DN	DN	QN
Arsenic	ng/L	0.5	2.5	2.1	1.9	2.6	3.7	4.0	2.8	1.6	2.1	2.9	2.6
Barium	ng/L	9	34	37	28	36	39	34	30	26	30	36	33
Beryllium	ug/I_	0.5	ND	DN	ΩN	DN	QN	DN	QN	QN	QN	QN	DN
Cadmium	ng/L	0.1	0.0	0.4	0.9	0.0	0.0	0.0	0	0	0	.0	0.1
Chromium	ng/L	۴	QN	DN	ND	DN	ND	ND	ND	ND	ND	QN	QN
Chromium-6	ng/L	0.03	0.1	0.1	0.1	0.2	0.6	0.4	0.24	0.06	0.1	0.18	0.2
Copper	ng/L	10	QN	ND	QN	DN	ΟN	QN	DN	QN	DN	DN	ND
Iron	ng/L	50	75	119	DN	QN	ND	ND	DN	88	QN	QN	DN
Lead	ng/L	1	ND	QN	ΩN	DN	ND	QN	QN	QN	QN	DN	ND
Lithium	ng/L	10	ND	DN	ND	DN	QN	QN	QN	DN	QN	ND	ND
Manganese	ng/L	5	14	17	19	22	18	24	16	16	24	24	19
Mercury	ng/L	0.2	QN	DN	ND	QN	ND	QN	QN	QN	ND	ΟN	QN
Molybdenum	ng/L	2	DN	DN	DN	DN	3.0	2.5	DN	QN	QN	QN	ND
Nickel	ng/L	2	DN	2.5	2.0	DN	ND	QN	QN	QN	QN	QN	0ND
Selenium	ng/L	5	DN	QN	DN	DN	DN	QN	QN	QN	ND	QN	QN
Silver	ng/L	5	QN	ND	DN	QN	DN	ND	ND	ΟN	DN	DN	DN
Strontium	ug/L	20	201	219	163	223	294	248	194	151	186	258	214
Thallium	ug/L	-	DN	QN	QN	QN	DN	QN	DN	DN	QN	DN	ND
Vanadium	ng/L	-	5.0	4.2	3.2	4.5	7.2	6.7	4.4	ŝ	3.3	4.8	4.6
Zinc	ng/L	20	DN	ND	21.5	DN	QN	ND	DN	ND	DN	ND	QN
Average Annual values	ralues												

FOCATION		bicarbounate mg/L	mg/L	BKUINIUE mg/L	mg/L	bokon bkomide calcium Lakbonate chlokide colok fluokide mg/l mg/l mg/l mg/l mg/l mg/l mg/l	CHLUKIUE mg/L	colok		FREE_CO2 mg/L
SILVERWOOD LAKE	Dec-13	95		0.33			100	-	0.1	2.1
SILVERWOOD LAKE	Nov-13	89		0.35	19	0	107		0.1	1.4
SILVERWOOD LAKE	Oct-13	63		0.3	19	0	92	10	0.1	0.7
SILVERWOOD LAKE	Sep-13	85		0.21	20	9	68		0.1	0.2
SILVERWOOD LAKE	Aug-13	84		0.2	23	10	99		0.1	0.2
SILVERWOOD LAKE	Jul-13	100		0.23	25	4	73	2	0.1	0.5
SILVERWOOD LAKE	Jun-13	105		0.23	27	2	71		0.1	0.6
SILVERWOOD LAKE	May-13	111		0.22	28	0	68		0.1	0.8
SILVERWOOD LAKE	Apr-13	110		0.23	28	0	75	12	0.1	0.9
SILVERWOOD LAKE	Mar-13	102		0.22	28	0	17		0.1	1.2
SILVERWOOD LAKE	Feb-13	. 93		0.27	23	0	84		0	1.1
SILVERWOOD LAKE	Jan-13	06		0.3	18	0	91	7	0	1.8
SILVERWOOD LAKE	Dec-12	90		0.3	17	0	94		0	1.5
SILVERWOOD LAKE	Nov-12	92		0.37	17	0	110		0	1.5
SILVERWOOD LAKE	Oct-12	81		0.25	15	0	76	7	0	1.5
SILVERWOOD LAKE	Sep-12	29		0.16	16	0	56		0.1	1.4
SILVERWOOD LAKE	Aug-12	88		0.16	18	0	. 55		0	1.1
SILVERWOOD LAKE	Jul-12	95		0.2	22	0	64	2	0	0.9
SILVERWOOD LAKE	Jun-12	96		0.2	22	0	99		0	0.8
SILVERWOOD LAKE	May-12	102		0.22	26	1	72		0.1	0.7
SILVERWOOD LAKE	Apr-12	94		0.25	21	0	80	8	0	0.7
SILVERWOOD LAKE	Mar-12	95		0.26	21	0	86		0	6.0
SILVERWOOD LAKE	Feb-12	06		0.19	19	0	62		0	0.7
SILVERWOOD LAKE	Jan-12	78		0.11	17	0	37	7	0	2.1
SILVERWOOD LAKE	Dec-11	73		0.08	. 15	0	25		0	1.1
SILVERWOOD LAKE	Nov-11	79		0.07	14	0	23		0	1.5
SILVERWOOD LAKE	Oct-11	73		0.08	14	0	26	7	0	1.4
SILVERWOOD LAKE	Sep-11	70		0.1	14	0	33		0	1.3
SILVERWOOD LAKE	Aug-11	57		0.07	13	0	26		0	1.1

SILVERWOOD LAKE	Jul-11	57		0.08	13	0	28	7	0	1.5
SILVERWOOD LAKE	Jun-11	59		0.07	13	0	24		0	1.1
SILVERWOOD LAKE	May-11	63		0.06	14	0	27		0	1.2
SILVERWOOD LAKE	Apr-11	67		0.1	16	0	32	12	0	1.2
SILVERWOOD LAKE	Mar-11	67		0.08	16	0	31		0	0.6
SILVERWOOD LAKE	Feb-11	99		0.1	15	0	38		0	2.5
SILVERWOOD LAKE	Jan-11	76		0.2	16	0	65	15	0	1.6
SILVERWOOD LAKE	Dec-10	87		0.22	18	0	78		0	1.1
SILVERWOOD LAKE	Nov-10	89		0.28	18	0	91	∞	0	1.7
SILVERWOOD LAKE	Oct-10	83	0.1	0.26	17	0	83		0	
SILVERWOOD LAKE	Sep-10	82		0.15	17	0	51		0	1
SILVERWOOD LAKE	Aug-10	06		0.17	20	0	59		0	0.9
SILVERWOOD LAKE	Jul-10	06		0.19	21	0	62	11	0.1	1.1
SILVERWOOD LAKE	Jun-10	88		0.14	22	0	51		0.1	1.6
SILVERWOOD LAKE	May-10	88		0.15	23	0	49		0.1	2.3
SILVERWOOD LAKE	Apr-10	85		0.18	22	0	51	9	0.1	1.6
SILVERWOOD LAKE	Mar-10	83		0.19	21	0	54		0.1	1.4
SILVERWOOD LAKE	Feb-10	82		0.22	21	0	64		0.1	1
SILVERWOOD LAKE	Jan-10	82		0.24	20	0	69	7	0.1	1.4
SILVERWOOD LAKE	Dec-09	83		0.26	21	0	74		0.1	1.9
SILVERWOOD LAKE	Nov-09	93		0.32	21	0	92		0.1	1.2
SILVERWOOD LAKE	Oct-09	83	0.11	0.28	17	0	87	7	0.1	1.2
SILVERWOOD LAKE	Sep-09	81		0.23	17	0	75		0.1	1.2
SILVERWOOD LAKE	Aug-09	94		0.21	22	1	99		0.1	0.6
SILVERWOOD LAKE	60-lnf	105		0.28	26	0	91	8	0.1	1
SILVERWOOD LAKE	60-unr	101		0.27	27	0	74		0.2	1.3
SILVERWOOD LAKE	May-09	66		0.27	27	0	75		0.1	0.9
SILVERWOOD LAKE	Apr-09	98	0.16	0.26	26	1	72	9	0.2	0.3
SILVERWOOD LAKE	Mar-09	66		0.26	26	0	72		0.1	1.5
SILVERWOOD LAKE	Feb-09	100		0.28	26	0	78		0.2	3.5
SILVERWOOD LAKE	Jan-09	100		0.26	26	0	77	5	0.1	2.2
SILVERWOOD LAKE	Dec-08	100		0.28	25	0	78		0.1	1.7
SILVERWOOD LAKE	Nov-08	66		0.26	24	0	78		0.1	1.5
SILVERWOOD LAKE	Oct-08	66	0.15	0.24	25	0	75	10	0.1	1

SILVERWOOD LAKE	Sep-08	96		0.22	24	2	72		0.1	0.7
SILVERWOOD LAKE	Aug-08	102		0.24	24	0	76		0.1	1.3
SILVERWOOD LAKE	Jul-08	110	0.17	0.26	25	0	79	7	0.1	0.8
SILVERWOOD LAKE	Jun-08	105		0.24	26	0	76		0.1	1
SILVERWOOD LAKE	May-08	105		0.22	26	0	71	13	0.1	0.8
SILVERWOOD LAKE	Apr-08	100	0.19	0.22	27	0	68		0.1	1
SILVERWOOD LAKE	Mar-08	95		0.25	25	0	73		0.1	1.3
SILVERWOOD LAKE	Feb-08	85		0.22	22	0	99		0.1	1.7
SILVERWOOD LAKE	Jan-08	89	0.12	0.27	22	0	78	10	0.13	1.2
SILVERWOOD LAKE	Dec-07	93		0.29	24	0	82		0.13	1.5
SILVERWOOD LAKE	Nov-07	93		0.31	22	0	87		0.12	1.6
SILVERWOOD LAKE	Oct-07	88	0.11	0.33	20	0	92	6	0.1	1.4
SILVERWOOD LAKE	Sep-07	83		0.22	18	0	65		0	0.7
SILVERWOOD LAKE	Aug-07	89		0.16	20	0	50		0.1	1.3
SILVERWOOD LAKE	Jul-07	100	0.15	0.21	23	0	99	2	0.1	1.2
SILVERWOOD LAKE	Jun-07	100		0.2	22	0	63		0	0.8
SILVERWOOD LAKE	May-07	96		0.18	22	0	59		0.1	1.1
SILVERWOOD LAKE	Apr-07	66	0.19	0.21	23	0	70	13	0.1	1.8
SILVERWOOD LAKE	Mar-07	98		0.27	22	0	86		0.11	2
SILVERWOOD LAKE	Feb-07	94		0.31	21	0	95		0	1.4
SILVERWOOD LAKE	Jan-07	93	0.14	0.22	20	0	67	13	0	1.1
SILVERWOOD LAKE	Dec-06	79		0.12	15	0	38		0	1.5
SILVERWOOD LAKE	Nov-06	83		0.1	15	0	31		0	6.9
SILVERWOOD LAKE	Oct-06	81	0.09	0.12	15	0	38	7	0	4
SILVERWOOD LAKE	Sep-06	78		0.14	15	0	42		0	
SILVERWOOD LAKE	Aug-06	72		0.13	15	0	41		0	1.1
SILVERWOOD LAKE	Jul-06	62	0.1	0.1	13	0	32	12	0	2.1
SILVERWOOD LAKE	Jun-06	60		0.07	13	0	25		0.12	1.9
SILVERWOOD LAKE	May-06	61		0.08	14	0	29		0	1.6
SILVERWOOD LAKE	Apr-06	99	0.15	0.1	16	0	37	15	0	1.2
SILVERWOOD LAKE	Mar-06	67		0.13	17	0	44		0	1.4
SILVERWOOD LAKE	Feb-06	68		0.18	16	0	60		0	1.2
SILVERWOOD LAKE	Jan-06	96	0.14	0.28	19	0	88	15	0	2.2
SILVERWOOD LAKE	Dec-05	87		0.2	17	0	63		0	1.4

SILVERWOOD LAKEOCT-05880.120.151800417SILVERWOOD LAKESep-05880.140.141704445SILVERWOOD LAKEJui-05730.140.111704449SILVERWOOD LAKEJui-05730.140.121704449SILVERWOOD LAKEMay-05Jui-050.220.142504949SILVERWOOD LAKEMay-051020.220.142507171SILVERWOOD LAKEMay-051020.220.142507171SILVERWOOD LAKEMay-050.220.14250717172SILVERWOOD LAKEMay-050.220.120.23210717172SILVERWOOD LAKENov-04930.120.25222107171SILVERWOOD LAKENov-04930.120.252112121212SILVERWOOD LAKENov-04930.120.17171717171212SILVERWOOD LAKENov-04930.120.120.1117171212SILVERWOOD LAKENov-04930.120.120.12121212SILVERWOOD LAKEJui-04930.120.1212121212SILVERWOOD LAKE <th>SILVERWOOD LAKE</th> <th>Nov-05</th> <th>88</th> <th></th> <th>0.17</th> <th>16</th> <th>0</th> <th>55</th> <th></th> <th>0</th> <th>1.6</th>	SILVERWOOD LAKE	Nov-05	88		0.17	16	0	55		0	1.6
Sep-05850.1417044Aug-05760.1117037Aug-05750.140.1217043Jul-05730.140.1217043Jun-058600.1721043Jun-058600.1221049Jun-05860.220.142549Apr-051020.220.142571Apr-050.150.2221071Jan-05950.150.2221071Jan-05950.150.2221075Jan-05950.120.2221076Jan-05950.120.2221076Jan-05950.120.2117076Jun-04930.120.2117075Jul-04930.120.1717075Jul-04930.120.1721076Jul-04930.120.1222066Jul-04930.160.1722067Jul-04930.180.12212067Jul-04930.180.1222067Jul-04930.120.1221067Jul-04930.120.12 </td <td>SILVERWOOD LAKE</td> <td>Oct-05</td> <td>88</td> <td>0.12</td> <td>0.15</td> <td>18</td> <td>0</td> <td>54</td> <td>12</td> <td>0</td> <td>1.1</td>	SILVERWOOD LAKE	Oct-05	88	0.12	0.15	18	0	54	12	0	1.1
Aug-05 76 0.11 17 0 37 Jul-05 73 0.14 0.12 17 0 43 Jun-05 73 0.14 0.12 21 0 43 Jun-05 86 0 0.17 21 0 43 Jun-05 86 0 0.12 21 0 43 May-05 86 0 0.12 21 0 43 Apr-05 102 0.22 0.14 25 0 56 Mar-05 92 0.15 0.22 21 0 71 Mar-05 93 0 0.22 21 0 71 Mar-05 92 0.12 0.22 22 0 71 Nov-04 93 0 0 17 0 71 Nov-04 93 0 0 17 0 71 Nov-04 93 0 0	SILVERWOOD LAKE	Sep-05	85		0.14	17	0	44		0	1.4
Jul-05 73 0.14 0.11 0 43 Jun-05 90 0.14 0.17 21 0 43 Jun-05 86 0.12 21 0 49 May-05 86 0.12 21 0 49 Apr-05 102 0.22 0.14 25 9 56 Mar-05 98 0.22 0.14 25 0 56 Mar-05 98 0.22 0.14 27 0 71 Jan-05 99 0.15 0.22 21 0 76 Jan-05 99 0.15 0.22 21 0 76 Jan-05 0.12 0.22 21 0 76 76 Nov-04 93 0 0.25 22 0 76 76 Aug-04 93 0.16 0.17 17 76 76 76 Jul-04 93 0.16	SILVERWOOD LAKE	Aug-05	76		0.11	17	0	37		0	1.1
Jun-05900.1721061May-05860.120.1221049Apr-051020.220.1425056Mar-059800.1523057Mar-05980.150.2321071Jan-059950.150.2221071Jan-059950.150.2221075Jan-059950.120.2221076Jan-059950.120.2221076Jan-059950.120.2221076Nov-04930.120.21119076Nov-04930.120.1717076Nuo-04930.160.1717076Nuo-04930.160.1717076Nuo-04930.160.1717076Jun-04930.160.1717076Jun-04930.160.1221067Jun-04930.180.1222076Jun-04930.180.1222076Jun-04930.180.14212076Jun-04930.180.1222076Jun-04930.180.1222076	SILVERWOOD LAKE	Jul-05	73	0.14	0.12	17	0	43	13	0	1.4
May-05 86 0.12 21 0 49 Apr-05 102 0.22 0.14 25 0 56 Mar-05 98 0 0.15 23 0 55 Mar-05 98 0.15 0.23 21 0 71 Jan-05 96 0.15 0.22 21 0 71 Jan-05 96 0.15 0.22 21 0 71 Jan-05 96 0.15 0.22 21 0 75 Jan-04 93 0.12 0.21 17 76 76 Voct-04 93 0.15 0.21 17 71 76 76 Voct-04 93 0.16 0.21 17 71 76 76 Voct-04 93 0.16 0.21 21 71 76 76 Jun-04 93 0.18 0.21 21 71 76 76 <td>SILVERWOOD LAKE</td> <td>Jun-05</td> <td>90</td> <td></td> <td>0.17</td> <td>21</td> <td>0</td> <td>61</td> <td></td> <td>0</td> <td>1.7</td>	SILVERWOOD LAKE	Jun-05	90		0.17	21	0	61		0	1.7
Apr-05 102 0.22 0.14 25 0 56 Mar-05 98 0 0.15 23 0 55 Mar-05 98 0.15 23 0 55 Jan-05 96 0.15 0.22 21 0 71 Jan-05 96 0.15 0.22 21 0 75 Jan-05 95 0.12 0.22 21 0 76 Jan-04 93 0.12 0.25 20 0 76 Nov-04 93 0.12 0.21 17 0 76 Vot-04 93 0.16 0.21 17 0 67 Jun-04 100 0.16 0.21 21 0 67 Jun-04 93 0.18 0.12 21 0 67 May-04 93 0.18 0.12 21 0 67 May-04 93 0.18	SILVERWOOD LAKE	May-05	86		0.12	21	0	49		0	2.2
Mar-05980.1523055Feb-05920.2321071Jan-05950.150.2221071Jan-05950.150.2221076Jan-05950.252207676Jan-04930.250.2522076Nov-04930.120.2522076Nov-04930.120.21177675Vau-04930.120.2121067Jun-04930.160.2121067Jun-04930.180.2122067May-04930.180.1921067Mar-04930.180.1222076Mar-04930.180.192067Mar-04940.180.1921076Mar-04950.180.1822076Jan-04960.180.1823076Jan-04980.150.2123076Jan-04980.150.2123076Jan-04980.150.2107676Jan-04980.150.2107676Jan-04980.150.2107676Jan-0493 <td>SILVERWOOD LAKE</td> <td>Apr-05</td> <td>102</td> <td>0.22</td> <td>0.14</td> <td>25</td> <td>0</td> <td>56</td> <td>29</td> <td>0.1</td> <td>1.9</td>	SILVERWOOD LAKE	Apr-05	102	0.22	0.14	25	0	56	29	0.1	1.9
Feb-05 92 0.23 21 0 71 Jan-05 96 0.15 0.22 21 0 69 Jan-05 95 0.22 22 0 76 Nov-04 93 0.25 22 0 76 Nov-04 93 0.25 20 0 75 Nov-04 93 0.17 17 0 75 Nov-04 93 0.13 17 0 75 May-04 93 0.19 0.17 17 0 55 Jun-04 93 0.16 0.21 21 0 67 Jun-04 93 0.16 0.21 21 0 67 May-04 93 0.18 0.12 21 0 67 May-04 93 0.18 0.14 21 0 67 Mar-04 93 0.14 21 0 67 Mar-04	SILVERWOOD LAKE	Mar-05	98		0.15	23	0	55		0.1	1.6
Jan-05 96 0.15 0.22 21 0 69 Dec-04 95 0 22 0 76 Nov-04 93 0 22 0 76 Nov-04 93 0 25 20 0 75 Nov-04 93 0.17 17 0 75 Aug-04 93 0.19 0.17 17 0 55 Jul-04 93 0.16 0.17 17 0 55 Jul-04 93 0.16 0.17 17 0 55 Jul-04 99 0.16 0.12 10 55 55 Jun-04 93 0.14 0.12 21 0 67 May-04 93 0.18 0.14 21 0 55 Mar-04 93 0.18 0.14 21 0 56 Mar-04 96 0.14 0.21 0	SILVERWOOD LAKE	Feb-05	92		0.23	21	0	71		0.11	1.6
Dec-04 95 0.25 22 0 76 Nov-04 93 0.25 20 0 75 Nov-04 93 0.25 20 0 75 Oct-04 92 0.12 021 19 0 64 Sep-04 87 0 0.17 17 0 65 Aug-04 93 0 0.19 19 0 64 Jul-04 93 0.16 0.21 21 0 67 Jun-04 93 0.18 0.21 22 0 67 May-04 93 0.18 0.14 21 0 67 May-04 93 0.18 0.14 21 0 67 May-04 93 0.18 0.14 21 0 67 May-04 93 0.18 0.18 21 0 64 May-04 93 0.14 0.18 0 <	SILVERWOOD LAKE	Jan-05	96	0.15	0.22	21	0	69	28	0.12	1.5
Nov-04 93 0.25 20 0 75 Oct-04 92 0.12 0.21 19 0 64 Sep-04 87 0 017 17 0 65 Aug-04 87 0 0.19 0.17 17 0 65 Jul-04 93 0.16 0.21 21 0 67 67 Jun-04 99 0.16 0.21 21 0 67 67 Jun-04 99 0.16 0.21 22 0 67 67 May-04 93 0.18 0.14 21 0 67 67 Mar-04 93 0.18 0.18 21 0 67 67 Mar-04 96 0.18 0.18 0.18 61 69 69 Mar-04 96 0.18 0.21 21 0 69 69 64 Jan-04 98 <	SILVERWOOD LAKE	Dec-04	95		0.25	22	0	76		0.12	1.5
Oct-04 92 0.12 0.21 19 0 64 Sep-04 87 0 17 0 55 Aug-04 87 0 011 17 0 55 Jul-04 93 0.19 0.19 19 0 59 Jul-04 100 0.16 0.21 21 0 59 Jun-04 93 0.18 0.21 21 0 67 May-04 93 0.18 0.14 21 0 67 Mar-04 93 0.18 0.13 21 0 50 Mar-04 93 0.18 0.13 21 0 50 Mar-04 96 0.18 0.18 22 0 50 Mar-04 96 0.18 0.21 21 0 50 Mar-04 98 0.14 0.23 03 50 50	SILVERWOOD LAKE	Nov-04	93		0.25	20	0	75	12	0.12	1.9
Sep-04 87 0.17 17 0 55 Aug-04 93 0.19 19 0 59 59 Jul-04 100 0.16 0.21 21 0 59 Jun-04 99 0.16 0.21 21 0 67 Jun-04 93 0.16 0.21 22 0 67 May-04 93 0.18 0.12 21 0 67 Mar-04 93 0.18 0.12 22 0 46 Mar-04 96 0 0.18 22 0 50 Mar-04 96 0.18 0.18 0.29 50 50 Mar-04 96 0.15 0.21 22 0 50 50 Feb-04 98 0.15 0.21 21 0 50 50 Jan-04 98 0.14 0.20 20 0 50 50	SILVERWOOD LAKE	Oct-04	92	0.12	0.21	19	0	64		0.1	1.2
Aug-04 93 0.19 19 0 59 Jul-04 Jul-04 100 0.16 0.21 21 0 67 Jun-04 99 0 0.21 22 0 67 Jun-04 93 0 0.14 21 0 67 May-04 93 0.18 0.21 22 0 67 May-04 93 0.18 0.12 22 0 46 Mar-04 96 0.18 0.12 22 0 50 Mar-04 96 0.18 0.18 22 0 56 Mar-04 96 0.18 0.21 22 0 59 Feb-04 98 0.15 0.31 21 0 59 Jan-04 88 0.14 0.20 23 0 59	SILVERWOOD LAKE	Sep-04	87		0.17	17	0	55		0.1	1.4
Jul-04 100 0.16 0.21 21 0 67 Jun-04 99 0 0.21 22 0 67 Jun-04 93 0 14 21 0 67 May-04 93 0.18 0.21 22 0 67 Apr-04 93 0.18 0.12 22 0 46 Mar-04 96 0.18 22 0 46 Mar-04 96 0.18 22 0 59 Jan-04 98 0.15 0.21 22 0 59 Jan-04 98 0.15 0.31 21 0 59 Jan-04 88 0.14 0.20 23 0 59	SILVERWOOD LAKE	Aug-04	93		0.19	19	0	59	12	0	1.3
Jun-04 99 0.21 22 0 67 May-04 93 0.14 21 0 50 Apr-04 93 0.18 0.12 22 0 46 Apr-04 93 0.18 0.12 22 0 46 Mar-04 96 0.18 22 0 59 59 Mar-04 96 0.18 22 0 59 59 Jan-04 96 0.18 22 0 59 59 Jan-04 98 0.15 0.31 21 0 59 Jan-04 98 0.14 0.20 23 0 59	SILVERWOOD LAKE	Jul-04	100	0.16	0.21	21	0	67		0	1.2
May-04 93 0.14 21 0 50 Apr-04 93 0.18 0.12 22 0 46 Mar-04 96 0.18 0.12 22 0 46 Mar-04 96 0.18 22 0 59 59 Feb-04 96 0.18 22 0 59 59 Jan-04 96 0.18 22 0 59 59 Jan-04 98 0.15 0.31 21 0 90 95 Jan-04 88 0.14 0.20 20 0 95 95	SILVERWOOD LAKE	Jun-04	66		0.21	22	0	67		0	1
Apr-04 93 0.18 0.12 22 0 46 Mar-04 96 1 0.18 22 0 59 Feb-04 96 1 0.18 22 0 59 Jan-04 96 0 0.29 22 0 59 Jan-04 98 0.15 0.31 21 0 90 Jan-04 88 0.14 0.20 20 023 54	SILVERWOOD LAKE	May-04	93		0.14	21	0	. 20	13	0	1.2
Mar-04 96 0.18 22 0 59 Feb-04 96 0.29 22 0 90 90 Jan-04 98 0.15 0.31 21 0 90 90 Jan-04 98 0.15 0.31 21 0 95 95 Marcold 88 0.14 0.20 20 0.23 64	SILVERWOOD LAKE	Apr-04	93	0.18	0.12	22	0	46		0	1.7
Feb-04 96 0.29 22 0 90 90 Jan-04 98 0.15 0.31 21 0 95 95 Jan-04 88 0.14 0.20 20 0.23 64	SILVERWOOD LAKE	Mar-04	96		0.18	22	0	59		0	1.7
Jan-04 98 0.15 0.31 21 0 95 88 0.14 0.20 20 0.23 64	SILVERWOOD LAKE	Feb-04	96		0.29	22	0	90	12	0.1	1.7
88 0.14 0.20 20 0.23 64	SILVERWOOD LAKE	Jan-04	98	0.15	0.31	21	0	95		0	1.6
	Average		88	0.14	0.20	20	0.23	64	11	0.05	1.39

								TFR_180C	TOC	
		PHENOL_ALKA						(Total	(Total	
					-	SPECIFIC		Filterable	Organic	
MAGNESIUM	NITRATE	co3	POTASSIUM	SILICA	SODIUM	CONDUCTANCE	SULFATE	Residue)	Carbon)	TEMPERATURE
mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	µmho/cm	mg/L	mg/L	mg/L	°c
11	1.6	0	2.8	8.6	69	579	39	306	2.53	14
13	3 0.6	0	3.1	8.4	70	576	33	301	2.63	16
12	0.2	0	3	9.4	63	515	29	283	2.9	20
11	0.4	5	2.5	12.7	52	463	34	253	3.04	24
11	0.2	8	2.6	13.6	53	474	42	268	3.55	23
12	1.3	3	2.7	11.6	58	521	50	293	3.36	23
12	2.2	2	2.6	9.8	57	524	52	291	3.58	20
12	3.5	0	2.6		56	522	55	297	3.64	17
12	4.4	0	2.8	12	58	562	56	308	3.6	13
12	4.7	0	2.9	12.5	59	542	53	287	3.7	11
12	3.7	0	2.9	13.6	60	506	38	287	3.04	10
13	2.6	0	3	11.2	61	516	29	270	2.46	6
13	1.5	0	3	10.5	61	515	25	280	2.46	14
14	.0.7	0	3.3	11.4	67	569	27	302	2.44	18
11	. 0.4	0	2.5	10	49	434	19	230	2.62	23
10	0.7	0	2.2	11.1	39	342	19	203	2.7	24
10	1.3	0	2.4	11.8	40	368	30	218	3.02	24
11	2.1	0	2.5	13.2	48	456	39	256	3.14	
11		0	2.6	11.5	51	482	43	264	3.34	20
11		H	2.6	11.1	56	519	48	291	3.68	17
12		0	2.9	9.8	56	498	37	269	3.08	12
13		0	3.1	9.8	60	529	38	281	3.1	10
11		0	2.5	9	45	404	33	231	2.98	6
6		0	1.9	11	31	316	26	180	2.68	6
7	1.9	0	1.5	10.1	23	240	18	138	2.45	11
ø	1.3	0	1.5	12.6	21	238	14	140	2.66	19
2		0	1.6	12	23	241	15	138	2.72	23
8		0	1.8	11.5	27	266	19	157	2.82	24
9	1.7	0	1.7	11.8	22	228	18	138	2.98	25

22 215
28 287
27
29 45
55
60
55
38
45
49
45
46
44
45
51
55
56
65
59
53
50
69
62
64
61
60
63
64
63
63
57

0.1 1	2.8	15.1	55	497 4	40	3.01	24
		14.9	55		42	2.96	24
12 3.1	3	14	58	519 4	41	2.96	23
11 3.4	2.	11.4	57	525 4	45	3.18	18
	2.	11.6	56	527 4	49	3.53	17
10 5.6	2.8	12.6	57	507 4	48	3.12	14
9 4.9	2.5	12.4	58	501 4	43	2.24	10
8 4.6	2.4	13.7	52	454 3	36	2.63	8
8 4	2.5	12.4	60		39	1.88	6
9 3.7	2.7	12.5	61		37	1.56	14
10 2.8	2.5	11.6	63	533 3	33	2.07	17
11 1.6	8	11.2	61		28	2.29	20
10 1.3	2.5	13.3	45	395 2	23	2.72	25
9 2.2	2.4	12.6	39		27	2.66	24
11 2.1	2.7		50		35	2.75	23
12 2	2.6	12	50		35	2.98	21
12 3.4	2.3		46		39	3.48	17
12 4.4	2.9		53	497 4	45	4.28	15
14 4.4	3.2		58		44	3.96	11
15 4	3.4	14.9	62		39	3.51	∞
12 3.5	2.7	13	48		34	2.76	10
9 2.7	2.1	12.6	30	306 2	22	2.63	13
9 2.1	1.8		27		18	2.46	18
9 1.4	2		31	308 2	21	2.74	21
9 1.6	2.2	12.4	33	322 2	13	2.86	25
1	2.1	11.9	32	313 2	24	3.12	24
7 1.5	1.9	11.2	26		20	3.3	25
	3.3	10.7	22		17	3.26	22
7 1.9	2.2	7.7	27		30	3.61	16
2	1.8	8.9	31	309 3	34	7.95	13
	2.2	10.2	36		37	5.49	10
10 3.6	2.7	9.4	41		30	3.76	11
	3.3	12.1	59	517 3	33	5.77	11
11 2.8	4	11.4	45	417 2	25	3 87	13

10.5	2		2.4	11.4	39	ز/ ک	77		2.77	17
11	1.4		2.5	11.5	39	375	24		4.73	21
10	1.9		2.3	13.6	33	338	26		3.31	23
6	2.2		2.1	13.1	30	319	26		3.5	27
6	2.8		2.4	13.7	34	341	30		3.88	25
12	3.2		2.8	11.8	47	449	43		4.24	21
11.5	4		2.5	11	42	424	49		4.86	17
13.5	5.8		3.1	13.8	46	476	54		5.94	14
12.5	6.3		3.3	15.5	44	447	43		6.18	12
12	5.6		3.2	13.8	50	470	33		4.42	6
12	5.4		ŝ	13.2	50	473	34		4.25	10
11.5	3.6		m	11.8	58	489	34		2.92	12
11	2.8		2.8	11	54	463	29		3.04	16
10.5	1.7		2.5	11.8	48	423	26		2.9	22
10	1.5		2.3	13	40	374	. 22		3.12	24
11.5	2.1		2.6	14.4	46	412	29		3.3	24
13	2.8		2.8	14.5	50	477	38		3.75	24
13.5	2.7		3.1	13.5	50	469	39		3.64	21
12	3.2		2.4	12.3	40	403	39		3.95	19
12	4.6		2.6	14	38	401	41		5.11	17
13	4.4		2.6	14.5	45	449	38		5.09	10
14.5	4.6		3.5	14.1	62	553	42		4.07	6
14	2.6		3.4	10.7	64	554	37		3.31	6
10	2.60	0.58	2.6	11.7	48	435	34	235	3.24	17

TOTAL ALKALINITY	TOTAL DISS	TOTAL HARDNESS		
		AS_CACO3	TURBIDITY	H
mg/L	mg/L	mg/L	NTU	
78	302	104	0.56	7.8
73	299	100	0.75	8.0
76	274	86	1.1	8.3
80	249	66	1.1	8.8
85	264	106	2.1	8.9
88	288	116	0.88	8.5
06	288	117	0.62	8.4
91	291	118	0.73	8.3
06	303	120	0.65	8.
84	300	120	0.72	8.1
76	284	108	0.63	8.1
74	274	102	1	7.9
74	270	98	0.78	7.9
75	296	102	0.82	8.0
99	223	84	1.1	7.9
65	194	78	1.1	7.9
72	213	89	1.1	8.1
78	249	101	1.1	8.2
62	257	105	0.92	8.2
86	282	111	1.3	8.3
17	268	104	1.1	8.3
78	281	110	0.88	8.2
74	230	97	0.97	8.3
64	174	81	0.82	7.7
99	138	67	1.3	8.0
65	135	67	1.6	7.9
90	136	99	1.4	7.9
57	151	69	1.7	7.9
47	129	57	3.4	7.9

ALINITY_	TOTAL_DISS _solids	TOTAL_HARDNESS_ AS_CACO3	TURBIDITY	Н
_ _	mg/L	mg/L	NTU	
78	302		0.56	7.88
73	299	100	0.75	8.02
76	274	98	1.1	8.37
80	249	66	1.1	8.88
85	264	106	2.1	8.99
88	288	116	0.88	8.57
90	288	117	0.62	8.46
16	291	118	0.73	8.36
90	303	120	0.65	8.3
84	300	120	0.72	8.17
76		108	0.63	8.15
74	274	102	1	7.93
74	270	98	0.78	7.99
75	296	102	0.82	8.01
99	223	84	1.1	7.95
65	194	78	1.1	7.98
72	213	68	1.1	8.13
78	249	101	1.1	8.25
79	257	105	0.92	8.28
86	282	111	1.3	8.38
77	268	104	1.1	8.35
78	281	110	0.88	8.25
74	230	97	0.97	8.31
64	174	81	0.82	7.79
60	138	67	1.3	8.04
65	135	67	1.6	7.95
09	136	99	1.4	7.94
57	151	69	1.7	7.95
47	129	57	3.4	7.95

26.7 20.7	7.96	7.98	8.25	7.64	7.89	8.13	7.93	8.13	8.14	8.22	8.13	7.95	7.81	7.95	8	8.12	7.99	7.87	8.12	8.05	8.05	8.46	8.24	8.12	8.24	8.71	8.05	7.68	7.88	7.99	8.05	8.19
7.7	3.6	2	1.9	5.8	2.8	0.84	1.6	1.1	0.86	1.4	1.9	2.6	1.6	1.2	1.9	2.4	0.81	0.76	0.74	-	0.83	1.6	1	1.6	1.4	1.6	1.02	0.44	0.79	0.73	0.71	1.2
53 73	63	69	68	67	83	94	86	92	82	94	98	93	93	86	84	87	89	06	100	91	91	103	117	106	104	102	100	102	100	106	104	106
124	143	163	157	166	215	248	267	244	193	234	245	232	235	220	220	235	244	255	287	255	235	254	324	287	284	273	272	289	287	289	289	279
48	52	55	55	54	62	71	73	68	67	74	74	72	72	70	68	67	67	68	76	68	99	79	86	83	81	82	81	82	82	82	81	81
	+'7 CC +77	143 63 3.6 143 63 3.6	124 33 2.4 143 63 3.6 163 69 2	124 33 2.4 143 63 3.6 163 69 2 157 68 1.9	124 33 143 63 3.6 163 69 2 157 68 1.9 166 67 5.8	124 33 143 63 3.6 163 69 2 157 68 1.9 166 67 5.8 215 83 2.8	124 53 143 63 3.6 163 63 3.6 157 68 1.9 166 67 5.8 215 83 2.8 215 83 2.8 248 94 0.84	124 53 24 143 63 3.6 163 163 3.6 157 68 1.9 166 67 5.8 215 83 2.8 215 83 2.8 215 83 2.8 215 83 2.8 215 83 2.8 215 83 2.8 215 94 0.84 267 98 1.6	124 53 54 143 63 3.6 157 68 1.9 156 67 5.8 215 83 2.8 215 83 2.8 215 83 2.8 215 83 2.8 215 83 2.8 216 67 5.8 218 94 0.84 244 92 1.1	124 33 143 63 3.6 163 63 3.6 157 68 1.9 166 67 5.8 215 83 2.8 248 94 0.84 267 98 1.6 244 92 1.1 193 82 0.86	124 53 143 63 3.6 163 63 3.6 157 68 1.9 166 67 5.8 215 83 2.8 215 83 2.8 216 67 5.8 215 83 2.8 248 94 0.84 267 98 1.6 264 93 0.84 234 93 0.84 234 93 0.84 193 82 0.86 193 82 0.86 234 94 1.1	124 53 143 63 3.6 163 63 3.6 157 68 1.9 166 67 5.8 215 83 2.8 215 83 2.8 216 67 5.8 215 83 2.8 248 94 0.84 267 98 1.6 213 82 0.86 193 82 0.86 234 94 1.4 234 94 1.4 234 94 1.4 234 94 1.4 234 94 1.4	124 73 24 143 63 3.6 163 63 3.6 157 68 1.9 166 67 5.8 215 83 2.8 248 94 0.84 267 98 1.6 219 267 98 1.6 248 94 0.84 267 98 1.6 213 234 92 1.1 234 94 1.4 234 92 1.1 234 93 2.8 234 93 1.4 234 93 1.4 234 93 1.4 232 93 2.6 232 93 2.6	124 73 24 143 63 3.6 157 68 1.9 156 67 5.8 215 83 2.8 248 94 0.84 267 98 1.6 243 94 0.84 267 98 1.6 267 98 1.6 268 94 0.84 269 98 1.6 244 92 1.1 193 82 0.86 234 94 1.4 234 92 1.1 234 93 1.6 235 93 2.6	124 53 143 63 3.6 163 157 68 1.9 157 68 1.9 166 67 5.8 215 83 2.8 248 94 0.84 244 92 1.1 257 98 1.6 244 92 1.1 254 92 1.1 267 98 1.6 248 92 1.1 269 92 1.1 274 92 1.1 233 234 93 1.6 235 93 1.9 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6	124 53 5.4 143 63 3.6 157 68 1.9 156 67 5.8 215 83 2.8 216 67 5.8 215 83 2.8 248 94 0.84 244 92 1.1 234 92 1.1 193 82 0.86 245 94 1.4 234 94 1.4 234 94 1.4 235 93 1.6 236 93 1.6 237 93 1.6 238 232 93 1.6 230 233 93 1.6 231 232 93 1.6 232 93 1.6 232 93 1.6 232 93 1.6 230 84 1.9	124 53 5.4 143 63 3.6 157 68 1.9 156 67 5.8 215 83 2.8 248 94 0.84 244 92 1.1 193 82 0.86 244 92 1.1 234 94 1.4 234 94 1.4 234 94 1.4 235 93 1.9 235 93 1.9 236 93 1.6 237 93 1.6 238 23 93 1.9 235 93 1.6 235 93 1.6 236 93 1.6 237 93 1.6 238 236 93 1.6 235 93 1.6 236 93 1.6 237 84 1.9 235 84 1.9	124 35 24 143 63 3.6 157 68 1.9 157 68 1.9 166 67 5.8 215 83 2.8 215 83 2.8 248 94 0.84 244 92 1.6 244 92 1.1 234 92 1.1 234 92 1.1 234 93 1.1 234 93 1.1 234 93 1.1 235 93 1.1 235 93 1.1 235 93 1.6 235 93 1.6 235 93 1.2 235 93 1.2 235 93 1.2 235 93 1.2 235 93 1.2 235 87 2.4	124 33 54 143 63 3.6 163 163 3.6 157 68 1.9 166 67 5.8 215 83 2.8 248 94 0.84 244 92 1.6 244 92 1.1 193 82 0.86 234 92 1.1 193 82 0.86 234 94 1.4 234 94 1.4 235 93 2.6 235 93 1.6 235 93 1.6 235 93 1.6 235 87 2.4 235 87 2.4 235 87 2.4 235 87 0.81 255 90 0.76	124 53 143 63 5.4 157 68 1.9 156 67 5.8 215 83 2.8 216 67 5.8 215 83 2.8 244 94 0.84 257 98 1.6 244 92 1.1 193 82 0.86 234 94 1.4 234 94 1.4 234 94 1.4 234 93 1.6 235 93 2.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 87 2.4 235 235 90 235 90 0.74 235 90 0.76 235 90 0.74	124 53 143 63 3.6 163 63 3.6 157 68 1.9 166 67 5.8 215 83 2.8 216 67 5.8 215 83 2.8 216 67 5.8 215 83 2.8 244 94 0.84 254 92 1.1 193 82 0.86 245 94 94 234 94 1.4 234 94 1.4 234 94 1.4 234 94 1.4 234 94 1.4 235 93 2.6 235 93 1.6 235 93 1.6 235 87 2.4 235 87 2.4 235 87 2.4 235 90 0.74 244 100 0.74 235 91 0.74	124 53 54 143 63 3.6 157 68 1.9 156 67 5.8 215 68 1.9 216 67 5.8 215 83 2.8 216 67 5.8 215 83 2.8 244 94 0.84 254 92 1.1 193 82 0.86 245 93 2.6 234 94 1.4 234 94 1.4 235 93 2.6 235 93 2.6 235 87 2.4 235 87 2.4 235 87 2.4 235 93 0.8 235 87 2.4 235 93 0.8 236 234 1.9 235 93 0.8	124 53 143 63 54 157 68 19 156 67 58 215 68 19 216 67 5.8 215 83 2.8 216 67 5.8 215 83 2.8 244 94 0.84 257 98 1.6 245 94 9.8 234 94 1.4 235 93 82 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 87 2.4 235 87 2.4 235 93 1.6 235 93 1.6 235 93 1.2 235 93 1.0 235 93 1.2 235 93	12.4 53 5.4 143 63 5.5 157 68 1.9 156 67 5.8 215 83 2.8 216 67 5.8 215 83 2.8 216 67 5.8 215 83 2.8 216 94 0.84 244 92 1.1 193 82 0.84 245 93 1.6 234 94 1.4 234 94 1.4 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 87 2.4 235 87 2.4 235 87 2.4 235 91 0.74 235 91 0.84 235 91 0.83 235 91 0.83 235 91 0.83 235 91 0.83 235 91 0.83 235 91 0.83 232	124 53 54 143 63 3.6 157 68 1.9 157 68 1.9 215 68 1.9 216 67 5.8 215 83 2.8 216 67 5.8 215 83 2.8 244 92 1.1 193 82 0.84 245 93 1.6 234 94 1.4 234 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 84 1.9 235 87 2.4 235 84 1.9 235 87 2.4 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.1 235 93 1.0 235 91 0.84	124 53 54 143 63 3.6 157 68 1.9 156 67 5.8 215 68 1.9 216 67 5.8 215 83 2.8 215 83 2.8 246 94 0.84 247 92 1.1 193 82 0.84 245 94 94 1.4 234 94 1.4 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 87 2.4 235 87 2.4 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.1 235 93 1.1 <td>12.4 53 54 143 63 3.6 157 68 1.9 156 67 5.8 215 68 1.9 215 68 1.9 216 67 5.8 215 83 2.8 246 94 0.84 247 92 1.1 193 82 93 1.6 245 94 94 1.4 234 94 1.4 1.4 235 93 1.6 1.4 235 93 1.6 1.4 235 93 1.6 1.4 235 93 1.6 1.4 244 235 93 1.6 235 93 1.6 1.4 235 93 1.6 1.4 244 89 0.81 1.4 235 93 1.6 1.4 244</td> <td>12.4 53 54 143 63 3.6 157 68 1.9 156 67 5.8 215 68 1.9 215 68 1.9 216 67 5.8 215 83 2.8 246 94 0.84 247 92 1.1 193 82 93 1.6 245 94 94 1.4 234 94 1.4 1.4 235 93 1.6 1.4 235 93 1.6 1.4 235 93 1.6 1.4 235 93 1.6 1.4 235 244 1.9 1.4 235 235 93 1.6 1.4 235 235 93 1.6 1.4 244 244 89 0.81 1.4 235 244 89 0.74 1.4</td> <td>12.4 50 2.4 143 63 3.6 157 68 1.9 156 67 5.8 215 83 2.8 215 83 2.8 215 83 2.8 215 83 2.8 215 94 0.84 245 94 0.84 245 93 1.1 193 82 93 1.4 235 93 86 1.4 235 93 1.6 1.4 235 93 1.6 1.4 235 93 1.6 1.4 235 93 1.6 1.4 235 93 1.6 1.4 245 93 1.6 1.4 235 93 1.6 1.4 244 1.0 0.84 1.4 235 91 0.6 0.74 234<td>12.4 50 5.4 143 63 3.6 157 68 1.9 156 67 5.8 215 68 1.9 215 68 1.9 216 67 5.8 215 83 2.8 214 92 1.1 193 82 93 245 94 0.84 234 94 1.4 234 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 236 100 0.74 237 103 1.4</td><td>12.4 50 2.4 143 63 3.6 157 68 1.9 156 67 5.8 215 83 5.8 215 83 2.8 215 83 2.8 215 83 2.8 245 94 0.84 245 93 1.1 193 82 93 1.6 245 94 94 1.4 235 93 1.6 1.4 235 93 1.6 1.2 235 93 1.6 1.2 235 93 1.6 1.4 235 93 1.6 1.4 255 91 0.74 1.4 255 91 0.84 1.4 254 100 0.74 1.4 254 100 0.74 1.4 254 1.03 1.03 1.6</td><td>12.4 50 2.4 143 63 3.6 157 68 1.9 156 67 5.8 215 83 5.8 216 67 5.8 215 83 2.8 214 92 1.9 245 93 1.1 193 82 93 1.1 245 93 82 0.84 234 94 94 1.4 235 93 82 1.9 235 93 1.6 1.4 235 93 1.6 1.4 235 93 1.6 1.4 235 93 1.6 1.4 235 91 0.74 1.4 235 91 0.84 1.4 235 91 0.8 1.4 235 91 0.8 1.4 234 103 1.6 1.4</td></td>	12.4 53 54 143 63 3.6 157 68 1.9 156 67 5.8 215 68 1.9 215 68 1.9 216 67 5.8 215 83 2.8 246 94 0.84 247 92 1.1 193 82 93 1.6 245 94 94 1.4 234 94 1.4 1.4 235 93 1.6 1.4 235 93 1.6 1.4 235 93 1.6 1.4 235 93 1.6 1.4 244 235 93 1.6 235 93 1.6 1.4 235 93 1.6 1.4 244 89 0.81 1.4 235 93 1.6 1.4 244	12.4 53 54 143 63 3.6 157 68 1.9 156 67 5.8 215 68 1.9 215 68 1.9 216 67 5.8 215 83 2.8 246 94 0.84 247 92 1.1 193 82 93 1.6 245 94 94 1.4 234 94 1.4 1.4 235 93 1.6 1.4 235 93 1.6 1.4 235 93 1.6 1.4 235 93 1.6 1.4 235 244 1.9 1.4 235 235 93 1.6 1.4 235 235 93 1.6 1.4 244 244 89 0.81 1.4 235 244 89 0.74 1.4	12.4 50 2.4 143 63 3.6 157 68 1.9 156 67 5.8 215 83 2.8 215 83 2.8 215 83 2.8 215 83 2.8 215 94 0.84 245 94 0.84 245 93 1.1 193 82 93 1.4 235 93 86 1.4 235 93 1.6 1.4 235 93 1.6 1.4 235 93 1.6 1.4 235 93 1.6 1.4 235 93 1.6 1.4 245 93 1.6 1.4 235 93 1.6 1.4 244 1.0 0.84 1.4 235 91 0.6 0.74 234 <td>12.4 50 5.4 143 63 3.6 157 68 1.9 156 67 5.8 215 68 1.9 215 68 1.9 216 67 5.8 215 83 2.8 214 92 1.1 193 82 93 245 94 0.84 234 94 1.4 234 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 236 100 0.74 237 103 1.4</td> <td>12.4 50 2.4 143 63 3.6 157 68 1.9 156 67 5.8 215 83 5.8 215 83 2.8 215 83 2.8 215 83 2.8 245 94 0.84 245 93 1.1 193 82 93 1.6 245 94 94 1.4 235 93 1.6 1.4 235 93 1.6 1.2 235 93 1.6 1.2 235 93 1.6 1.4 235 93 1.6 1.4 255 91 0.74 1.4 255 91 0.84 1.4 254 100 0.74 1.4 254 100 0.74 1.4 254 1.03 1.03 1.6</td> <td>12.4 50 2.4 143 63 3.6 157 68 1.9 156 67 5.8 215 83 5.8 216 67 5.8 215 83 2.8 214 92 1.9 245 93 1.1 193 82 93 1.1 245 93 82 0.84 234 94 94 1.4 235 93 82 1.9 235 93 1.6 1.4 235 93 1.6 1.4 235 93 1.6 1.4 235 93 1.6 1.4 235 91 0.74 1.4 235 91 0.84 1.4 235 91 0.8 1.4 235 91 0.8 1.4 234 103 1.6 1.4</td>	12.4 50 5.4 143 63 3.6 157 68 1.9 156 67 5.8 215 68 1.9 215 68 1.9 216 67 5.8 215 83 2.8 214 92 1.1 193 82 93 245 94 0.84 234 94 1.4 234 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 235 93 1.6 236 100 0.74 237 103 1.4	12.4 50 2.4 143 63 3.6 157 68 1.9 156 67 5.8 215 83 5.8 215 83 2.8 215 83 2.8 215 83 2.8 245 94 0.84 245 93 1.1 193 82 93 1.6 245 94 94 1.4 235 93 1.6 1.4 235 93 1.6 1.2 235 93 1.6 1.2 235 93 1.6 1.4 235 93 1.6 1.4 255 91 0.74 1.4 255 91 0.84 1.4 254 100 0.74 1.4 254 100 0.74 1.4 254 1.03 1.03 1.6	12.4 50 2.4 143 63 3.6 157 68 1.9 156 67 5.8 215 83 5.8 216 67 5.8 215 83 2.8 214 92 1.9 245 93 1.1 193 82 93 1.1 245 93 82 0.84 234 94 94 1.4 235 93 82 1.9 235 93 1.6 1.4 235 93 1.6 1.4 235 93 1.6 1.4 235 93 1.6 1.4 235 91 0.74 1.4 235 91 0.84 1.4 235 91 0.8 1.4 235 91 0.8 1.4 234 103 1.6 1.4

Beaumont Basin Watermaster Memorandum No. 16-18	

83	272	108	2	8.41
84	281	110	-	8.13
06	290	112	1.2	8.36
86	285	112	1.1	8.24
86	284	116	0.83	8.34
82	281	110	0.79	8.21
78	275	100	1.4	8.09
70	248	06	2.9	7.93
73	271	92	3.6	8.09
76	278	98	1	8.02
76	278	100	Ч	7.98
72	272	97	0.95	8.02
68	220	86	Ч	8.29
73	207	88	1.5	8.05
82	254	106	2.6	8.14
82	249	103	1.1	8.34
79	244	107	1.3	8.16
81	275	112	1	7.95
80	295	114	1.7	7.9
77	301	112	1.2	8.06
76	247	100	0.7	8.13
65	171	78	1.1	7.95
68	158	75	0.97	7.3
99	170	76	0.95	7.53
64	177	82	1.9	
59	173	74	1.8	8.02
51	144	64	3.8	7.7
49	128	56	4.8	7.71
50	149	67	1.4	7.8
54	173	75	1.2	7.97
55	193	80	2.2	7.91
56	207	82	2.8	7.98
74	276	101	26	7.84
71	223	XX	0 07	8 07

8.07	2.10	94	238	73
8.02	4.2	110	297	80
7.97	2.1	115	301	79
7.98	6.5	108	247	79
7.97	7.1	104	227	76
8.12	2.1	102	226	76
8.22	1.3	111	260	81
8.14	3.3	106	259	82
8.07	2.3	95	230	76
8.01	1.2	84	204	71
8.09	0.86	91	229	75
7.92	5.3	95	252	76
8.01	1.5	102	268	78
8.04	12	102	256	79
7.98	6.2	102	255	75
8	5.2	109	252	80
7.95	4.6	118	268	84
7.81	2.5	100	233	71
7.95	4.7	102	247	74
7.94	3.3	80	189	60
8.04	2.6	80	174	62
8.01	1.6	84	191	70
8.12	1.2	06	205	72
7.97	1.1	83	202	72

Attachment B

- BCVWD Well #22. Located on Oak Valley Parkway just east of 960. Past 5 year water quality available Marginal water level data.
 1 mile southeast of parcel.
- BCVP&RD Irrigation well. Located at 390 W. Oak Valley Parkway No water quality available. Very good water level data .6-.7 mile southwest of parcel.
- Oak Valley Golf Course abandoned wellsite. No water quality available. Marginal water level data.
 1 mile southwest of parcel.
- BCVWD Well #24. Located on Brookside Ave. just east of Union St. Past 5 year water quality available Marginal water level data.
 1.3-1.4 mile west of parcel.
- Michael Joesph well. Located at 11020 Union St. No water quality available Marginal water level data
 1.3-1.4 mile west of parcel.
- Michelle Delph well. Located at 11133 Union St. No water quality available. Very good water level data. 1.4-1.5 mile west of parcel.



Attachment C

							>	Water Levels	els						
			Spring	Fall	Spring	Fall	Spring	Fall	Spring	Fall	Spring	Fall	Spring	Spring	Fall
			2009	2009	2010	2010 2011		2011	2012	2012	2013	2013	2014	2015	2015
I BCVWD Well #22	East of 960 Oak Valley Parkway	1 mile SE of parcel													
2 BCVP&RD Irrigation Well	390 W. Oak Valley Farkway	0.6 miles SW of parcel	407.9	410.8	410.8 412.5	414.3	414	414.2	412.3	412.2	411				
3 Oak Valley Golf Course Abandoned Well		1 mile SW of parcel						+-+-							
4 BCVWD Well #24	Brookside Avenue east of Union St. 1.3 miles W of parcel	1.3 miles W of parcel													
5 Michael Joseph Well	11020 Union Street	1.3 miles W of parcel						435.3	439.3	438.8	437	437.8	440.1		
6 Michelle Delph Well	11133 Union Street	1.4 miles W of parcel	403.7	409.2	409.2 405.6	423	408.3	410.2	407.3	412.1	416	415.1	422		
Note: Results are in depth to water surface, in feet	in feet						+								

Historical W_{ater} Level Data

Attachment D

	B	U	٥	ш	F	9	н	-	_	х	-	Σ	z	0	٩.
					TDS						Nitrates				
			2009	2010	2010 2011 2012	2012	2013	2014 2009	2009	2010	2011	2012	2013	2014	2015
East of 960 Oak Valley Parkway	/alley Parkway	1 mile SE of parcel		200			210		2.9	3.1		3.4	5.1	3.4	3.7
390 W. Oak Valley Parkway	y Parkway	0.6 miles SW of parcel													
		1 mile SW of parcel													
Brookside Avenu	Brookside Avenue east of Union St.	1.3 miles W of parcel							4.5	5.3		6.4	-	6.4	6.4
11020 Union Street	reet	1.3 miles W of parcel								Ì					
11133 Union Street	reet	1.4 miles W of narcel						200						6.3	

Historical Wa_{ter} Quality Data

.

Attachment E

13. WATER QUANTITY (Attachment E)

The volume of water recharged in any year could vary from zero (in some years) to as much as 13,000 acre-feet (well in the future). The 13,000 acre-feet comes from the capacity of the connection (20 cfs). This could only happen in the future when our capacity in EBX has increased and when we have procured additional sources of water.

In the near term (the next 10-12 years), the most that we would expect to recharge would be 7,500 acre-feet per year. This would only occur in a year when we get 100% allocation from the state and there is additional Article 21 water available in that year. Or, alternatively, it could occur in a year when we get a high SWP allocation (80% or higher), plus Article 21 water, plus additional water that we would obtain in the future by purchase, transfer, or exchange.

It is likely that most of this water will go directly into storage accounts of Watermaster members who would purchase the water from the Agency. Any water available to the region that is not purchased by retail water districts would be purchased by the Agency and placed into the Agency's storage account, from where it would be transferred to a Watermaster member upon purchase.

.

Attachment F

14. IMPACTS TO OTHERS (Attachment F)

The impacts to others would only be positive. Storing more water in the ground than could otherwise be placed there will raise groundwater elevations, helping to preserve the basin and reducing pumping costs to appropriators and overliers alike. It is anticipated that most or all water in the account will be transferred to an account of a Watermaster member within a short time.

Basin losses due to use of this proposed facility are anticipated to be minimal or nonexistent.

During the EIR we analyzed potential damage to any homes that might be constructed on adjacent land in the future and found that this would not occur.

Attachment G

15. ENVIRONMENTAL REVIEW (Attachment G)

See attached EIR on CD, certified by the Agency Board of Directors on October 21, 2013. Also attached is Agency Resolution 2013-13, certifying the EIR.

RESOLUTION NO. 2013-13

A RESOLUTION OF THE SAN GORGONIO PASS WATER AGENCY CERTIFYING THE DRAFT ENVIRONMENTAL IMPACT REPORT FOR THE BEAUMONT AVENUE RECHARGE FACILITY AND PIPELINE PROJECT; ADOPTING ENVIRONMENTAL FINDINGS PURSUANT TO THE CALIFORNIA ENVIRONMENTAL QUALITY ACT; ADOPTING A MITIGATION MONITORING AND REPORTING PROGRAM; ADOPTING A STATEMENT OF PROJECT BENEFITS; AND APPROVING THE BEAUMONT AVENUE RECHARGE FACILITY AND PIPELINE PROJECT

WHEREAS, the San Gorgonio Pass Water Agency (the "Agency" or "SGPWA") is a state water contractor, that was formed with the purpose of importing water from the State Water Project ("SWP") into the San Gorgonio Pass area in 1961, the Agency's service area encompasses approximately 228 square miles and includes the Cities of Beaumont, Calimesa, and Banning, as well as the unincorporated areas of Cherry Valley, Cabazon, Poppet Flat, Banning Bench, and San Timoteo and Live Oak Canyons; and

WHEREAS, the most heavily developed portion of the Agency's service area, the Beaumont Basin, is currently experiencing an overdraft condition; and

WHEREAS, In 2003, Phase I of SWP's East Branch Extension ("EBX") was completed, bringing raw SWP water into SGPWA's service area; however, the capacity of Phase I allows for a maximum of approximately 12,000 acre feet per year ("AFY") of the Agency's existing SWP supply contract Table A amount (17,300 AFY); and

WHEREAS, In response to these conditions, the Agency proposes to construct a groundwater recharge facility on a vacant, undeveloped property in the City of Beaumont, California, to increase recharge capabilities with the delivery SWP water, as well as other supplemental water sources via a proposed pipeline and service connection facility and to enable the Agency to replenish the groundwater basin and provide water supply for the ongoing and projected needs of the Agency's service area (the "Project").

WHEREAS, pursuant to section 21067 of the Public Resources Code, and section 15367 of the State CEQA Guidelines (Cal. Code Regs., tit. 14, § 15000 et seq.), the Agency is the lead agency for the Project; and

WHEREAS, the Agency solicited comments, including details about the scope and content of the environmental information, as well as potential feasible mitigation measures, from responsible agencies, trustee agencies, and the public, in a Notice of Preparation ("NOP") for the EIR for the Project, which was issued on November 13, 2012 and circulated for a period of 30 days pursuant to State CEQA Guidelines sections 15082, subdivision (a) and 15375; and

55397.00016\8289065.4

WHEREAS, the Agency's Statement of Project Benefits is attached hereto as Exhibit "B"; and

WHEREAS, the Agency's Mitigation Monitoring and Reporting Program setting forth the mitigation measures to which the Agency shall bind itself in connection with the Project is attached hereto as Exhibit "C"; and

WHEREAS, the EIR reflects the independent judgment of the Agency and is fully adequate for purposes of making decisions on the merits of the Project; and

WHEREAS, the Agency has not received any comments or other information constituting substantial new information requiring recirculation of the EIR pursuant to Public Resources Code section 21092.1 and State CEQA Guidelines section 15088.5; and

WHEREAS, on October 21, 2013 the Agency conducted a duly noticed public meeting at which the Project was considered, at which time all persons wishing to testify were heard, and the Project was fully considered; and

WHEREAS, all other legal prerequisites to the adoption of this Resolution have occurred.

THE BOARD OF DIRECTORS OF THE SAN GORGONIO PASS WATER AGENCY DOES HEREBY RESOLVE AS FOLLOWS:

SECTION 1 – Consideration of EIR. The Agency finds that it has reviewed and considered the EIR (including the comment letters, responses to comments, and errata) in evaluating the Project's potential impacts; that the EIR has been completed in full compliance with CEQA, the State CEQA Guidelines, and the Agency's local procedures for implementing CEQA; and that the EIR reflects the independent judgment and analysis of the Agency.

SECTION 2 - Recirculation. Based on the entire record before the Agency, including all written and oral evidence presented, the Agency hereby finds that no evidence of new significant impacts or any other "significant new information" as defined by State CEQA Guidelines section 15088.5 has been received by the Agency after circulation of the Draft EIR which would require recirculation.

SECTION 3 – CEQA Findings. Based on the entire record before the Agency, including all written and oral evidence presented, the Agency hereby adopts the written CEQA Findings attached hereto as Exhibit "A" to this Resolution.

SECTION 4 – Project Benefits. Based on the entire record before the Agency, including all written and oral evidence presented, the Agency hereby adopts the Statement of Project Benefits attached as Exhibit "B" to this Resolution.

SECTION 5 – Certification of EIR. Based on the entire record before the Agency, including all written and oral evidence presented, the Agency hereby certifies the EIR and finds that the implementation of the Project will not have any significant and unavoidable environmental effects. All potentially significant environmental impacts have been analyzed

3

55397,00016\8289065.4

in the EIR and will be mitigated to a level of less than significant. Additionally, the Board finds that a range of reasonable and potentially feasible alternatives to the Project were fully analyzed in the EIR, but are rejected in favor of the Project.

SECTION 6 - MMRP. Pursuant to Public Resources Code section 21081.6, the Agency adopts the Mitigation Monitoring and Reporting Plan attached as Exhibit "C" to this Resolution. In the event of any inconsistencies between the mitigation measures as set forth in the EIR or the CEQA Findings in Exhibit A and the Mitigation Monitoring and Reporting Plan, the Mitigation Monitoring and Reporting Plan shall control.

SECTION 7 – Project Approval. Based on the entire record before the Agency, all written and oral evidence presented, the CEQA Findings, the Statement of Project Benefits, and Mitigation Monitoring Reporting Plan, and all other evidence, the Agency hereby approves the Beaumont Avenue Recharge Facility and Pipeline Project.

SECTION 8 – Custodian of Record. The documents and materials that constitute the record of proceedings on which this Resolution has been based are located at the San Gorgonio Pass Water Agency, 1210 Beaumont Ave., Beaumont, CA 92223. The custodian for these records is Jeff Davis, General Manager. This information is provided in compliance with Public Resources Code section 21081.6.

SECTION 9 – Notice of Determination. Agency staff shall cause a Notice of Determination to be filed and posted with the Clerk of the County of Riverside and the State Clearinghouse within five (5) working days of Project approval.

ADOPTED AND APPROVED this 21st day of October, 2013.

President, Board of Directors San Gorgonio Pass Water Agency

ATTEST:

L.W Board of Directors

San Gorgonio Pass Water Agency

APPROVED AS TO FORM:

A. Belleece

General Counsel San Gorgonio Pass Water Agency

55397.00016\8289065.4

4

Attachment H

3/29/05

RESOLUTION NO. 2005-01 A RESOLUTION OF THE BEAUMONT BASIN WATERMASTER ESTABLISHING PRINCIPLES OF GROUNDWATER STORAGE IN THE BEAUMONT BASIN BY NON-APPROPRIATORS

WHEREAS, there exists in the Beaumont Basin a substantial amount of available groundwater storage capacity; and

WHEREAS, such capacity can be reasonably used for storing supplemental water; and

WHEREAS, the Watermaster desires to establish by this Resolution certain fundamental principles governing the future use of such capacity by non-Appropriators.

NOW, THEREFORE, the Beaumont Basin Watermaster hereby resolves as follows:

Section 1. Definitions

As used herein, these terms shall have the following definitions:

a. **Groundwater Storage Agreement:** a standard form of written agreement between the Watermaster and any Person requesting the storage of Supplemental Water.

b. **Groundwater Storage Capacity:** the space available in the Beaumont Basin that is not utilized for storage or regulation of Safe Yield and is reasonably available for Stored Water and Conjunctive Use.

c. **Person:** any non-appropriator individual, partnership, association, corporation, governmental entity or agency, or other organization.

d. **Storage Program:** Supplemental Water stored in the Beaumont Basin for later use, or the sale of Temporary Surplus.

e. **Stored Water:** Supplemental Water stored in the Beaumont Basin pursuant to a Groundwater Storage Agreement with the Watermaster.

f. **Supplemental Water:** water imported into the Beaumont Basin from outside the Beaumont Basin including, without limitation, water diverted from creeks upstream and tributary to the Beaumont Basin and water which is recycled and useable within the Beaumont Basin.

g. Temporary Surplus: the amount of groundwater that can be pumped annually in excess of the Safe Yield of the Beaumont Basin necessary to create enough additional storage capacity to prevent the waste of water.

3/29/05

Section 2. Preferred Groundwater Storage Projects

Preference shall be given to groundwater storage projects that:

- a. Increase the reliability of water supplies;
- b. Reduce the cost of enhancing the reliability of water supplies;
- c. Is proposed by, or is conducted for the benefit of, ratepayers;
- d. Financially benefit ratepayers;
- e. Will not injure existing Overlying and Appropriative Water Rights;
- f. Will not waste water;

g. Will generate revenue to purchase rights to additional Supplemental Water and/or construct facilities for direct delivery of Supplemental Water or the percolation of Supplemental Water into the Beaumont Basin; and

h. Will not impair future opportunities to store water in the Beaumont Basin.

Section 3. Types of Groundwater Storage Programs

The Watermaster shall consider two types of Storage Programs:

a. Projects which propose to rent Groundwater Storage Capacity in the Beaumont Basin: revenue generated thereby shall be used to fund capital facilities; and

b. Projects which propose the sale of Temporary Surplus: revenue generated thereby shall be used to purchase the rights to additional Supplemental Water supplies.

Section 4. Groundwater Storage Agreement

In order to prevent injury to existing water rights, to prevent the waste of water, and to protect the use of Supplemental Water in storage and the Safe Yield of the Beaumont Basin, no Person may make reasonable beneficial use of the Groundwater Storage Capacity except pursuant to a written Groundwater Storage Agreement with the Watermaster. Without limitation, such Agreements shall include:

- a. The payment of administrative and storage fees to the Watermaster;
- b. The payment of fees for the use of Temporary Surplus;
- Accounting for Supplemental Water losses while in storage;
- d. Term limit;

- e. Reasonable limitations on the rates of storage and recovery of Stored Water;
- f. Protection of water quality in the Beaumont Basin.

MOVED, PASSED AND ADOPTED this <u>12th</u> day of <u>April</u>, 2005, upon the following vote:

City of Banning: Yes City of Beaumont: Absent Beaumont-Cherry Valley Water District: Yes South Mesa Mutual Water Company: Yes Yucaipa Valley Water District: Yes

Dated: April 12, 2005

BEAUMONT BASIN WATERMASTER

By <u>/s/ George Jorritsma</u> Chair

17. CRITERIA ESTABLISHED BY WATERMASTER RESOLUTION 2005-01

Watermaster Resolution 2005-01 establishes principles of groundwater storage in the Beaumont Basin by non-Appropriators. The Agency is a non-Appropriator.

Section 2 of this resolution identifies groundwater storage projects that are given a preference. The following addresses each of the various types of storage and how the Agency's proposed project relates to that type of storage.

- a. Increase the reliability of water supplies. The Agency's proposed project will increase the reliability of water supplies by both providing additional storage capacity in the Basin and by providing additional connected capacity to the State Water Project. More water would be able to be stored in wet years, thus increasing the reliability of available supplies.
- b. Reduce the cost of enhancing the reliability of water supplies. The Agency's proposed facility will be funded up front with general fund revenues, to be reimbursed later (80% of costs) with developer fees. The cost of the project is not borne by water ratepayers, but by new growth and by general fund tax revenues that will be spent on this project as opposed to other expenditures that do not enhance reliability. Thus, the overall cost of enhancing reliability will be reduced for water ratepayers.
- c. Is proposed by, or is conducted for the benefit of, ratepayers. This project is proposed by the Agency and will benefit any purveyor that has a storage account in the Beaumont Basin, along with the ratepayers of those purveyors. While proposed as a project that benefits the entire region, it would have the benefit of benefitting ratepayers as the region would get additional storage and enhanced reliability without the use of ratepayer funds.
- d. Financially benefit ratepayers. The Agency's proposed project does not directly benefit water ratepayers but indirectly benefits them as additional storage would be made available using funds that are not from water rates.
- e. Will not injure existing Overlying and Appropriative Water Rights. The proposed project would not injure any party as it does not draw water out of the basin but enables any local water purveyor to add to storage in the basin. All appropriators and overliers should benefit from additional storage and from more reliability.
- f. Will not waste water. The proposed project is intended to prevent wasting water by enabling any party in the region, including any retail water purveyor or the Agency, to import all available water in wet years so that no State Water Project water gets left in Northern California to potentially be wasted in a future year.
- g. Will generate revenue to purchase rights to additional Supplemental Water and/or construct facilities for direct delivery of Supplemental Water or the percolation of Supplemental Water into the Beaumont Basin. The intent of the project is to enable the region to store more water, not necessarily to generate revenues.
- h. Will not impair future opportunities to store water in the Beaumont Basin. There is no reason that the proposed project would impair future opportunities to store water in the Beaumont Basin. If constructed, it would not prohibit any entity from constructing additional storage facilities, if needed. Studies indicate that it will not impact the ability of BCVWD to store water at its facility adjacent to the proposed site.

Section 3 of the resolution addresses types of storage projects, and states that the Watermaster will consider two types of storage programs:

- Projects which propose to rent Groundwater Storage Capacity in the Beaumont Basinrevenue generated thereby shall be used to fund capital facilities; and
- Projects which proposed the sale of Temporary Surplus—revenue generated thereby shall be used to purchase the rights to additional Supplemental Water supplies.

Agency staff has discussed this with Watermaster staff and it is not immediately clear to either what this section of the resolution is referring to. Agency staff has tried to determine if any other entity has addressed this issue in any previous application or related to construction of any facility, and has been unable to find a record of this.

Agency staff would be pleased to discuss this issue with the Watermaster so that this may be fully addressed as part of this application.