RESOLUTION 2018-01

A RESOLUTION OF THE BEAUMONT BASIN WATERMASTER TO CONFIRM AND ADOPT SAN GORGONIO PASS WATER AGENCY'S ("SGPWA") APPLICATION FOR GROUNDWATER STORAGE AGREEMENT, SUBJECT TO STATED CONDITIONS

WHEREAS, the Stipulated Judgment establishing the Beaumont Basin Watermaster (Riverside Superior Court Case No. 389197) empowers the Beaumont Basin Watermaster to adopt appropriate rules and regulations for the conduct of Watermaster affairs; and

WHEREAS, pursuant to its authority, the Beaumont Basin Watermaster established principles of groundwater storage in the Beaumont Basin via Resolution No. 2005-01, the foundation for SGPWA's Application for Groundwater Storage Agreement;

WHEREAS, SGPWA is a state water contractor formed in 1961 for the primary purpose of importing water from the State Water Project into the San Gorgonio Pass. SGPWA's service area includes the Beaumont Basin;

WHEREAS, SGPWA submitted to the Beaumont Basin Watermaster a Groundwater Storage Application, a copy of which is attached as Exhibit "A," hereto, seeking approval to, subject to all applicable law: i) store up to 10,000 acre-feet of water in the Beaumont Basin; ii) add water to the SGPWA's Storage Account when the quantity of imported water available to the Region exceeds the annual orders for imported water submitted to SGPWA; and, iii) make water stored in the Beaumont Basin by the SGPWA available to the members of the Beaumont Basin Watermaster.

WHEREAS, the Beaumont Basin Watermaster issued copies of SGPWA's Groundwater Storage Application to members of its Watermaster Committee for review in advance of the February 7, 2018, Beaumont Basin Watermaster meeting; and,

WHEREAS, the Beaumont Basin Watermaster met on February 7, 2018 to take this matter up, finding that the foregoing is true and accurate, and;

NOW, THEREFORE, BE IT RESOLVED BY THE BEAUMONT BASIN WATERMASTER that it does hereby rescind approval of Watermaster Resolution No. 2017-01, accept SGPWA's Groundwater Storage Application and does hereby grant SGPWA a water storage account pursuant to SGPWA's Groundwater Storage Application, subject to the conditions set forth in this Resolution, and subject to the Judgment establishing the Beaumont Basin Watermaster (Riverside Superior Court Case No. 389197), its rules and regulations for the Beaumont Basin – to include– coordination with the San Gorgonio Pass Water Agency and Other Agencies--a classification applying to SGPWA.

///
///
///
///
///

PASSED AND ADOPTED this 7th day of February, 2018.

BEAUMONT BASIN WATERMASTER

By:

Art Vela, Chairman of the Beaumont Basin Watermaster

EXHIBIT A



San Gorgonio Pass Water Agency

A California State Water Project Contractor 1210 Beaumont Avenue ◆ Beaumont, CA 92223 Phone (951) 845-2577 ◆ Fux (951) 845-0281

March 14, 2016

President: John Jeter Mr. Hanibal Blandon Alda Engineering 5928 Vineyard Avenue Rancho Cucamonga, CA 91701

Vice President: Bill Dickson

Dear Mr. Blandon:

Treusurer: Mary Ann Melleby

Enclosed please find six copies of an application for a Beaumont Basin Watermaster storage account on behalf of the San Gorgonio Pass Water Agency. The application itself carries the "DRAFT" designation because we could not find a copy of the application on the Watermaster web site that did not include this.

Directors: Blair Bail Ron Duncan David Fenn Leonard Stephenson

The Agency has endeavored to provide as complete an application as possible. For the wells in the vicinity, we endeavored to garner as much water level and water quality data as was available from all well owners. We have provided six copies of the application package—one for each member of the Watermaster Board and one for yourself. If you require additional copies, please let me know.

General Manager & Chief Engineer: Jeff Davis, PE

I would be happy to answer any questions regarding this application from yourself or the Watermaster Board. Please place this item on the agenda for the next available Watermaster meeting.

Legal Counsel: Jeffry Ferre Best Best & Krieger

Very truly yours,

May Warns

Beaumont Basin Watermaster Memorandum No. 13-19

Page 2 of 7

BEAUMONT BASIN WATERMASTER

APPLICATION FOR GROUNDWATER STORAGE AGREEMENT

	mo: <u>Jeff</u> neral Man	*,*)	
	_	30.363	Por	Staff Use Only
	<u>951-845-3</u> 1-945-07	<u> </u>	Date Requested: Data Approved:	
J	IS @ SGPWC	, Com	Amount Approved Agreement No.	ac-
		The second secon		
	olication;	Provide a genera	Yes [] - No []	Analysis and Written Summary Fee Collected groundwater storage
- PROJECT	DESCRIPTION — Pught under this appages if necessary).		description of the	•
- PROJECT	DESCRIPTION — Pught under this appages if necessary).	plication including	description of the	Summary Fee Collected groundwater storage
- PROJECT	DESCRIPTION — Pught under this appages if necessary).	plication including	description of the	Summary Fee Collected groundwater storage
- PROJECT	DESCRIPTION — Pught under this appages if necessary).	plication including	description of the	Summary Fee Collected groundwater storage

THIS APPLICATION IS SUBJECT TO REVIEW AND FURTHER CONSIDERATION BY WATERMASTER; APPLICANI' IS SOLELY RESPONSIBLE TO PROVIDE WATERMASTER WITH COMPREHENSIVE INFORMATION 3553398.1 -- NIJSG.1

		vaterinaster Memorandum No. 17-			Page 11 of
ont Ba	asin V	Vatermaster Memorandum No. 16-10)		Page 5 of 69
	Daul	14.			
mont	DBSIN	Watermaster Memorandum No. 13-19			Page 3 of 7
3.–	AMO	DUNT REQUESTED: 10, 600	яв feet.		
4	PUR	POSE OF STORAGE			
	[]	Stabilize or reduce future water co:	st / assess	ments	
	(H	Facilitate utilization of other availab	le sources	of supply	
	[]	Facilitate replenishment under cert			
	[]	Preserve pumping right for a chang			
	[]	Other, explain	,,-	otornal dag	
	•		- 1	A N.	
					<u>.</u>
5_	RAST	UAD AE DI ARENENE IN ATARA		0.00	
		HOD OF PLACEMENT IN STORAGE			
	17	Artificial Recharge		31	
	[]	Transfer of Water from One Storage checked, proceed to No. 16 below)	Account	to Another Storage Account (If	
_	0011			*, .	
		RCE OF WATER FOR RECHARGE		5	
	M	State Water Project	[]	Colorado River	
		Captured Storm Water	. 1,1	Recycled Water	
-	14	Other, explain Other Sup	Plens	intal instar equi	worked to Co
1	Has a	ny portion of the water proposed for s	tha ed egerole	m > W & Water, V	man
į	PI VQU	ction from the Beaumont Basin, produ	action from	another hasin or in any way of	almod
	-o pa	it of a water right or entillement of any please explain in detail.	y otner per	son or entity? Yes [] - No [p	of if
,	YES,				

THIS APPLICATION IS SUBJECT TO REVIEW AND FURTHER CONSIDERATION BY WATERMASTER; APPLICANT IS SOLELY RESPONSIBLE TO PROVIDE WATERMASTER WITH COMPREHENSIVE INFORMATION 1551396.1 -- N1316.1

Page 6 of 69

Beaumont	Roeln	Watern	naster i	Memorar	ndum	No.	13-19

Page 4 of 7

- 7.- RECHARGE SOURCE WATER QUALITY Provide a copy of the latest full Title 22 drinking water analysis report documenting the quality of water to be stored as Attachment A to this Application.
- 8.- METHOD OF RECHARGE

[Surface Spreading Basin(s)

[] injection Well(s)

- 9.- METHOD OF CONVEYANCE FROM SOURCE TO RECHARGE FACILITY
 - [] Open Unlined Channel
 - [] Open Lined Channel

[Pipeline

- 10.- LOCATION VICINITY MAP Include as an Attachment B to this Application a project location map at a scale of 1-inch = 2,000 ft or larger. Map shall include, as a minimum, the following, where applicable: See a tracked.
 - ✓ Proposed recharge facilities
 - ✓ Existing production, monitoring, and abandoned wells within one mile of project site.
 - Existing or proposed raw water convayance facilities
 - ✓ Existing creeks and other water features
- 11.-CURRENT GROUNDWATER LEVELS Provide quantitative 5-yr history of static (non-pumping) groundwater levels in the vicinity of proposed storage location. Include groundwater level hydrographs for two or more existing wells located down-gradient of recharge site and within a one-mile radius of proposed storage site. Attach responses as Attachment C to this Application.
- 12.-CURRENT GROUNDWATER QUALITY Provide quantitative description of current groundwater quality conditions in the vicinity of proposed storage location including water quality trends for TDS and Nitrate over the last five years. Include copies of the most recent drinking water quality reports for two or more existing wells located down-gradient of recharge site and within a one-mile radius of proposed storage site. Attach responses as Attachment D to this Application.

THIS APPLICATION IS SUBJECT TO REVIEW AND FURTHER CONSIDERATION BY WATERMASTER; APPLICANT IS SOLELY RESPONSIBLE TO PROVIDE WATERMASTER WITH COMPREHENSIVE INFORMATION 35532921 - 1 10 136.1

Beaumont Basin Watermaster Memorandum	ı No.	16-10
---------------------------------------	-------	-------

Page 7 of 69

Beaumont Basin Watermaster	Memorandum No	13-19
----------------------------	---------------	-------

Page 5 of 7

	iments to this Application as Attachment E for full response as necessary)
	is a the ched

	<u> </u>
the Bo attach	TTS TO OTHERS — Describe in detail any potential positive/negative impacts to an to the Stipulated Judgment or any person, entity or property located within or outsic naumont Basin that may result from the implementation of this project. (Providents to this Application as Attachment F for full response as necessary)
	e attached.
 -	
351	
non-ap	ONMENTAL REVIEW – indicate whether the proposed water storage operation is to review under the California Environmental Quality Act? If so, describe the of CEQA compliance and attach environmental review documentation and any sive written review as Attachment G to this Application. If not, identify the besis for plication and/or exemption.
Se	e affactual resolution and CD.
	The second of the second
·	

THIS APPLICATION IS SUBJECT TO REVIEW AND FURTHER CONSIDERATION BY WATERMASTER; APPLICANT IS SOLELY RESPONSIBLE TO PROVIDE WATERMASTER WITH COMPREHENSIVE INFORMATION 3333392.1 -- NI 336.1

mont Basin Watermaster Memorandum No. 16-10		Page 8
Beaumont Basin Watermaster Memorandum No. 13-19		Page 6 of 7
16TRANSFERS OF WATER FROM ONE STORAG		:R
To:		
17. – CRITERIA ESTABLISHED BY WATERMASTER is not an Appropriator pursuant to Exhibit C of the Superior Court Case No. RIC 389197 that create narrative response to each of the criteria identification.	e 2004 Stipulated Judgme ed Watermaster, provide a ed in Section 2 <u>Preferred G</u>	nt in Riverside complete, <u>roundwater</u>
is not an Appropriator pursuant to Exhibit C of the Superior Court Case No. RIC 389197 that creat	e 2004 Stipulated Judgmen ed Watermaster, provide a ed in Section 2 <u>Preferred G</u> orage <u>Programs</u> of Watern the website tab "Documents & Publicat	nt in Riverside complete, roundwater naster ions"
is not an Appropriator pursuant to Exhibit C of the Superior Court Case No. RIC 389197 that creat narrative response to each of the criteria identification 3 Types of Groundwater Storage and Section 3 Types of Groundwater Storage and Section 3 Types of Groundwater Second on Www.beaumontbasinwatermaster.org under the	e 2004 Stipulated Judgmen ed Watermaster, provide a ed in Section 2 <u>Preferred G</u> orage <u>Programs</u> of Watern the website tab "Documents & Publicat	nt in Riverside complete, roundwater naster ions"
is not an Appropriator pursuant to Exhibit C of the Superior Court Case No. RIC 389197 that creat narrative response to each of the criteria identification and Section 3 Types of Groundwater Second No. 2005-01, which can be found on www.beaumontbasinwatermaster.org under the (Provide attachments to this Application as Atta	e 2004 Stipulated Judgmen ed Watermaster, provide a ed in Section 2 <u>Preferred G</u> orage <u>Programs</u> of Watern the website tab "Documents & Publicat	nt in Riverside complete, roundwater naster ions"
is not an Appropriator pursuant to Exhibit C of the Superior Court Case No. RIC 389197 that creat narrative response to each of the criteria identification and Section 3 Types of Groundwater Second In the Carlo of Section No. 2005-01, which can be found on www.beaumontbasinwatermaster.org under the (Provide attachments to this Application as Atta	e 2004 Stipulated Judgmen ed Watermaster, provide a ed in Section 2 <u>Preferred G</u> orage <u>Programs</u> of Watern the website tab "Documents & Publicat	nt in Riverside complete, roundwater naster ions"
is not an Appropriator pursuant to Exhibit C of the Superior Court Case No. RIC 389197 that creat narrative response to each of the criteria identification and Section 3 Types of Groundwater Second In the Carlo of Section No. 2005-01, which can be found on www.beaumontbasinwatermaster.org under the (Provide attachments to this Application as Atta	e 2004 Stipulated Judgmen ed Watermaster, provide a ed in Section 2 <u>Preferred G</u> orage <u>Programs</u> of Watern the website tab "Documents & Publicat	nt in Riverside complete, roundwater naster ions"

Reaumont	Raein	Waterm	actor M	emorandur	m NIo	18 10
Deaninnii	Dasiii	vvalerm	aster ivi	emorandur	n ND.	10-10

Page 9 of 69

Beaumont Basin Watermaster Memorandum No. 13-19

Page 7 of 7

18. LIST OF ATTACHMENTS

Required Altachments

- A.- Complete Title 22 Drinking Water Analysis (Per Section 7)
- B.- Vicinity Map Minimum Scale; 1"=2,000 ft (Per Section 10)
- C.- 5-year history of static water levels in the vicinity of project recharge facilities (Per Section 11)
- D.- Current groundwater quality in the vicinity of project recharge facilities (Per Section 12)
- E.- Annual estimates of water to be recharged (Per Section 13)
- F.- Description of positive or negative impacts resulting from project implementation (Per Section 14)
- G.- Environmental Review Documentation (Per Section 15)

Additional Attachments (as Applicable and/or Necessary)

		100	1063	2. a.		
	35	lE'		12.	.	
(°2)	<u>.</u>	11				
- 0		1				

THIS APPLICATION IS SUBJECT TO REVIEW AND FURTHER CONSIDERATION BY WATERMASTER; APPLICANT IS SOLELY RESPONSIBLE TO PROVIDE WATERMASTER WITH COMPREHENSIVE INFORMATION 1553393.1 -- N1256.1

Beaumont Basin Watermaster Application for Groundwater Storage Agreement San Gorgonio Pass Water Agency Supplemental Information

2. PROJECT DESCRIPTION

The San Gorgonio Pass Water Agency's Beaumont Avenue Recharge Facility is a planned conjunctive use facility located at the southwest corner of Beaumont Avenue and Brookside Avenue in Beaumont. The planned facility consists of five recharge ponds, an approximately 8000 foot long pipeline, and a 20-cfs connection to the East Branch Extension.

The Agency is constructing the facility in order to be able to take advantage of the additional water available through the State Water Project in wet years. Its planned operation would be for the Agency to purchase water in wet years that would or could not be purchased by local retail agencies, or that is purchased by a retail water agency that does not have access to a recharge facility. For water that is purchased by others, it would go directly into their storage account. For any water purchased by the Agency, whether it is Table A water, Article 21 water, or any other type of water, it would be placed into the Agency's proposed storage account, to be later purchased in situ by a local retail water agency that has its own storage account. In this case, purchase of the water from the Agency would be a transfer of the water from the Agency's storage account to the retail water agency's storage account.

The Agency does not own or operate any extraction facilities, so the Agency would not extract any of the water from its storage account. The sole purpose of the storage account would be to temporarily store water purchased by the Agency until it is purchased by (transferred to) a local retail water agency that has a storage account in the Beaumont Basin.

The Agency foresees no negative impacts on the Beaumont Basin or any member of the Watermaster through the construction and operation of this facility. Rather, it increases the ability of Watermaster and its members to bring supplemental water into the basin. With the completion of Phase 2 of the East Branch Extension, the Agency will have 64 cfs of capacity to import water to the region. At the present time only 20 cfs can be removed from the pipeline for beneficial use as groundwater recharge. Thus, additional connected capacity is required in order to take advantage of the additional carrying capacity being constructed in Phase 2 of the East Branch Extension.

Page 11 of 69

3. AMOUNT REQUESTED

At this time, the Agency is only requesting 10,000 AF for its storage account. If at some point in the future it would be beneficial to the region to increase this volume, the Agency would at that time apply to the Watermaster to increase the volume of the storage account.

The Agency feels that 10,000 should be sufficient for the immediate future, as it is expected that any water purchased by the Agency for its storage account would be purchased very shortly thereafter by a member of the Watermaster. Thus, water is not expected to stay in the account for long.

Page 12 of 69

4. PURPOSE OF STORAGE

The overall purpose of the storage is to augment the total storage in the basin. A secondary purpose is to facilitate utilization of other available sources of supply, such as Article 21 water or other water sources that the Agency may import to the region.

Page 13 of 69

5. METHOD OF PLACEMENT IN STORAGE

See Application

6. SOURCE OF WATER FOR RECHARGE

See Application

7. RECHARGE SOURCE WATER QUALITY

Even though the water will not be used for potable purposes, attached is a Title 22 water quality analysis on water from Silverwood Lake, which is the source of the water that will be recharged in this proposed facility (it is also the source for all water delivered by the Agency to Watermaster members). The data is for 2004 through 2013 and is derived from the Metropolitan Water District of Southern California.

The data indicate that the source water is equal to or better than ambient basin water quality.

8. METHOD OF RECHARGE

See Application

9. METHOD OF CONVEYANCE FROM SOURCE TO RECHARGE FACILITY

See Application.

10. LOCATION VICINITY MAP

See attached map.

11. CURRENT GROUNDWATER LEVELS

See attached Excel spread sheet, which includes all available groundwater level data for the six selected wells from 2009 through 2014.

12. CURRENT GROUNDWATER QUALITY

See attached Excel spread sheet, which includes nitrate and TDS data available from the six selected wells from 2009 through 2015.

13. WATER QUANTITY (Attachment E)

The volume of water recharged in any year could vary from zero (in some years) to as much as 13,000 acre-feet (well in the future). The 13,000 acre-feet comes from the capacity of the connection (20 cfs). This could only happen in the future when our capacity in EBX has increased and when we have procured additional sources of water.

In the near term (the next 10-12 years), the most that we would expect to recharge would be 7,500 acre-feet per year. This would only occur in a year when we get 100% allocation from the state and there is additional Article 21 water available in that year. Or, alternatively, it could occur in a year when we get a high SWP allocation (80% or higher), plus Article 21 water, plus additional water that we would obtain in the future by purchase, transfer, or exchange.

It is likely that most of this water will go directly into storage accounts of Watermaster members who would purchase the water from the Agency. Any water available to the region that is not purchased by retail water districts would be purchased by the Agency and placed into the Agency's storage account, from where it would be transferred to a Watermaster member upon purchase.

Page 15 of 69

14. IMPACTS TO OTHERS (Attachment F)

The impacts to others would only be positive. Storing more water in the ground than could otherwise be placed there will raise groundwater elevations, helping to preserve the basin and reducing pumping costs to appropriators and overliers alike. It is anticipated that most or all water in the account will be transferred to an account of a Watermaster member within a short time.

Basin losses due to use of this proposed facility are anticipated to be minimal or nonexistent.

During the EIR we analyzed potential damage to any homes that might be constructed on adjacent land in the future and found that this would not occur.

15. ENVIRONMENTAL REVIEW (Attachment G)

See attached EIR on CD, certified by the Agency Board of Directors on October 21, 2013. Also attached is Agency Resolution 2013-13, certifying the EIR.

Page 17 of 69

RESOLUTION NO. 2013-13

A RESOLUTION OF THE SAN GORGONIO PASS WATER AGENCY CERTIFYING THE DRAFT ENVIRONMENTAL IMPACT REPORT FOR THE BEAUMONT AVENUE RECHARGE FACILITY AND PIPELINE PROJECT; ADOPTING ENVIRONMENTAL FINDINGS PURSUANT TO THE CALIFORNIA ENVIRONMENTAL QUALITY ACT; ADOPTING A MITIGATION MONITORING AND REPORTING PROGRAM; ADOPTING A STATEMENT OF PROJECT BENEFITS; AND APPROVING THE BEAUMONT AVENUE RECHARGE FACILITY AND PIPELINE PROJECT

WHEREAS, the San Gorgonio Pass Water Agency (the "Agency" or "SGPWA") is a state water contractor, that was formed with the purpose of importing water from the State Water Project ("SWP") into the San Gorgonio Pass area in 1961, the Agency's service area encompasses approximately 228 square miles and includes the Cities of Beaumont, Calimesa, and Banning, as well as the unincorporated areas of Cherry Valley, Cabazon, Poppet Flat, Banning Bench, and San Timoteo and Live Oak Canyons; and

WHEREAS, the most heavily developed portion of the Agency's service area, the Beaumont Basin, is currently experiencing an overdraft condition; and

WHEREAS, In 2003, Phase I of SWP's East Branch Extension ("EBX") was completed, bringing raw SWP water into SGPWA's service area; however, the capacity of Phase I allows for a maximum of approximately 12,000 acre feet per year ("AFY") of the Agency's existing SWP supply contract Table A amount (17,300 AFY); and

WHEREAS, In response to these conditions, the Agency proposes to construct a groundwater recharge facility on a vacant, undeveloped property in the City of Beaumont, California, to increase recharge capabilities with the delivery SWP water, as well as other supplemental water sources via a proposed pipeline and service connection facility and to enable the Agency to replenish the groundwater basin and provide water supply for the ongoing and projected needs of the Agency's service area (the "Project").

WHEREAS, pursuant to section 21067 of the Public Resources Code, and section 15367 of the State CEQA Guidelines (Cal. Code Regs., tit. 14, § 15000 et seq.), the Agency is the lead agency for the Project; and

WHEREAS, the Agency solicited comments, including details about the scope and content of the environmental information, as well as potential feasible mitigation measures, from responsible agencies, trustee agencies, and the public, in a Notice of Preparation ("NOP") for the EIR for the Project, which was issued on November 13, 2012 and circulated for a period of 30 days pursuant to State CEQA Guidelines sections 15082, subdivision (a) and 15375; and

- WHEREAS, the Agency's Statement of Project Benefits is attached hereto as Exhibit "B": and
- WHEREAS, the Agency's Mitigation Monitoring and Reporting Program setting forth the mitigation measures to which the Agency shall bind itself in connection with the Project is attached hereto as Exhibit "C"; and
- WHEREAS, the EIR reflects the independent judgment of the Agency and is fully adequate for purposes of making decisions on the merits of the Project; and
- WHEREAS, the Agency has not received any comments or other information constituting substantial new information requiring recirculation of the EIR pursuant to Public Resources Code section 21092.1 and State CEQA Guidelines section 15088.5; and
- WHEREAS, on October 21, 2013 the Agency conducted a duly noticed public meeting at which the Project was considered, at which time all persons wishing to testify were heard, and the Project was fully considered; and
- WHEREAS, all other legal prerequisites to the adoption of this Resolution have occurred.

THE BOARD OF DIRECTORS OF THE SAN GORGONIO PASS WATER AGENCY DOES HEREBY RESOLVE AS FOLLOWS:

- SECTION 1 Consideration of EIR. The Agency finds that it has reviewed and considered the EIR (including the comment letters, responses to comments, and errata) in evaluating the Project's potential impacts; that the EIR has been completed in full compliance with CEQA, the State CEQA Guidelines, and the Agency's local procedures for implementing CEQA; and that the EIR reflects the independent judgment and analysis of the Agency.
- SECTION 2 Recirculation. Based on the entire record before the Agency, including all written and oral evidence presented, the Agency hereby finds that no evidence of new significant impacts or any other "significant new information" as defined by State CEQA Guidelines section 15088.5 has been received by the Agency after circulation of the Draft EIR which would require recirculation.
- SECTION 3 CEQA Findings. Based on the entire record before the Agency, including all written and oral evidence presented, the Agency hereby adopts the written CEQA Findings attached hereto as Exhibit "A" to this Resolution.
- SECTION 4 Project Benefits. Based on the entire record before the Agency, including all written and oral evidence presented, the Agency hereby adopts the Statement of Project Benefits attached as Exhibit "B" to this Resolution.
- SECTION 5 Certification of EIR. Based on the entire record before the Agency, including all written and oral evidence presented, the Agency hereby certifies the EIR and finds that the implementation of the Project will not have any significant and unavoidable environmental effects. All potentially significant environmental impacts have been analyzed

in the EIR and will be mitigated to a level of less than significant. Additionally, the Board finds that a range of reasonable and potentially feasible alternatives to the Project were fully analyzed in the EIR, but are rejected in favor of the Project.

SECTION 6 - MMRP. Pursuant to Public Resources Code section 21081.6, the Agency adopts the Mitigation Monitoring and Reporting Plan attached as Exhibit "C" to this Resolution. In the event of any inconsistencies between the mitigation measures as set forth in the EIR or the CEQA Findings in Exhibit A and the Mitigation Monitoring and Reporting Plan, the Mitigation Monitoring and Reporting Plan shall control.

SECTION 7 - Project Approval. Based on the entire record before the Agency, all written and oral evidence presented, the CEQA Findings, the Statement of Project Benefits, and Mitigation Monitoring Reporting Plan, and all other evidence, the Agency hereby approves the Beaumont Avenue Recharge Facility and Pipeline Project.

SECTION 8 — Custodian of Record. The documents and materials that constitute the record of proceedings on which this Resolution has been based are located at the San Gorgonio Pass Water Agency, 1210 Beaumont Ave., Beaumont, CA 92223. The custodian for these records is Jeff Davis, General Manager. This information is provided in compliance with Public Resources Code section 21081.6.

SECTION 9 - Notice of Determination. Agency staff shall cause a Notice of Determination to be filed and posted with the Clerk of the County of Riverside and the State Clearinghouse within five (5) working days of Project approval.

ADOPTED AND APPROVED this 21st day of October, 2013.

President, Board of Directors
San Gorgonio Pass Water Agency

ATTEST:

Secretary, Board of Directors San Gorgonio Pass Water Agency

APPROVED AS TO FORM:

General Counsel

San Gorgonio Pass Water Agency

16. TRANSFERS OF WATER FROM ONE STORAGE ACCOUNT TO ANOTHER

We anticipate that virtually all of the water that will be placed in this storage account will be transferred to storage accounts of Watermaster members via purchase of the water from the Agency.

17. CRITERIA ESTABLISHED BY WATERMASTER RESOLUTION 2005-01

Watermaster Resolution 2005-01 establishes principles of groundwater storage in the Beaumont Basin by non-Appropriators. The Agency is a non-Appropriator.

Section 2 of this resolution identifies groundwater storage projects that are given a preference. The following addresses each of the various types of storage and how the Agency's proposed project relates to that type of storage.

- a. Increase the reliability of water supplies. The Agency's proposed project will increase the reliability of water supplies by both providing additional storage capacity in the Basin and by providing additional connected capacity to the State Water Project. More water would be able to be stored in wet years, thus increasing the reliability of available supplies.
- b. Reduce the cost of enhancing the reliability of water supplies. The Agency's proposed facility will be funded up front with general fund revenues, to be reimbursed later (80% of costs) with developer fees. The cost of the project is not borne by water ratepayers, but by new growth and by general fund tax revenues that will be spent on this project as opposed to other expenditures that do not enhance reliability. Thus, the overall cost of enhancing reliability will be reduced for water ratepayers.
- c. Is proposed by, or is conducted for the benefit of, ratepayers. This project is proposed by the Agency and will benefit any purveyor that has a storage account in the Beaumont Basin, along with the ratepayers of those purveyors. While proposed as a project that benefits the entire region, it would have the benefit of benefitting ratepayers as the region would get additional storage and enhanced reliability without the use of ratepayer funds.
- d. Financially benefit ratepayers. The Agency's proposed project does not directly benefit water ratepayers but indirectly benefits them as additional storage would be made available using funds that are not from water rates.
- e. Will not injure existing Overlying and Appropriative Water Rights. The proposed project would not injure any party as it does not draw water out of the basin but enables any local water purveyor to add to storage in the basin. All appropriators and overliers should benefit from additional storage and from more reliability.
- f. Will not waste water. The proposed project is intended to prevent wasting water by enabling any party in the region, including any retail water purveyor or the Agency, to import all available water in wet years so that no State Water Project water gets left in Northern California to potentially be wasted in a future year.
- g. Will generate revenue to purchase rights to additional Supplemental Water and/or construct facilities for direct delivery of Supplemental Water or the percolation of Supplemental Water into the Beaumont Basin. The intent of the project is to enable the region to store more water, not necessarily to generate revenues.
- h. Will not impair future opportunities to store water in the Beaumont Basin. There is no reason that the proposed project would impair future opportunities to store water in the Beaumont Basin. If constructed, it would not prohibit any entity from constructing additional storage facilities, if needed. Studies indicate that it will not impact the ability of BCVWD to store water at its facility adjacent to the proposed site.

Section 3 of the resolution addresses types of storage projects, and states that the Watermaster will consider two types of storage programs:

- Projects which propose to rent Groundwater Storage Capacity in the Beaumont Basin—revenue generated thereby shall be used to fund capital facilities; and
- Projects which proposed the sale of Temporary Surplus—revenue generated thereby shall be used to purchase the rights to additional Supplemental Water supplies.

Agency staff has discussed this with Watermaster staff and it is not immediately clear to either what this section of the resolution is referring to. Agency staff has tried to determine if any other entity has addressed this issue in any previous application or related to construction of any facility, and has been unable to find a record of this.

Agency staff would be pleased to discuss this issue with the Watermaster so that this may be fully addressed as part of this application.

Page 23 of 69

Attachment A

		Ç)				-																Ī			Г
		Average	75	2	2.6	33	Q.	0.1	2	0.2	2	2	2	2	19	S	2	2	2	2	214	2	4.6	S	
		2013	32	Q.	2.9	36	Q	0	2	0.18	Q	2	Q	Q	24	2	Q	₽	2	2	258	S	4.8	Q	
		2012	38	N	2.1	30	QN	0	9	0.1	QN	Q.	Q	ND ND	24	2	2	Q	9	2	186	2	3.3	2	
		2011	125	Q	1.6	26	ON	0	Q	90.0	S	88	Q	QN	16	Q	S	ð	QN	Ð	151	Q	æ	S	
		2010	57	S	2.8	30	Q.	0	2	0.24	2	S	Q	2	16	2	Ð	2	Q	QN	194	2	4.4	2	
		2009	56	QN	4.0	34	Q.	0.0	QN	0.4	Q	2	QN	QN	24	QN	2.5	QN	Q	QN	248	S	6.7	2	
		2008	43	ND	3.7	39	QN	0.0	QN	9.0	QN	QN	Q.	QN	18	Q	3.0	ND	ON	QN	294	S	7.2	QN	
		2002	41	ON	2.6	36	ON	0.0	Q	0.2	QN	Q	Q	Q	22	Q	Q	QN	Q	QN	223	2	4.5	Q	
		2006	178	QN	1.9	28	QN	6.0	2	0.1	Q	Q	Q	QN	19	QN	QN	2.0	QN	Q.	163	S	3.2	21.5	
		2002	111	QN	2.1	37	QN	0.4	QN	0.1	QN	119	Q.	QN	17	Q	Q.	2.5	ND	QN	219	2	4.2	QN	
		2004	102	QN	2.5	34	QN	0.0	Q	0.1	Q	75	Q	QN	14	Q.	Q.	QN	QN	QN	201	Q	5.0	UD	
Minimum	Reporting	Limit	10	2	0.5	ı,	0.5	0.1	-	0.03	10	ଝ	-	10	S.	0.2	2	2	5	5	20	-	1	20	
		Units	ug/L	ug/L	ng/L	ug/L	UQ/L	ug/L	Light.	J/Sin	UGIL	ug/L	Ugyl.	ug/L	ng/L	ug/L	ngv	ug/L	ng/L	ng/L	ugil	ug/L	ng/L	ng/L	values
		Year	Aluminum	Antimony	Arsenic	Barlum	Beryllium	Cadmium	Chromlum	Chromium-8	Copper	Iron	Lead	Lithlum	Manganese	Mercury	Molybdenum	Nickel	Selenium	Silver	Strontium	Thaillum	Vanadium	Zinc	Average Annual values

	GROSS ALPHA	GROSS BETA RADIUM226 RADIUM228 RADIUM	RADIUM226	RADIUM228		STRONTIUM90	TRITIUM	TOTAL TRITIUM URANIUM	RADON222
Minimum Reporting	ñ	•	•	•	,				
Year Sampled	n	t	-1		H	2	1000	ı	100
2011	ON	4.4	S	S	Q	QN	S		CZ.
2008	3.5	4.2	QN	QN	₽	QN	S	7.7	2 2
2002	ON	QN	QN	QN	ND.	QN	Q	S	2
								2	
Units - picoCuries per liter (pCi/L)	ter (pCi/L)								
Average annual values									
						_			

Section for the second	SAMPLEDATE	Heallofate	AMBAB A	3 (1885)63		a paor
Minimum Reporting Limit		2	0.05	0.2	0.01	1
Units		ur/L	mg/L	<u>mF/l</u>	mg/L	
SILVERWOOD LAKE	April-05	ND	ND	Ober 1	ND	12
SILVERWOOD LAKE	June-05		ND	7.5		* . **** *** ***
SILVERWOOD LAKE	July-05	ND				
SILVERWOOD LAKE	October-05		· · · · · · · · · · · · · · · · · · ·	ND		
SILVERWOOD LAKE	October-05	ND				
SILVERWOOD LAKE	January-06	ND				
SILVERWOOD LAKE	April-06	ND	ND	-	ND	12
SILVERWOOD LAKE	July-06	ND		102-172-2	220,000	0.22
SILVERWOOD LAKE	October-06	ND		ND		
SILVERWOOD LAKE	January-07	ND				
SILVERWOOD LAKE	April-07	ND	ND	1.00	ND	14
SILVERWOOD LAKE	July-07	ND				
SILVERWOOD LAKE	October-07	ND		ND		
SILVERWOOD LAKE	January-08	ND				
SILVERWOOD LAKE	April-08	ND	ND		ND	12
SILVERWOOD LAKE	July-08	ND				
SILVERWOOD LAKE	October-08	ND		ND		
SILVERWOOD LAKE	January-09	ND				
SILVERWOOD LAKE	April-09	ND	0.05	ND	ND	8
SILVERWOOD LAKE	July-09	ND			3000	20.754
SILVERWOOD LAKE	October-09	ND	- 101	3350		
SILVERWOOD LAKE	January-10	ND				
SILVERWOOD LAKE	April-10	ND	ND		ND	14
SILVERWOOD LAKE	July-10	ND				ter.
SILVERWOOD LAKE	January-11	ND	3			
SILVERWOOD LAKE	April-11	ND	ND		ND	12
SILVERWOOD LAKE	July-11	ND				_
SILVERWOOD LAKE	January-12	ND			5,659	19
SILVERWOOD LAKE	April-12	ND	ND		ND	12
SILVERWOOD LAKE	July-12	ND				
SILVERWOOD LAKE	October-12	ND				
SILVERWOOD LAKE	January-13	ND				
SILVERWOOD LAKE	April-13	ND	ND		ND	12
SILVERWOOD LAKE	July-13	ND			ND	
SILVERWOOD LAKE	October-13	ND				
AVERAGE		ND	ND	ND	ND	12

Volatile Organic Compounds	2004-2013
Benzene	ND
Bromoberizene	ND
Bromochloromethane	ND
Bromodichtoromethane	ND
Bromoform	ND ND
Bromomethane (Methyl bromide)	ND
sec-Butylbenzene	ND
n-Butylbenzene	ND ND
tert-Butylbenzene	ND ND
Carbon Tetrachloride	
Chlorobenzene or monochlorobenzene	ND
Chlorodibromomethane*	ND ND
	ND ND
Chloroethane	ND
Chloroform	ND ND
Chloromethane or methyl chloride	ND
2-Chlorotoluene or o-Chlorotoluene	ND ND
4-Chlorotoluene or p-Chlorotoluene	ND ND
Dibromomethane	ND
1,2-Dichlorobenzene (o)	ND
1,3-Dichlorobenzene	ND
1,4-Dichlorobenzene (p)	ND
1,2-Dichloroethane	ND
1,1-Dichloroethane	ND
1,1-Dichloroethene	ND
cis-1,2-Dichloroethene	ND
trans-1,2-Dichloroethene	ND
Dichlorodifluoromethane	
(FREON 12)	ND
1,2-Dichloropropane	ND
1,3-Dichloropropane	
2,2-Dichloropropane	ND
1,1-Dichloropropena	ND
1,3-Dichloropropene (or 1,3-Dichloropropylene)	ND
cis-1,3-Dichloropropene	ND
trans-1,3-Dichloropropene	ND
ETBE (Ethyl tertiary butyl ether)	ND
Ethylbenzene	ND
Hexachiorobutadiene	ND
Isopropylbenzene	ND
p-Isopropyltoluene	ND
MEK (or 2-BUTANONE)	ND
Methylene Chloride	ND
MTBE	ND
Naphthalene	ND
Nitrobenzene	ND

n-Propylbenzene	ND
Styrens	ND
TAME	
(Tertiary amyl methyl ether)	ND
1,1,1,2-Teirachloroethane	ND
1,1,2,2-Tetrachloroethane	ND
Tetrachloroethene	ND
Toluene	ND
1,2,3-Trichlorobenzene	ND
1,2,4-Trichlorobenzene	ND
1,1,1-Trichloroethane	ND
1,1,2-Trichloroethane	ND
Trichloroethene (or trichloroethylene)	ND
Trichiorofluoromethane	ND
1,2,3-Trichloropropane	ND
1,1,2-Trichloro-1,2,2-trifluoroethane (FREON 113)	ND
1,3,5-Trimethylbenzene	ND ND
1,2,4-Trimethylbenzene	ND ND
Vinyl Chloride	ND.
Virtyi Chionde	עא
Xylenes (single isomer or sum of isomers)	NĐ
m,p-xylene	ND
o-xylene	ND
Organochiorine Pesticides	
Alachlor	ND
Aldrin	ND
Chlordane	ND
Chlorothanionil	ND
Dieldrin	ND
Endrin	ND
Heptachlor	ND
Heptachior Epoxide	ND
Hexachloroberizene	ND
Hexachlorocyclopentaciene	ND
Lindane	ND
Methoxychlor	ND
Polychiorinated Siphenyls	GN
Propachior	ND
Toxaphene	ND
Furnigants	
Ethylene dibromide (EDB)	ND
Dibromochloropropane (DBCP)	
(1,2-dibromo-3-chloropropane)	ND
Organochlorine Herbicidee	

Page 29 of 69

2,4-D ND Dalapon ND Dlcamba ND Dinoseb ND Pentachlorophenol ND Pictoram ND Silvex ND Carbamate Pesticides ND Diuron ND Aldicarb ND Aldicarb sulfoxide ND Baygon (aka Propoxur) ND Carbofuran ND Carbaryl ND 3-hydroxycarbofuran ND Methomyl ND Oxamyl (Vydate) ND Milscellaneous ND Diquat ND Endothall ND Glyphosate ND 2,3,7,8-TCDD Dioxin ND Nitrogen/Phosphorus Pesticides Atrazine Bromacil ND Butachlor ND Diazinon ND Dimethoate ND		
Dalapon ND Dlcamba ND Dinoseb ND Pentachlorophenol ND Picloram ND Silvex ND Carbamate Pesticides ND Diuron ND Aldicarb ND Aldicarb sulfoxide ND Baygon (aka Propoxur) ND Carbofuran ND Carbaryl ND 3-hydroxycarbofuran ND Methomyl ND Oxamyl (Vydate) ND Milscellaneous ND Diquat ND Endothall ND Giyphosate ND 2,3,7,8-TCDD Dioxin ND Nitrogen/Phosphorus Pesticides Atrazine Atrazine ND Bromacil ND Butachlor ND Diazinon ND	Bentazon	ND
Dicamba ND Dinoseb ND Pentachlorophenol ND Picloram ND Silvex ND Carbamate Pesticides ND Diuron ND Aldicarb ND Aldicarb sulfone ND Aldicarb sulfoxide ND Baygon (aka Propoxur) ND Carbofuran ND Carbaryl ND 3-hydroxycarbofuran ND Methomyl ND Oxamyl (Vydate) ND Miscellaneous ND Diquat ND Endothall ND Glyphosate ND 2,3,7,8-TCDD Dioxin ND Nitrogen/Phosphorus Pesticides ND Atrazine ND Bromacil ND Butachlor ND Diazinon ND	2,4-D	ND
Dinoseb Pentachlorophenol Picloram ND Silvex ND Silvex ND Carbamate Pesticides Diuron Aldicarb Aldicarb sulfone Aldicarb sulfoxide Baygon (aka Propoxur) Carbofuran Carbaryl ND Carbofuran ND Carbaryl ND ND Methomyl ND Oxamyl (Vydate) ND Miscellaneous Diquat Endothall Glyphosate 2,3,7,8-TCDD Dioxin ND NI	Dalapon	ND
Pentachlorophenol ND Picloram ND Silvex ND Carbamate Pesticides Diuron ND Aldicarb ND Aldicarb sulfone ND Aldicarb sulfoxide ND Baygon (aka Propoxur) ND Carbofuran ND Carbaryl ND 3-hydroxycarbofuran ND Methomyl ND Oxamyl (Vydate) ND Miscellaneous Diquat ND Endothall ND Glyphosate ND NItrogen/Phosphorus Pesticides Atrazine ND Butachlor ND Diazinon ND Dimethoate ND	Dicamba	ND
Pictoram Silvex ND Silvex ND Carbamate Pesticides Diuron Aldicarb ND Aldicarb sulfone Aldicarb sulfoxide Baygon (aka Propoxur) Carbofuran ND Carbofuran ND Carbaryl ND 3-hydroxycarbofuran ND Methomyl ND Oxamyl (Vydate) ND Endothall Glyphosate 2,3,7,8-TCDD Dioxin ND	Dinoseb	ND
Silvex Carbamate Pesticides Diuron Aldicarb Aldicarb sulfone Aldicarb sulfoxide Baygon (aka Propoxur) Carbofuran ND Carbofuran ND Carbaryl 3-hydroxycarbofuran Methomyl Oxamyl (Vydate) Miscellaneous Diquat Endothall Glyphosate 2,3,7,8-TCDD Dioxin ND NItrogen/Phosphorus Pesticides Atrazine Bromacil Butachlor ND Diazinon ND ND ND ND ND ND ND ND ND N	Pentachlorophenol	ND
Carbamate Pesticides Diuron ND Aldicarb ND Aldicarb sulfone ND Aldicarb sulfoxide ND Baygon (aka Propoxur) ND Carbofuran ND Carbaryl ND 3-hydroxycarbofuran ND Methomyl ND Oxamyl (Vydate) ND Miscellaneous Diquat ND Glyphosate ND 2,3,7,8-TCDD Dioxin ND NItrogen/Phosphorus Pesticides Atrazine ND Bromacil ND Diazinon ND Dimethoate ND Dimethoate ND Dimethoate ND Dimethoate ND	Picloram	ND
Diuron ND Aldicarb Aldicarb sulfone ND Aldicarb sulfoxide ND Baygon (aka Propoxur) ND Carbofuran ND Carbaryl ND 3-hydroxycarbofuran ND Methomyl ND Oxamyl (Vydate) ND Miscellaneous Diquat ND Endothall ND Glyphosate ND Altrogen/Phosphorus Pesticides Atrazine ND Bromacil ND Dimethoate ND Dimethoate ND Dimethoate ND Dimethoate ND	Silvex	ND
Diuron ND Aldicarb Aldicarb sulfone ND Aldicarb sulfoxide ND Baygon (aka Propoxur) ND Carbofuran ND Carbaryl ND 3-hydroxycarbofuran ND Methomyl ND Oxamyl (Vydate) ND Miscellaneous Diquat ND Endothall ND Glyphosate ND Altrogen/Phosphorus Pesticides Atrazine ND Bromacil ND Dimethoate ND Dimethoate ND Dimethoate ND Dimethoate ND		
Aldicarb sulfone Aldicarb sulfone Aldicarb sulfoxide Baygon (aka Propoxur) Carbofuran Carbaryl 3-hydroxycarbofuran Methomyl Oxamyl (Vydate) Miscellaneous Diquat Endothall Glyphosate 2,3,7,8-TCDD Dioxin ND NItrogen/Phosphorus Pesticides Atrazine Bromacil Butachlor Diazinon Dimethoate ND ND ND ND ND ND ND ND ND N	Carbamate Pesticides	
Aldicarb sulfone ND Aldicarb sulfoxide ND Baygon (aka Propoxur) ND Carbofuran ND Carbaryl ND 3-hydroxycarbofuran ND Methomyl ND Oxamyl (Vydate) ND Miscellaneous Diquat ND Endothall ND Glyphosate ND 2,3,7,8-TCDD Dioxin ND Nitrogan/Phosphorus Pesticides Atrazine ND Bromacil ND Dimethoate ND Dimethoate ND Dimethoate ND	Diuron	ND
Aldicarb sulfoxide Baygon (aka Propoxur) Carbofuran ND Carbaryl ND 3-hydroxycarbofuran ND Methomyl ND Oxamyl (Vydate) ND Miscellaneous Diquat ND Endothall Rollyhosate ND 2,3,7,8-TCDD Dioxin ND ND NItrogen/Phosphorus Pesticides Atrazine ND Bromacil Butachlor ND Dimethoate ND Dimethoate ND Dimethoate ND	Aldicarb	ND
Baygon (aka Propoxur) ND Carbofuran ND Carbaryl ND 3-hydroxycarbofuran ND Methomyl ND Oxamyl (Vydate) ND Miscellaneous ND Diquat ND Endothall ND Glyphosate ND 2,3,7,8-TCDD Dioxin ND Nitrogen/Phosphorus Pesticides ND Atrazine ND Bromacil ND Butachlor ND Diazinon ND Dimethoate ND	Aldicarb sulfone	ND
Carbofuran ND Carbaryl ND 3-hydroxycarbofuran ND Methomyl ND Oxamyl (Vydate) ND Miscellaneous ND Diquat ND Endothall ND Glyphosate ND 2,3,7,8-TCDD Dioxin ND Nitrogen/Phosphorus Pesticides ND Atrazine ND Bromacil ND Butachlor ND Diazinon ND Dimethoate ND	Aldicarb sulfoxide	ND
Carbaryl ND 3-hydroxycarbofuran ND Methomyl ND Oxamyl (Vydate) ND MIscellaneous Diquat ND Endothall ND Elyphosate ND 2,3,7,8-TCDD Dioxin ND Nitrogen/Phosphorus Pesticides Atrazine ND Bromacil ND Diazinon ND Dimethoate ND	Baygon (aka Propoxur)	ND
Carbaryl ND 3-hydroxycarbofuran ND Methomyl ND Oxamyl (Vydate) ND MIscellaneous ND Diquat ND Endothall ND Glyphosate ND 2,3,7,8-TCDD Dioxin ND Nitrogan/Phosphorus Pesticides Atrazine ND Bromacil ND Butachlor ND Diazinon ND Dimethoate ND	Carbofuran	
Methomyl ND Oxamyl (Vydate) MIscellaneous Diquat ND Endothall ND Glyphosate ND 2,3,7,8-TCDD Dioxin ND Nitrogen/Phosphorus Pesticides Atrazine ND Bromacil ND Butachlor ND Diazinon ND Dimethoate ND	Carbaryl	, ND
Oxamyl (Vydate) Miscellaneous Diquat Endothall ND Glyphosate ND 2,3,7,8-TCDD Dioxin NItrogen/Phosphorus Pesticides Atrazine ND Bromacil Butachlor Diazinon ND Dimethoate ND	3-hydroxycarbofuran	ND
Miscellaneous Diquat ND Endothall ND Glyphosate ND 2,3,7,8-TCDD Dioxin ND Nitrogan/Phosphorus Pesticides Atrazine ND Bromacil ND Butachlor ND Diazinon ND Dimethoate ND	Methomyl	ND
Diquat ND Endothall ND Glyphosate ND 2,3,7,8-TCDD Dioxin ND Nitrogen/Phosphorus Pesticides Atrazine ND Bromacil ND Butachlor ND Diazinon ND Dimethoate ND	Oxamyi (Vydate)	ND
Diquat ND Endothall ND Glyphosate ND 2,3,7,8-TCDD Dioxin ND Nitrogen/Phosphorus Pesticides Atrazine ND Bromacil ND Butachlor ND Diazinon ND Dimethoate ND		
Endothall ND Glyphosate ND 2,3,7,8-TCDD Dioxin ND Nitrogan/Phosphorus Pesticides Atrazine ND Bromacil ND Butachlor ND Diazinon ND Dimethoate ND	Miscellaneous	
Glyphosate ND 2,3,7,8-TCDD Dioxin ND Nitrogen/Phosphorus Pesticides Atrazine ND Bromacil ND Butachlor ND Dlazinon ND Dimethoate ND	Diquat	ND
2,3,7,8-TCDD Dioxin ND Nitrogen/Phosphorus Pesticides Atrazine ND Bromacil ND Butachlor ND Diazinon ND Dimethoate ND	Endothall	ND
Nitrogan/Phosphorus Pesticides Atrazine ND Bromacil ND Butachlor ND Diazinon ND Dimethoate ND	Glyphosate	ND
Atrazine ND Bromacil ND Butachlor ND Diazinon ND Dimethoate ND	2,3,7,8-TCDD Dioxin	ND
Atrazine ND Bromacil ND Butachlor ND Diazinon ND Dimethoate ND		
Bromacil ND Butachlor ND Diazinon ND Dimethoate ND		
Butachlor ND Diazinon ND Dimethoate ND	Atrazine	ND
Diazinon ND Dimethoate ND	Bromacil	ND
Dimethoate ND	Butachlor	ND
	Diazinon	ND
	Dimethoate	ND
Malathion ND	Malathion	ND
Metolachlor ND	Metolachlor	ND
Metribuzin ND	Metribuzin	ND
Molinate ND	Molinate	ND
Prometryn ND	Prometryn	ND
Simazine ND	Simazine	ND
	Thiobencarb	ND

ŭ						
RADON22		100		2	Q	QN
TOTAL URANIUM RADON222		₩.		Н	2.7	Ñ
TRITIUM		1000		Q	QN	Q
STRONTIUM90 TRITIUM		2		Q	Q	QV
COMBINED		ਜ		QN	2	Š
RADIUM228		ન		2	Q	Q.
RADIUM226		ᆏ		ON.	Q	Q
GROSS BETA		4		4.4	4.2	9
GROSS ALPHA GROSS BETA RADIUM226 RADIUM228 RADIUM S		m		QN	3.5	Q
	Minimum Reporting	Limit	Year Sampled	2011	2008	2005

Units - picoCuries per liter (pCi/L) Average annual values

STATO	SAMPLE DATE	Rependonne	柳游	Asbestos	Cyanide '	Odor
Minimum Reporting Limit		2	0.05	0.2	0.01	1
Units		ug/L	mg/L	<u>mF/l</u>	mg/L	
SILVERWOOD LAKE	April-05	ND	ND		ND	12
SILVERWOOD LAKE	June-05		ND			
SILVERWOOD LAKE	July-05	ND				
SILVERWOOD LAKE	October-05			ND	*	
SILVERWOOD LAKE	October-05	ND			1	
SILVERWOOD LAKE	January-06	ND ,	A STREET LANGUES		7	
SILVERWOOD LAKE	April-06	ND	ND		ND	12
SILVERWOOD LAKE	July-06	ND			176 personal av 16	**) ******
SILVERWOOD LAKE	October-06	ND		ND	eranen it	erial,
SILVERWOOD LAKE	January-07	ND 1				
SILVERWOOD LAKE	April-07	ND	ND		ND	14
SILVERWOOD LAKE	July-07	ND	***************************************			
SILVERWOOD LAKE	October-07	ND		ND		
SILVERWOOD LAKE	January-08	ND				•
SILVERWOOD LAKE	April-08	ND	ND		ND	12
SILVERWOOD LAKE	July-08	ND				
SILVERWOOD LAKE	October-08	ND		ND I		*********
SILVERWOOD LAKE	January-09	ND				
SILVERWOOD LAKE	April-09	ND	0.05	ND	ND	- · · · · · · · · · · · · · · · · · ·
SILVERWOOD LAKE	July-09	ND				NI MET COLOR
SILVERWOOD LAKE	October-09	ND				
SILVERWOOD LAKE	January-10	ND		• ***		
SILVERWOOD LAKE	April-10	ND	ND		ND	14
SILVERWOOD LAKE	July-10	ND		-	-	w amount
SILVERWOOD LAKE	January-11	ND				
SILVERWOOD LAKE	April-11	ND	ND		ND -	12
SILVERWOOD LAKE	July-11	ND				
· · · · · · · · · · · · · · · · · · ·	January-12	ND			-	
	April-12	ND	ND		ND	12
	July-12	ND	ender in eigh			
	October-12	ND			· · · · · · · · · · · · · · · · · · ·	
;	January-13	ND		• • • • • • • • • •		·
}-	April-13	ND	ND		ND	12
· .	July-13	ND			ND	12
, i	October-13	ND			- 145	7
:	Name of the second seco	e eterroren en e		no en la		
VERAGE		ND	ND	ND	ND	12

Volatile Organic Compounds	2004-2013
Benzene	ND
Bromobenzene	ND
Bromochloromethane	ND
Bromodichloromethane	ND
Bromoform	ND
Bromomethane (Methyl bromide)	ND
sec-Butylbenzene	ND
n-Butylbenzene	ND
tert-Butyfbenzene	ND
Carbon Tetrachiorida	ND
Chlorobenzene or monochlorobenzene	ND
Chlorodibromomothane*	ND
Chloroethane	ND
Chloroform	ND
Chloromethane or methyl chloride	ND
2-Chlorotoluene or o-Chlorotoluene	ND
4-Chlorotoluene or p-Chlorotoluene	ND
Dibromomethane	ND
1,2-Dichlorobanzane (o)	ND
1,3-Dichlorobenzene	ND
1,4-Dichlorobenzene (p)	ND
1,2-Dichloroethane	ND
1,1-Dichloroethane	ND
1,1-Dichloroethene	ND
cis-1,2-Dichloroethene	ND
trans-1,2-Dichloroethene	ND ND
Dichlorodifluoromethane	
(FREON 12)	ND
1,2-Dichloropropane	ND
1,3-Dichloropropane	
2,2-Dichloropropane	ND
1,1-Dichloropropens	ND
1,3-Dichloropropene	
(or 1,3-Dichloropropylene)	ND
cls-1,3-Dichloropropene	ND
trans-1,3-Dichloropropene	ND
ETBE (Ethyl tertlary butyl ether)	ND_
Ethylbenzene	ND
Hexachlorobutadiene	ND
Isopropylbenzene	ND
p-Isopropyltoluene	ND
MEK (or 2-BUTANONE)	ND
Methylene Chloride	ND ND
MTBE	ND.
Naphthalene	ND
Nitrobenzene	ND

n-Propylbenzene	ND
Styrene	ND
TAME	
(Tertiary amyl methyl ether)	ND
1,1,1,2-Tetrachloroethane	ND
1,1,2,2-Tetrachloroethane	ND
Tetrachloroethene	ND
Toluene	ND
1,2,3-Trichiorobenzene	ND
1,2,4-Trichlorobenzene	ND.
1,1,1-Trichloroethane	ND
1,1,2-Trichloroethane	ND
Trichloroethene (or trichloroethylene)	ND
Trichlorofluoromethane	ND
1,2,3-Trichioropropane	ND
1,1,2-Trichloro-1,2,2-trifluoroethane (FREON 113)	
1,3,5-Trimethy/benzene	ND ND
1,2,4-Trimethylbenzene	ND
Vinyl Chloride	ND
Virtyl Cilionoe	ND ND
Xylenes (single isomer or sum of isomers	s) ND
m,p-xylene	ND
o-xylene	ND
Organochlorine Pesticides	
Alachlor	ND
Aldrin	ND
Chlordana	ND
Chlorethanionii	ND
Dieldrin	ND
ndrin	ND
leptachlor	ND
leptachlor Epoxide	ND
lexachiorobenzene	ND
iexachlorocyclopentadiene	ND
Indane	ND
lethoxychior	ND
olychlorinated Siphenyls	ND
ropechior	ND
oxaphene	ND
umigante	_
thylene dibromide (EDB)	ND ND
bromochloropropane (DBCP)	
,2-dibromo-3-chloropropane)	

Bentazon	ND
2.4-D	ND
Dalapon	ND
Dicamba	ND
Dinoseb	ND
Pentachlorophenol	ND
Picloram	ND
Silvex	ND
Carbamate Pesticides	
Diuron	ND
Aldicarb	ND
Aldicarb sulfone	ND
Aldicarb sulfoxide	ND
Baygon (aka Propoxur)	ND
Carbofuran	ND
Carbaryl	ND
3-hydroxycarbofuran	ND
Methornyi	ND
Oxamyi (Vydate)	ND
Miscellaneous	
Diquat	ND
Endothali	ND
Glyphosate	ND
2,3,7,8-TCDD Dloxin	ND
Nitrogen/Phosphorus Pesticides	
Atrazine	ND
Bromacil	ND
Butachlor	ND
Diazinon	ND
Dimethoate	ND
Malathion	ND
Metolachlor	ND
Metribuzin	ND
Molinate	ND
Prometryn	NĎ
Simazine	ND
Thiobencarb	ND

Year Linits Limit 2004 2005 2007 2008 2009 2010 2011 2011 37 38 37 38 37 38 37 38 37 38 37 38 37 38 37 38 37 38 37 38 37 38 37 38 37 38 37 37 38 37 37 38 37 37 37 38 37 37 37 38 37 37 38 37 37 38 37 37 37 38 37 37 37 38 37 37 38 37 37 38 37 37 38 38 37 38 37 38 37 38 37 38 37 38 38 37 38 38 37 38 38 38 37 38 38 38 38 38 38 <t< th=""><th></th><th></th><th>Reporting</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<>			Reporting											
ugf. 10 102 111 178 41 43 56 57 424 400	Year	Units	Limit	7007	2005	2006	2007	2008	2000	0100		5	1	
ught 2 ND	Alminum	ngil	10	102	1	178	4	Ç		1	100	7	2013	Average
ught 6.5 2.5 2.1 3.9 3.6 3.7 4.0 2.8 1.6 2.9 ught 6.5 2.5 2.1 3.9 3.6 3.7 4.0 2.8 1.6 2.9 ught 6.5 ND ND ND ND ND ND ND 3.0 3.6 3.0 3.6 3.0 3.6 3.0	Antimony	ugit	N	QN	£	Š	: 5	2 5	0 4	7 7	<u> </u>	20	6	23
ug1 6 34 37 28 36 39 34 15 23 36 39 34 37 28 36 39 34 37 28 36 39 34 37 28 36 39 34 37 38 36 39 34 30 36 39 34 30 36 39 36 39 36 39 36 39 36 30 36 30 36 30 36 30 36 30 36 30 36 30 36 30 36 30 36 30 36 30 36 30<	Arsenic	ug/L	0.5	2.5	2	2 -	2 4	ָ נו בַ	5 5	2 :	2 :	2	2	2
ug1 0.5 ND N	Barium	rgn	ιρ	7	4	3 6	2.0	7.6	0.5	2.8	9,1	2.1	2.9	2.6
ugl. 0.1 0.1 0.0 0.4 0.2 0.0 <td>Berylltum</td> <td>ugu</td> <td>0.5</td> <td>£</td> <td>S</td> <td>2 2</td> <td>3 5</td> <td>7</td> <td>5 5</td> <td>유 !</td> <td>79</td> <td>8</td> <td>83</td> <td>M</td>	Berylltum	ugu	0.5	£	S	2 2	3 5	7	5 5	유 !	7 9	8	83	M
ugl. 1 ND	Cadmium	ugyl	0.1	0.0	0.0	2 6	2 6	2 6	2 8	Q (2	2	⊋.	2
ug/L 0.03 0.1<	Chromium	Ugu	-	£	Ş	3 5		80	0 !	D	-	0	0	0.1
ug/L 10 ND N	Chromium-6	VQ.	0 03	2	2 6	2 6			9	Q Z	Ω	Q	2	2
ug/L 50 75 119 ND	Coppor	l Post	ç	1 2	5 2	1 6	0.2	9.0	4,0	0.24	0.06	0.1	0.18	0.2
ωg/L 11 ND	Iron	1 2	2 (2	2 1	€ ;	2		Ş	S	Q	NO	QN	2	2
ωg/L 10 ND	i i	J. Post	3 •	0 9	119	O.	2	N	S	Q	80	Q	문	Q
ug/L 5 14 17 19 22 18 24 16 16 24	/ ithirm		- (S :	Q	Q	2	2	Q	Q	QN	NO	2	Ş
ug/L 5 14 17 19 22 18 24 16 24 24 16 16 24 24 16 16 24 24 16		3	2	NO.	Š	Q	S	S	QN	GN	CN	2	2	2
ug/L 0.2 ND	Manganese	ugy.	IC.	14	17	19	22	<u>x</u>	34) 4	2 0		2	2
ug/L 2 ND N	Мегсилу	ug/L	0.2	QN	QN	2	1 2	2 5	5	9 !	or T	74	24	13
ug/L 2 ND N	Мођуванит	UGA.	2	Ē	2	2 2	2 2	۲ کو ا		Q	Q	NO NO	Q	Q
vg/L 5 ND N	Nickel	non	۱ ه	2	5 6	2 ,	⊋ :	3.0	2.5	NO O	QN	ND	£	2
1921, 5 ND	Seientum	1 10 51	d u	5 5	5.5	2.0	Q.	Š	S	Q	G	QV QX	Q	2
ug/L 30 ND N	Silver	1 2518	5 1	2	O N	NO.	2	Q	ND	2	QN	QN	Q	Ş
ug/L 20 201 219 163 223 294 248 194 151 186 258 ug/L 1 ND ND ug/L 1 5.0 4.2 3.2 4.5 7.2 6.7 4.4 3 3.3 4.8 ug/L 20 ND ND 21.5 ND ND ND ND ND ND ND		1	n	2	ND	Q	ND	Q	QN.	Q	2	2		9 9
ug/L 1 ND	ammuna	ug/L	20	201	219	163	223	200	240		2	2	Q.	2
Ug/L 1 5.0 4,2 3,2 4,5 7,2 6,7 4,4 3 3,3 4,8 Ug/L 20 ND ND 21,5 ND	Thallium	ug/L	-	QN	Ç	2	2	<u> </u>	0 4	X !	151	186	258	214
ug/L 20 ND ND 21.5 ND ND ND ND ND ND ND ND	Vanadium	Ug/L	-	2.0	4	2 6	2 4	2 ;	2 (2	9	Q	9	2
ON ON ON ON ON ON CITY ON ON	Zinc	7,00	2	5	1 5	, L	n i	7.7	2.	4.4	m	3.3	4.8	9.6
		l b	3	Ę	5	21.5	Ñ	2	Ü	ON	QN	ON	S	Ę

Average Annual values

REPORT DAT	REPORT DATE BICARBONATE BORON BROMIDE CALCIUM CARBONATE CHLORIDE COLOR FLUORIDE FREE_CO2	TE BORON	BROMIDE	CALCIUM	CARBONATE	CHLORIDE	COLOR	FLUORIDE	FREE_CO2
	mg/t	mg/L	1/8m	J/8m	mg/L	mg/L	mg/L	mg/L	mg/L
SILVERWOOD LAKE Dec-13	13	95	0.33		0	100		0.1	2.1
ILVERWOOD LAKE Nov-13	13	89	0.35	19		107		0.1	1.4
SILVERWOOD LAKE Oct-13	13	93	0.3	19		92	10	0.1	0.7
SILVERWOOD LAKE Sep-13	13	85	0.21	20	9	89		0.1	0.2
SILVERWOOD LAKE Aug-13	13	84	0.2	23	T	99		0.1	0.2
SILVERWOOD LAKE Jui-13	13	100	0.23	25	4	73	_	0.1	0.5
SILVERWOOD LAKE Jun-13		105	0.23	27		71		0.1	9.0
SILVERWOOD LAKE May-13		111	0.22	28	0			0.1	0.8
ILVERWOOD LAKE Apr-13		110	0.23	28		75	12		0.9
SILVERWOOD LAKE Mar-13	13	102	0.22	28	0			0.1	1.2
ILVERWOOD LAKE Feb-13	13	93	0.27	23				0	1.1
SILVERWOOD LAKE Jan-13	13	8	0.3		0		7	0	1.8
SILVERWOOD LAKE Dec-12		90	0.3		0			0	1.5
SILVERWOOD LAKE Nov-12		92	0.37	17	0			0	1.5
SILVERWOOD LAKE Oct-12		81	0.25	15	0		7	0	1.5
ILVERWOOD LAKE Sep-12		62	0.16		0	95		0.1	1.4
ILVERWOOD LAKE Aug-12		88	0.16	18	0			D	1.1
SILVERWOOD LAKE Jul-12		95	0.2		0	64	7	0	0.9
ILVERWOOD LAKE Jun-12	-	96	0.2					0	0.8
SILVERWOOD LAKE May-12		102	0.22		-			0.1	0.7
SILVERWOOD LAKE Apr-12		94	0.25	21	0		8	Ď	0.7
SILVERWOOD LAKE Mar-12		95	0.26	!	0	98		0	0.9
SILVERWOOD LAKE Feb-12		90	0.19	2011	0			0	0.7
SILVERWOOD LAKE Jan-12		78	0.11	17	0	37	7	0	2.1
SILVERWOOD LAKE Dec-11		73	0.08	15	0	25		0	1.1
SILVERWOOD LAKE Nov-11		79	0.07	14	0	23		0	1.5
SILVERWOOD LAKE Oct-11	11	73	0.08	14	0	75	7	0	1.4
SILVERWOOD LAKE Sep-11	11	70	0.1	14	0	33		0	1.3
SILVERWOOD LAKE Aug-11	11	57	0.07	13		26	200	0	1.1

	57		0.08	13	0	28	7	ō	1.5
29	1		0.07	13	0	24		Ö	1.1
63		0	0.06	14	0	27		o	1.2
29			0.1	16	ō	32	12	0	1.2
29		٥	0.08	16	0	31	_	o	0.0
99			0.1	15	0	38		0	2.5
76			0.2	16	0	65	15	0	1.6
87	į	0	.22	18	0	78	-	ō	=
89		0	0.28	18	0	91	80	c	17
83		0.1 0	0.26	17	0	83		6	-
82		0	0.15	17.	0	51		C	
06		0	0.17	20	0	59		O	0.9
8	i	0	0.19	21	0	62	11	0.1	1.1
88		0	14	22	0	51		0.1	1.6
88	1	0	0.15	23	0	49	<u> </u> 	0.1	2.3
82		0	22	22	D	51	9	0.1	1.6
83		0	0.19	21	0	54		0.1	1.4
82	1	0	22	21	0	64	_	0.1	-
82		Ö	0.24	20	0	69	7	0.1	1.4
83		6	0.26	21	0	74	_	0.1	1.9
50			0.32	21	0	92	_	0.1	1.2
83	٥	0.11 0.	0.28	17	0	87	7	0.1	1.2
81		0 1	23	17	0	75		0.1	1.2
A		0	0.21	22	-	8		0.1	9.0
S		Ö	0.28	25	0	91	00	0.1	H
		o	0.27	27	0	74	_	0.2	1.3
מ				27	0	75		0.1	0.9
200		0.16		26	п	72	9	0.2	0.3
66		0		56	0	72		0.1	15
100		0.0	0.28	56	0	78		0.2	17
100		0.26		26	0	177	L'A	100	1,
100		0	0.28	25	0	78	-	0.1	1
66				24	0	78		0.1	1.5
66	이	0.15 0.24		12	0	75	5	0.1	=

0.7	1.3	0.8	1	0.8	1	1.3	1.7	1.2	1.5	1.6	1.4	0.7	1.3	1.2	0.8	1.1	1.8	7	1.4	1.1	1.5	6.9	4		1.1	2.1	1.9	1.6	1.2	1.4	1.2	2.2	1
0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.13	0.13	0.12	0.1	0	0.1	0.1	0	0.1	0.1	0.11	٥	0	0	0	o	o	0	Ö	0.12	0	0	0	D	o	
		7		13				10			6	_		2			13			13			7		_	12	_		15		-	15	
72	26	79	92	71	68	73	99	78	82	87	92	65	55	99	63	59	70	98	95	29	38	31	38	42	41	32	25	53	37	44	09	88	
2	0	0	О	0	0	0	0	o	0	O	0	0	0	0	0	O	ō	O	0	0	o	Ö	۵	O	O	0	0	0	0	0	0	ō	
24	24	25	97	26	27	25	22	22	24	22	20	18	20	23	22	22	23	22	21	20	15	15	15	15	15	13	13	14	16	17	16	19	
0.22	0.24	0.26	0.24	0.22	0.22	0.25	0.22	0.27	0.29	0.31	0.33	0.22	0.16	0.21	0.2	0.18	0.21	0.27	0.31	0.22	0.12	0.1	0.12	0.14	0.13	0.1	0.07	0.08	0.1	0.13	0.18	0.28	
	 	0.17			0.19		_	0.12			0.11			0.15	_	_	0.19			0.14			0.09			0.1			0.15			0.14	
96	102	110	105	105	100	95	85	68	93	93	88	83	89	100	100	96	66	98	94	93	79	83	81	78	72	29	09	61	99	29	68	06	
Sep-08	Aug-08	80-Inf	Jun-08	May-08	Apr-08	Mar-08	Feb-08	Jan-08	Dec-07	Nov-07	Oct-07	Sep-07	Aug-07	70-Inf	Jun-07	May-07	Apr-07	Mar-07	Feb-07	Jan-07	Dec-06	Nov-06	Oct-06	Sep-06	Aug-06	Jul-06	Jun-06	May-06	Apr-06	Mar-06	Feb-06	Jan-06	
SILVERWOOD LAKE	ILVERWOOD LAKE	ILVERWOOD LAKE	SILVERWOOD LAKE	ILVERWOOD LAKE	SILVERWOOD LAKE	SILVERWOOD LAKE	SILVERWOOD LAKE	SILVERWOOD LAKE																									

SILVERWOOD LAKE					2	5	70	-		
	Oct-05	88	0.12	0.15	18	0	54	12	0	1
SILVERWOOD LAKE	Sep-05	88	-	0.14	17	0	AA	1	0 0	112
ILVERWOOD LAKE	Aug-05	92		0.11	17	Ċ	2		5 0	7
SILVERWOOD LAKE	Jul-05	73	0.14	0.12	17	Č	43	13	5 6	7 7
WOOD LAKE	Jun-05	96		0.17	21	0	9	7	5 6	-
WOOD LAKE	May-05	98	-	0.12	21	C	89		2 6	150
SILVERWOOD LAKE	Apr-05	102	0.22	0.14	25	0	95	29) [1 0
WOOD LAKE	Mar-05	86		0.15	23	0	55		100	1 6
SILVERWOOD LAKE	Feb-05	92		0.23	21	0	7	- 	0 11	1.6
SILVERWOOD LAKE	Jan-05	96	0.15	0.22	21	0	69	28	0.12	1 1
WOOD LAKE	Dec-04	98		0.25	22	0	76		0.12	1
SILVERWOOD LAKE	Nov-04	93		0.25	20	O	75	12	0.12	100
SILVERWOOD LAKE	Oct-04	92	0.12	0.21	19	o	28		0	1
SILVERWOOD LAKE	Sep-04	87		0.17	17	0	55		10	17
SILVERWOOD LAKE	Aug-04	93	-	0.19	19	0	9	12		1 0
LVERWOOD LAKE	Jul-04	100	0.16	0.21	21		16		0 6	-
SILVERWOOD LAKE	Jun-04	66		0.21	22	0	16	-	2 0	7 -
ILVERWOOD LAKE	May-04	93	<u> </u>	0.14	21	C	2	12	0	1 .
SILVERWOOD LAKE	Apr-04	93	0.18	0.12	22	0	346	1	0	717
LVERWOOD LAKE	Mar-04	96		0.18	22	0 0	0 0	+	0	77
SILVERWOOD LAKE	Feb-04	96	-	0.29	22	0 0	8	:	0	
SILVERWOOD LAKE	Jan-04	98	0.15	0.31	21	, -	2 2	1	7 0	1.7
10		80	0.14	0.20	20	0.23	3 3	1	2 20	0 0
							5	1	CO'O	1.39

								2	3	
		PHENOL ALKA						Total	Total	
MAGNECHIM	NITTO ATE	LINITY_AS_CA	MIDSTACTION	SILCA	Sobilia	SPECIFIC	SULFATE	Filterable Residue)	Organic Carbon)	TEMPERATURE
me/L	1	mg/L		mg/t	mg/L	pmho/cm			mg/l	٥
1	,	-	2.8		1	579	1.	306	2.53	1,
13							33	301	2.63	16
121			E	9.4		515		283	2.9	
11		LT.		12.7	52	463			3.04	24
11			2.6			474			3.55	23
12	1.3					300	20	293	3.36	23
1				1						20
H			2.6	10.1		522				ı
1				ļ				308		13
12				12.5					3.7	
1.			2.9	13.6				287		10
H	3 2.6			_	61	516			2.46	
13		D		Ĺ			25	280	2.46	14
1,	4 0.7		m	11.4			P	302		18
1			2.5	10	49	434	19	2		
11			2.2	11.1				203	2.7	
Ħ	1.3		2.4	11.8					617	24
₽			2.5	13.2	468	456				
H				ļ				1691	3.34	702
7	1 3.1	1				519	48	3 291		
H			2.9		56					12
ï			3.1	9.6					3.1	01
+	1 2.3	0	2.5			404	0 455.5	3 231	1 2.98	
	9 2.4	0	1.9		3	316	26	180		~
	7. 1.9		1.5	10.1		3 240		3 138	3 2.45	1
		0		12.6		1 238		140		
	7 11	0	1.6	12	23	3 241				23
	8 13	0	1.8	11.5		7 266	19	157	7 2.82	
	17	0	1.7	L.	L	228	18	3 138		

24	100	16	100	115	2 5	2	י נ	71	2 10	3 5	3/2	12	1 89	19	=	101	0	101	12	17	19	23	24	22	17	14	12	100	0	10	13	1	21
2.76	3.37	4 14	3 08	4.7	A 22	2 92	2 45	2 5.40	7 54	304	3.76	3.72	3.47	3.75	2.44	2.6	2.46	1.95	2.22	2.38	2.53	2.78	3.58	3.45	2.76	2.64	2.35	2.48	2 0.4	2.13	2.09	2.34	2.62
139	128	152	170	-	-		-	-			<u> </u> 	-	-		_	_	_	_	_		-	_ 			8	-				-	_		-
22	17	26	34	26	×	133	l K	24	22	23	35	40	45	46	33	32	33	33	35	35	25	25	37	55	52	84	45	43	46	46	48	47	43
243	215	254	287	275	290	403	470	510	472	358	415	449	420	420	392	404	424	465	478	531	496	438	464	583	540	533	505	498	527	526	530	508	511
23	22	25	28	72	29	45	55	09	55	38	45	49	45	46	44	45	51	55	56	65	59	53	20	69	62	64	61	9	63	64	63	63	57
10.5	9.4	9.3	6.6	10.8	12.7	12.3	11.2	11.9	10.2	10.5	13.2	12.1	11.4	11.9	11.4	12.3	11.3	11	11.7	10.8	9.7	10.8	13.8	77	6.9	6.1	6.2	8.1	10.6	10.6	10.6	12.1	15
- 1		, ,						F		3	1 .		2.3	- 1		- 1	- 1	- 1	- 1	- 4	- 1	- 1	- i		- 1	í	- 1			- 1	- 1	- 1	
2	0	0	o											+								-					+						_
7	0.9	1.5	2.6	2.3	3.2	2.9	2.3	1.6	9.0	0.8	2.1	2.5	2.7	3.6	4	3.6	3.3	3.3	2.9	7	6.0	0.0	0 1	2.7	2.4	4:4	2.6	2.5	3.5	3.2	m :	5.5	2,
1	6	7	20	00	20	위	77	E	12	위	12	=	D (ם מ	x0 0	×	; cx	9 6	2 5	71.6	7 7	11 5	7 :	13	א כ	1	x0 c	7 0	ار ا	× 0	ח כ	3 3	10

| 24 | 23 | 90 | 17 | 14 | 10 | 60 | en en | 14 | 17 | 20 | 25 | 24 | 23 | 21

 | 17 | 15 | 11
 | 60
 | 10 | 13 | 18
 | 21 | 25 | 24 | 25 | 22
 | 16 | 13 | 10 | 11 | 11
 | 13 |
|------|----------------------|---|--|---|--|---|--|---|--|---|--|---|--
--
--
--|--|---|--
--
---|---|---
--	--	--	---
---	---	---	---
2.96	2.96	3.18	3.53,

 | 3.48 | 4.28 | 3.96
 | 3.51
 | 2.76 | 2.63 | 2.46
 | 2.74 | 2.86 | 3.12 | 3.3 | 3.26
 | 3.61 | 7.95 | 5.49 | 3.76 | 5.77
 | 3.82 |
| 42 | 41 | 45 | 49 | 48 | 43 | 36 | 39 | 37 | 33 | 28 | 23 | 27 | 35 | 35

 | 39 | 45 | 44
 | 39
 | 34 | 22 | 18
 | 21 | 23 | 24 | 20 | 17
 | 30 | 34 | 37 | 30 | 33
 | 25 |
| 519 | 519 | 525 | 527 | 202 | 501 | 454 | 499 | 516 | 533 | 515 | 395 | 358 | 460 | 446

 | 447 | 497 | 539
 | 260
 | 450 | 306 | 275
 | 308 | 322 | 313 | 260 | 231
 | 267 | 309 | 349 | 386 | 517
 | 417 |
| 55 | 28 | 22 | 56 | 57 | 28 | 52 | 90 | 61 | 63 | 61 | 45 | 39 | 20 | ß

 | 46 | 53 | 58
 | 29
 | 48 | 30 | 27
 | 31 | 33 | 32 | 26 | 22
 | 27 | 31 | 36 | 41 | 59
 | 45 |
| 14.9 | 14 | 11.4 | 11.6 | 12.6 | 12,4 | 13.7 | 12.4 | 12.5 | 11.6 | 11.2 | 13.3 | 12.6 | 14.2 | 12

 | 12.4 | 14.9 | 14.5
 | 14.9
 | 13 | 12.6 | 12.6
 | 12.4 | 12.4 | 11.9 | 11.2 | 10.7
 | 7.7 | 8.9 | 10.2 | 9.4 | 12.1
 | 11.4 |
| m | 3 | 2.8 | 2.8 | 2.8 | 2.5 | 2.4 | 2.5 | 2.7 | 2.5 | 3 | 2.5 | 2.4 | 2.7 | 2.6

 | 2.3 | 2.9 | 3.2
 | 3.4
 | 2.7 | 2.1 | 1.8
 | 2 | 2.2 | 2.1 | 1.9 | 3.3
 | 2.2 | 1.8 | 2.2 | 2.7 | 3.3
 | 4 |
| 2.9 | 3.1 | 3.4 | 4.2 | 5.6 | 4.9 | 4.6 | 4 | 3.7 | 2.8 | 1.6 | 1.3 | 2.2 | 2.1 | 2

 | 3.4 | 4.4 | 4.4
 | 4
 | 3.5 | 2.7 | 2.1
 | 1.4 | 1.6 | 1.5 | 1.5 | 1.3
 | 1.9 | 2.0 | 3.5 | 3.6 | 3.4
 | 2.8 |
| | | | | | | | | į | | | | | |

 | | |
 |
 | | | | |
 | | | | |
 | | | | ¥., |
 | |
| | 2.9 3 14.9 55 519 42 | 2.9 3 14.9 55 519 42 3.1 3 14 58 519 41 | 2.9 3 14.9 55 519 42 3.1 3 14 58 519 41 3.4 2.8 11.4 57 525 45 | 2.9 3 14.9 55 519 42 3.1 3 14 58 519 41 3.4 2.8 11.4 57 525 45 4.2 2.8 11.6 56 527 49 | 2.9 3 14.9 55 519 42 3.1 3 14 58 519 41 3.4 2.8 11.4 57 525 45 4.2 2.8 11.6 56 527 49 5.6 2.8 12.6 57 48 | 2.9 3 14.9 55 519 42 3.1 3 14 58 519 41 3.4 2.8 11.4 57 525 45 4.2 2.8 11.6 56 527 49 5.6 2.8 12.6 57 48 4.9 2.5 12.4 58 501 43 | 2.9 3 14.9 55 519 42 3.1 3 14.4 57 519 41 3.4 2.8 11.4 57 525 45 4.2 2.8 11.6 56 527 49 5.6 2.8 12.6 57 507 48 4.9 2.5 12.4 58 501 43 4.6 2.4 13.7 52 454 36 | 2.9 3 14.9 55 519 42 3.1 3 14.4 57 519 41 3.4 2.8 11.4 57 525 45 4.2 2.8 11.6 56 527 49 5.6 2.8 12.6 57 507 48 4.9 2.5 12.4 58 501 43 4.6 2.4 13.7 52 454 36 4 2.5 12.4 60 499 39 | 2.9 3 14.9 55 519 42 3.1 3 14.4 57 519 41 3.4 2.8 11.4 57 525 45 4.2 2.8 11.6 56 527 49 5.6 2.8 12.6 57 507 48 4.9 2.5 12.4 58 501 43 4.9 2.5 12.4 52 454 36 4 2.5 12.4 60 499 39 3.7 2.7 12.5 61 516 37 | 2.9 4.9 5.5 519 42 2.96 3.1 14 58 519 41 2.96 3.4 2.8 114 57 525 45 3.18 4.2 2.8 11.6 56 527 49 3.53 5.6 2.8 12.6 57 64 3.12 4.9 2.5 12.4 58 501 43 2.24 4.6 2.4 13.7 52 454 36 2.63 4 2.5 12.4 60 499 39 1.88 3.7 2.7 12.5 61 516 37 1.56 3.7 2.7 12.6 37 1.56 37 1.56 | 2.9 4.9 5.5 519 42 2.96 3.1 14 58 519 41 2.96 3.4 2.8 114 57 525 45 3.18 4.2 2.8 11.6 56 527 49 3.53 5.6 2.8 12.6 57 48 3.12 4.9 2.5 12.4 58 501 43 2.24 4.6 2.4 13.7 52 454 36 2.63 4 2.5 12.4 60 499 39 1.88 3.7 2.7 12.5 61 516 37 1.56 3.7 2.7 12.6 37 1.56 37 1.56 3.7 2.8 53 33 2.07 2.29 2.29 | 2.9 4.9 5.5 51.9 4.2 2.96 3.1 14 58 51.9 41 2.96 3.4 2.8 11.4 57 52.5 45 3.18 4.2 2.8 11.6 56 52.7 49 3.53 5.6 2.8 12.6 57 48 3.12 4.9 2.5 12.4 58 501 43 2.24 4.6 2.4 13.7 52 454 36 2.63 4 2.5 12.4 60 499 39 1.88 3.7 2.7 12.5 61 516 37 1.56 3.7 2.5 11.6 63 533 33 2.07 1.6 3.1 61 516 33 2.29 2.29 3.7 3.2 3.3 3.3 2.23 3.23 3.72 | 2.9 4.9 5.5 51.9 4.1 2.96 3.1 14 58 5.19 4.1 2.96 3.4 2.8 11.4 57 52.5 45 3.18 4.2 2.8 11.6 56 5.27 49 3.53 5.6 2.8 12.6 57 48 3.12 4.9 2.5 12.4 52 48 3.12 4.6 2.4 13.7 52 454 36 2.24 4 2.5 12.4 60 499 39 1.88 3.7 2.7 12.5 61 516 37 1.56 3.7 2.5 11.6 63 533 33 2.07 2.8 2.5 33 33 2.29 2.29 3.8 2.5 11.5 61 51.5 2.29 2.29 3.8 2.5 33 2.72 2.29 2.29 2.2 | 2.9 4.9 5.5 51.9 4.1 2.96 3.1 14 58 5.19 4.1 2.96 3.4 2.8 11.4 57 52.5 45 3.18 4.2 2.8 11.6 56 527 49 3.53 5.6 2.8 12.6 57 48 3.12 4.9 2.5 12.4 52 48 3.12 4.6 2.4 13.7 52 454 36 2.24 4.6 2.5 12.4 60 499 39 1.88 3.7 2.7 12.6 37 1.56 2.07 2.8 2.7 3.9 3.8 2.07 3.7 3.1 61 516 33 2.07 3.8 2.5 11.6 63 533 33 2.29 3.8 2.7 3.8 2.7 2.66 2.24 3.8 2.1 61 <td>2.9 4.9 5.5 5.19 4.1 2.96 3.1 14 58 5.19 4.1 2.96 3.4 2.8 11.4 57 52.5 4.5 3.18 4.2 2.8 11.6 56 5.27 4.9 3.53 5.6 2.8 12.6 57 6.9 3.12 4.9 2.1 2.8 50.1 4.3 2.24 4.6 2.4 13.7 52 45.4 36 2.53 4.6 2.4 13.7 52 45.4 36 2.53 3.7 2.4 3.7 45.4 36 2.63 4.6 2.5 12.4 60 499 39 1.88 3.7 2.2 51 5.1 5.1 5.1 5.1 1.8 2.2 11.6 6.3 5.3 3.3 2.07 2.8 2.1 1.2 1.2 1.2 2.2 <</td> <td>2.9 4.0 5.5 5.10 4.1 2.96 3.1 14 58 5.19 4.1 2.96 3.4 2.8 11.4 57 52.5 45 3.18 4.2 2.8 11.6 56 5.27 49 3.53 5.6 2.8 12.6 57 48 3.12 4.9 2.5 12.4 52 48 3.12 4.6 2.4 13.7 52 454 36 2.24 4.6 2.4 13.7 52 454 36 2.53 3.7 2.4 45 36 2.63 2.24 4.6 2.5 12.4 60 499 39 1.88 3.7 2.7 12.5 61 51 33 2.07 1.8 2.5 11.6 63 53 23 2.72 1.3 2.4 12.6 39 2.72 2.72</td> <td>2.9
 3 14.9 55 519 42 2.96 3.1 4 58 519 41 2.96 3.4 5 5 5 41 2.96 3.4 5 5 5 45 3.18 4.5 2.8 11.6 56 527 49 3.53 4.9 2.2 12.6 5 501 48 3.12 4.9 2.2 12.4 50 499 39 2.24 4.9 2.2 12.4 60 499 39 1.88 3.7 2.7 12.5 61 516 37 1.56 2.8 2.1 60 499 39 1.88 3.7 2.7 12.5 61 516 37 1.56 2.8 2.1 60 499 39 2.24 3.1 2.2 12.6 33 3.8 2.07 2.2</td> <td>2.9 3 14.9 55 519 42 2.96 3.1 4 58 519 41 2.96 3.4 2.8 11.4 57 525 45 2.96 4.5 2.8 11.6 56 527 49 3.53 4.6 2.8 12.6 57 48 3.12 4.6 2.8 12.6 57 48 3.12 4.6 2.7 12.6 57 48 3.12 4.6 2.5 12.4 52 454 36 2.24 3.7 2.7 12.6 60 499 39 1.88 3.7 2.8 51 33 33 2.07 1.8 2.2 11.6 63 533 33 2.07 2.1 3.1 45 395 2.3 2.25 2.1 2.2 13.3 45 35 2.25 2.2 <t< td=""><td>2.9 51 4.5 55 519 42 2.96 3.1 14 58 519 41 2.96 3.4 2.8 519 41 2.96 2.96 4.2 2.8 11.4 56 527 49 3.53 3.18 3.12 2.96 3.53 3.18 3.53 3.26 3.53 3.24 3.53 3.24 3.53 3.24 3.53 3.24 3.53 3.24 3.53 3.24 3.53 3.24 3.53 3.24 3.53 3.24 3.53 3.24 3.53 3.24 3.54 3.24 3.54 3.24 3.54 3.24 3.54 3.24 3.54</td><td>2.9 42 55 519 42 296 3.1 14 58 519 41 296 3.4 2.8 114 58 519 41 296 4.2 2.8 11.6 56 527 49 3.13 3.13 5.6 2.8 11.6 56 57 48 3.12 3.24 4.6 2.8 12.6 57 48 3.12 3.12 3.24</td><td>2.9 3 14.9 55 519 42 2.96 3.1 3 14 58 519 41 2.96 3.4 2 11.4 57 527 49 3.13 4.2 2 11.6 56 57 49 3.53 5.6 2 12.6 57 507 48 3.12 4.9 2 12.6 57 507 48 3.12 4.6 2 12.4 50 499 39 1.88 4.6 2.2 12.4 50 499 39 1.88 4.6 2.1 12.4 50 499 39 1.88 3.7 2.2 11.6 63 533 33 2.07 1.8 2.2 11.6 63 518 2.2 2.29 1.3 2.5 12.4 45 38 27 2.66 2.1 2.2 12.4<!--</td--><td>2.9 14.9 55 519 42 2.96 3.1 14 58 519 41 2.96 3.2 1.4 58 519 41 2.96 4.2 2.2 1.1.4 55 525 45 3.33 5.6 2.2 1.1.6 56 57 507 48 3.24 4.9 2.2 1.2.4 52 507 48 3.12 4.6 2.2 1.2.4 52 454 3.6 2.24 4.6 2.2 1.2.4 52 454 3.6 2.63 4.6 2.2 1.2.4 52 454 3.6 2.63 4.8 2.2 456 3.3 3.3 2.07 1.1.6 6.3 5.3 3.3 2.07 1.2 1.2 6.1 51 2.2 2.2 2.1 1.2 1.2 3.2 2.2 2.2 2.1<</td><td>2.9 3 14.9 55 519 42 2.96 3.1 3 14 58 519 41 2.96 3.2 1.1 56 527 48 3.18 5.6 2.8 1.1.6 56 57 49 3.53 4.6 2.8 1.1.6 57 501 48 3.12 4.6 2.8 1.1.6 57 49 3.12 4.6 2.8 1.2.6 50 49 3.12 4.6 2.7 1.2.6 50 499 39 2.63 4.7 2.7 1.2.6 61 516 37 1.56 2.8 2.7 499 39 1.88 2.72 2.8 2.7 499 39 1.88 2.72 2.8 2.1 2.5 1.2.6 3.3 2.72 2.72 2.1 2.2 1.2.6 3.3 2.72 2.72 2.</td><td>2.9 3 14.9 55 519 42 2.96 3.1 1.4 58 519 41 2.96 3.1 2.8 1.14 56 527 49 3.18 4.2 2.8 1.16 56 527 49 3.13 5.6 2.8 1.26 57 49 3.12 2.24 4.9 2.5 1.24 52 454 3.12 2.24 4.6 2.5 1.24 52 454 36 2.24 4.6 2.5 1.24 3.7 2.24 3.7 2.24 1.8 2.2 4.5 4.5 3.3 2.0 2.2 1.8 2.5 1.2.6 5.3 3.3 2.0 2.2 1.8 2.5 1.2.6 5.3 3.3 2.2 2.2 1.3 2.5 1.2.6 3.9 2.2 2.2 2.1 1.4.2 5.0 <td< td=""><td>2.9 4.4 5.5 5.1 4.2 5.06 3.1 4.4 5.8 5.19 4.1 2.96 3.2 2.8 1.14 5.6 5.27 4.9 3.12 4.2 2.8 1.16 5.6 5.27 4.9 3.12 4.6 2.8 1.16 5.6 5.07 4.8 3.12 4.6 2.2 1.24 5.8 50.1 4.3 2.24 4.6 2.2 1.24 5.8 50.1 4.3 2.24 4.6 2.2 1.24 5.8 50.1 4.3 2.24 4.6 2.7 1.2 6.0 4.99 3.9 1.86 3.7 2.2 1.2 6.0 4.99 3.9 1.86 1.1 3.7 1.2 6.1 5.1 5.1 2.0 2.1 1.2 1.4 5.0 4.6 3.9 2.7 2.1 2.2 1.4</td></td<></td></td></t<><td>2.9 14.9 55 51.9 41 2.96 3.1 14 58 51.9 41 2.96 3.2 14 58 51.9 41 2.96 4.2 2.8 11.4 56 527
49 3.18 4.5 2.8 12.6 57 507 48 3.12 4.9 2.2 12.4 58 501 43 3.12 4.6 2.5 12.4 52 454 36 2.24 4.6 2.7 12.4 52 454 36 2.53 4.6 2.7 45 52 454 36 2.63 2.8 2.7 45 37 2.63 2.75 2.8 2.7 2.6 2.6 2.23 2.24 2.1 2.5 11.2 50 466 35 2.23 2.1 2.2 12.4 46 35 2.36</td><td>2.9 3 14.9 55 519 41 286 3.1 1.4 58 519 41 2.96 3.1 1.4 58 519 41 2.96 4.3 2.8 1.1.6 56 525 49 3.13 4.5 2.8 1.2.6 57 49 3.12 4.9 2.2 12.4 52 49 3.12 4.6 2.5 12.4 52 454 3.12 4.6 2.7 12.4 61 515 3.9 2.24 4.6 2.7 1.2.6 3.9 3.9 2.2 2.2 1.8 2.7 2.6 4.9 3.5 2.2 2.2 1.8 2.7 2.6 3.3 3.2 2.2 2.2 2.1 2.2 1.4.2 5.0 446 3.5 2.2 2.2 2.1 2.2 1.4.2 2.0 4.6 3.2<!--</td--><td>2.9 5.8 5.19 5.9 2.96 3.1 1.4 5.8 5.19 41 2.96 3.1 2.8 1.14 5.8 5.19 41 2.96 4.2 2.8 1.16 5.6 5.7 4.9 3.13 4.5 2.8 1.16 5.6 5.7 4.8 3.12 4.6 2.8 1.2.6 5.7 4.9 3.53 3.24 4.6 2.2 1.2.6 5.7 4.9 3.53 3.24 4.6 2.5 1.2.6 6.0 4.99 3.9 3.24 3.7 2.4 1.2.5 6.1 4.99 3.9 2.24 4.6 2.5 1.2.6 6.3 5.3 3.3 2.07 1.8 2.2 1.2.5 6.1 4.99 3.2 2.0 1.1 2.2 1.4.2 5.0 4.46 3.5 2.2 2.1 2.2 1.4.2</td><td>2.9 3 14.9 5.5 51.9 4.1 2.96 3.1 2.1 1.4 5.8 5.19 4.1 2.96 4.2 2.2 1.16 5.6 5.7 4.9 3.13 4.5 2.8 1.16 5.6 5.7 4.9 3.12 4.9 2.8 1.16 5.6 5.7 4.9 3.12 4.9 2.5 1.2.6 5.7 4.9 3.12 4.6 2.5 1.2.4 5.8 50.1 4.3 2.24 4.6 2.5 1.2.4 5.0 4.99 3.9 3.24 4.6 2.5 1.2.6 5.0 4.99 3.9 1.88 4.6 2.5 1.2.6 6.0 4.99 3.9 1.88 2.8 2.0 4.99 3.9 2.0 1.88 2.0 2.8 2.1 2.2 4.2 3.2 2.0 2.0 2.1 2</td><td>2.9 3 14.9 5.5 51.9 4.2 2.96 3.1 14 5.8 5.19 4.1 2.96 3.1 2.8 11.4 5.7 4.9 3.12 4.2 2.8 11.6 5.6 5.7 4.9 3.12 4.9 2.5 12.4 5.8 501 4.8 3.12 4.6 2.5 12.4 5.8 501 4.8 3.12 4.6 2.5 12.4 5.8 501 4.8 3.12 4.6 2.5 12.4 5.8 501 4.8 3.12 4.6 2.5 12.4 5.9 4.9 3.9 1.8 3.7 1.2.5 1.1 6.1 5.13 3.3 3.2 2.2 1.1 2.5 1.1 5.1 4.9 3.3 3.2 2.0 2.1 2.2 1.2 4.2 3.2 3.2 3.8 2.1</td><td>2.9 3 14.9 55 51.9 42 2.96 3.1 14 58 51.9 41 2.96 3.4 2.8 11.4 57 525 45 3.18 4.2 2.8 11.6 56 527 49 3.12 4.9 2.5 12.6 57 52 45 3.12 4.9 2.5 12.4 60 499 39 2.24 4.6 2.5 12.4 60 499 39 1.86 4.6 2.5 12.4 60 499 39 1.86 2.8 2.7 45 36 32 2.24 2.24 1.6 2.5 12.4 60 499 39 1.86 2.8 2.9 46 35 2.07 4.8 2.07 1.6 2.5 12.4 5.2 4.4 2.0 2.0 2.1 2.2 13.4</td><td>14.9 55 519 42 2.96 14.4 58 519 41 2.96 11.6 56 525 45 3.18 11.6 56 527 49 3.53 12.6 52 454 36 2.63 12.4 58 501 43 2.24 12.4 50 499 39 1.88 12.5 61 516 37 1.56 12.6 49 32 2.24 12.7 50 499 33 2.07 11.2 60 499 32 2.23 11.2 50 460 35 2.75 12.6 33 32 2.75 12.7 46 35 2.75 12.8 53 44 3.56 12.9 47 39 3.48 12.9 42 4.28 12.9 42 4.28</td></td></td> | 2.9 4.9 5.5 5.19 4.1 2.96 3.1 14 58 5.19 4.1 2.96 3.4 2.8 11.4 57 52.5 4.5 3.18 4.2 2.8 11.6 56 5.27 4.9 3.53 5.6 2.8 12.6 57 6.9 3.12 4.9 2.1 2.8 50.1 4.3 2.24 4.6 2.4 13.7 52 45.4 36 2.53 4.6 2.4 13.7 52 45.4 36 2.53 3.7 2.4 3.7 45.4 36 2.63 4.6 2.5 12.4 60 499 39 1.88 3.7 2.2 51 5.1 5.1 5.1 5.1 1.8 2.2 11.6 6.3 5.3 3.3 2.07 2.8 2.1 1.2 1.2 1.2 2.2 < | 2.9 4.0 5.5 5.10 4.1 2.96 3.1 14 58 5.19 4.1 2.96 3.4 2.8 11.4 57 52.5 45 3.18 4.2 2.8 11.6 56 5.27 49 3.53 5.6 2.8 12.6 57 48 3.12 4.9 2.5 12.4 52 48 3.12 4.6 2.4 13.7 52 454 36 2.24 4.6 2.4 13.7 52 454 36 2.53 3.7 2.4 45 36 2.63 2.24 4.6 2.5 12.4 60 499 39 1.88 3.7 2.7 12.5 61 51 33 2.07 1.8 2.5 11.6 63 53 23 2.72 1.3 2.4 12.6 39 2.72 2.72 | 2.9 3 14.9 55 519 42 2.96 3.1 4 58 519 41 2.96 3.4 5 5 5 41 2.96 3.4 5 5 5 45 3.18 4.5 2.8 11.6 56 527 49 3.53 4.9 2.2 12.6 5 501 48 3.12 4.9 2.2 12.4 50 499 39 2.24 4.9 2.2 12.4 60 499 39 1.88 3.7 2.7 12.5 61 516 37 1.56 2.8 2.1 60 499 39 1.88
3.7 2.7 12.5 61 516 37 1.56 2.8 2.1 60 499 39 2.24 3.1 2.2 12.6 33 3.8 2.07 2.2 | 2.9 3 14.9 55 519 42 2.96 3.1 4 58 519 41 2.96 3.4 2.8 11.4 57 525 45 2.96 4.5 2.8 11.6 56 527 49 3.53 4.6 2.8 12.6 57 48 3.12 4.6 2.8 12.6 57 48 3.12 4.6 2.7 12.6 57 48 3.12 4.6 2.5 12.4 52 454 36 2.24 3.7 2.7 12.6 60 499 39 1.88 3.7 2.8 51 33 33 2.07 1.8 2.2 11.6 63 533 33 2.07 2.1 3.1 45 395 2.3 2.25 2.1 2.2 13.3 45 35 2.25 2.2 <t< td=""><td>2.9 51 4.5 55 519 42 2.96 3.1 14 58 519 41 2.96 3.4 2.8 519 41 2.96 2.96 4.2 2.8 11.4 56 527 49 3.53 3.18 3.12 2.96 3.53 3.18 3.53 3.26 3.53 3.24 3.53 3.24 3.53 3.24 3.53 3.24 3.53 3.24 3.53 3.24 3.53 3.24 3.53 3.24 3.53 3.24 3.53 3.24 3.53 3.24 3.54 3.24 3.54 3.24 3.54 3.24 3.54 3.24 3.54</td><td>2.9 42 55 519 42 296 3.1 14 58 519 41 296 3.4 2.8 114 58 519 41 296 4.2 2.8 11.6 56 527 49 3.13 3.13 5.6 2.8 11.6 56 57 48 3.12 3.24 4.6 2.8 12.6 57 48 3.12 3.12 3.24</td><td>2.9 3 14.9 55 519 42 2.96 3.1 3 14 58 519 41 2.96 3.4 2 11.4 57 527 49 3.13 4.2 2 11.6 56 57 49 3.53 5.6 2 12.6 57 507 48 3.12 4.9 2 12.6 57 507 48 3.12 4.6 2 12.4 50 499 39 1.88 4.6 2.2 12.4 50 499 39 1.88 4.6 2.1 12.4 50 499 39 1.88 3.7 2.2 11.6 63 533 33 2.07 1.8 2.2 11.6 63 518 2.2 2.29 1.3 2.5 12.4 45 38 27 2.66 2.1 2.2 12.4<!--</td--><td>2.9 14.9 55 519 42 2.96 3.1 14 58 519 41 2.96 3.2 1.4 58 519 41 2.96 4.2 2.2 1.1.4 55 525 45 3.33 5.6 2.2 1.1.6 56 57 507 48 3.24 4.9 2.2 1.2.4 52 507 48 3.12 4.6 2.2 1.2.4 52 454 3.6 2.24 4.6 2.2 1.2.4 52 454 3.6 2.63 4.6 2.2 1.2.4 52 454 3.6 2.63 4.8 2.2 456 3.3 3.3 2.07 1.1.6 6.3 5.3 3.3 2.07 1.2 1.2 6.1 51 2.2 2.2 2.1 1.2 1.2 3.2 2.2 2.2 2.1<</td><td>2.9 3 14.9 55 519 42 2.96 3.1 3 14 58 519 41 2.96 3.2 1.1 56 527 48 3.18 5.6 2.8 1.1.6 56 57 49 3.53 4.6 2.8 1.1.6 57 501 48 3.12 4.6 2.8 1.1.6 57 49 3.12 4.6 2.8 1.2.6 50 49 3.12 4.6 2.7 1.2.6 50 499 39 2.63 4.7 2.7 1.2.6 61 516 37 1.56 2.8 2.7 499 39 1.88 2.72 2.8 2.7 499 39 1.88 2.72 2.8 2.1 2.5 1.2.6 3.3 2.72 2.72 2.1 2.2 1.2.6 3.3 2.72 2.72 2.</td><td>2.9 3 14.9 55 519 42 2.96 3.1 1.4 58 519 41 2.96 3.1 2.8 1.14 56 527 49 3.18 4.2 2.8 1.16 56 527 49 3.13 5.6 2.8 1.26 57 49 3.12 2.24 4.9 2.5 1.24 52 454 3.12 2.24 4.6 2.5 1.24 52 454 36 2.24 4.6 2.5 1.24 3.7 2.24 3.7 2.24 1.8 2.2 4.5 4.5 3.3 2.0 2.2 1.8 2.5 1.2.6 5.3 3.3 2.0 2.2 1.8 2.5 1.2.6 5.3 3.3 2.2 2.2 1.3 2.5 1.2.6 3.9 2.2 2.2 2.1 1.4.2 5.0 <td< td=""><td>2.9 4.4 5.5 5.1 4.2 5.06 3.1 4.4 5.8 5.19 4.1 2.96 3.2 2.8 1.14 5.6 5.27 4.9 3.12 4.2 2.8 1.16 5.6 5.27 4.9 3.12 4.6 2.8 1.16 5.6 5.07 4.8 3.12 4.6 2.2 1.24 5.8 50.1 4.3 2.24 4.6 2.2 1.24 5.8 50.1 4.3 2.24 4.6 2.2 1.24 5.8 50.1 4.3 2.24 4.6 2.7 1.2 6.0 4.99 3.9 1.86 3.7 2.2 1.2 6.0 4.99 3.9 1.86 1.1 3.7 1.2 6.1 5.1 5.1 2.0 2.1 1.2 1.4 5.0 4.6 3.9 2.7 2.1 2.2 1.4</td></td<></td></td></t<> <td>2.9 14.9 55 51.9 41 2.96 3.1 14 58 51.9 41 2.96 3.2 14 58 51.9 41 2.96 4.2 2.8 11.4 56 527 49 3.18 4.5 2.8 12.6 57 507 48 3.12 4.9 2.2 12.4 58 501 43 3.12 4.6 2.5 12.4 52 454 36 2.24 4.6 2.7 12.4 52 454 36 2.53 4.6 2.7 45 52 454 36 2.63 2.8 2.7 45 37 2.63 2.75 2.8 2.7 2.6 2.6 2.23 2.24 2.1 2.5 11.2 50 466 35 2.23 2.1 2.2 12.4 46 35 2.36</td> <td>2.9 3 14.9 55
 519 41 286 3.1 1.4 58 519 41 2.96 3.1 1.4 58 519 41 2.96 4.3 2.8 1.1.6 56 525 49 3.13 4.5 2.8 1.2.6 57 49 3.12 4.9 2.2 12.4 52 49 3.12 4.6 2.5 12.4 52 454 3.12 4.6 2.7 12.4 61 515 3.9 2.24 4.6 2.7 1.2.6 3.9 3.9 2.2 2.2 1.8 2.7 2.6 4.9 3.5 2.2 2.2 1.8 2.7 2.6 3.3 3.2 2.2 2.2 2.1 2.2 1.4.2 5.0 446 3.5 2.2 2.2 2.1 2.2 1.4.2 2.0 4.6 3.2<!--</td--><td>2.9 5.8 5.19 5.9 2.96 3.1 1.4 5.8 5.19 41 2.96 3.1 2.8 1.14 5.8 5.19 41 2.96 4.2 2.8 1.16 5.6 5.7 4.9 3.13 4.5 2.8 1.16 5.6 5.7 4.8 3.12 4.6 2.8 1.2.6 5.7 4.9 3.53 3.24 4.6 2.2 1.2.6 5.7 4.9 3.53 3.24 4.6 2.5 1.2.6 6.0 4.99 3.9 3.24 3.7 2.4 1.2.5 6.1 4.99 3.9 2.24 4.6 2.5 1.2.6 6.3 5.3 3.3 2.07 1.8 2.2 1.2.5 6.1 4.99 3.2 2.0 1.1 2.2 1.4.2 5.0 4.46 3.5 2.2 2.1 2.2 1.4.2</td><td>2.9 3 14.9 5.5 51.9 4.1 2.96 3.1 2.1 1.4 5.8 5.19 4.1 2.96 4.2 2.2 1.16 5.6 5.7 4.9 3.13 4.5 2.8 1.16 5.6 5.7 4.9 3.12 4.9 2.8 1.16 5.6 5.7 4.9 3.12 4.9 2.5 1.2.6 5.7 4.9 3.12 4.6 2.5 1.2.4 5.8 50.1 4.3 2.24 4.6 2.5 1.2.4 5.0 4.99 3.9 3.24 4.6 2.5 1.2.6 5.0 4.99 3.9 1.88 4.6 2.5 1.2.6 6.0 4.99 3.9 1.88 2.8 2.0 4.99 3.9 2.0 1.88 2.0 2.8 2.1 2.2 4.2 3.2 2.0 2.0 2.1 2</td><td>2.9 3 14.9 5.5 51.9 4.2 2.96 3.1 14 5.8 5.19 4.1 2.96 3.1 2.8 11.4 5.7 4.9 3.12 4.2 2.8 11.6 5.6 5.7 4.9 3.12 4.9 2.5 12.4 5.8 501 4.8 3.12 4.6 2.5 12.4 5.8 501 4.8 3.12 4.6 2.5 12.4 5.8 501 4.8 3.12 4.6 2.5 12.4 5.8 501 4.8 3.12 4.6 2.5 12.4 5.9 4.9 3.9 1.8 3.7 1.2.5 1.1 6.1 5.13 3.3 3.2 2.2 1.1 2.5 1.1 5.1 4.9 3.3 3.2 2.0 2.1 2.2 1.2 4.2 3.2 3.2 3.8 2.1</td><td>2.9 3 14.9 55 51.9 42 2.96 3.1 14 58 51.9 41 2.96 3.4 2.8 11.4 57 525 45 3.18 4.2 2.8 11.6 56 527 49 3.12 4.9 2.5 12.6 57 52 45 3.12 4.9 2.5 12.4 60 499 39 2.24 4.6 2.5 12.4 60 499 39 1.86 4.6 2.5 12.4 60 499 39 1.86 2.8 2.7 45 36 32 2.24 2.24 1.6 2.5 12.4 60 499 39 1.86 2.8 2.9 46 35 2.07 4.8 2.07 1.6 2.5 12.4 5.2 4.4 2.0 2.0 2.1 2.2 13.4</td><td>14.9 55 519 42 2.96 14.4 58 519 41 2.96 11.6 56 525 45 3.18 11.6 56 527 49 3.53 12.6 52 454 36 2.63 12.4 58 501 43 2.24 12.4 50 499 39 1.88 12.5 61 516 37 1.56 12.6 49 32 2.24 12.7 50 499 33 2.07 11.2 60 499 32 2.23 11.2 50 460 35 2.75 12.6 33 32 2.75 12.7 46 35 2.75 12.8 53 44 3.56 12.9 47 39 3.48 12.9 42 4.28 12.9 42 4.28</td></td> | 2.9 51 4.5 55 519 42 2.96 3.1 14 58 519 41 2.96 3.4 2.8 519 41 2.96 2.96 4.2 2.8 11.4 56 527 49 3.53 3.18 3.12 2.96 3.53 3.18 3.53 3.26 3.53 3.24 3.53 3.24 3.53 3.24 3.53 3.24 3.53 3.24 3.53 3.24 3.53 3.24 3.53 3.24 3.53 3.24 3.53 3.24 3.53 3.24 3.54 3.24 3.54 3.24 3.54 3.24 3.54 3.24 3.54 | 2.9 42 55 519 42 296 3.1 14 58 519 41 296 3.4 2.8 114 58 519 41 296 4.2 2.8 11.6 56 527 49 3.13 3.13 5.6 2.8 11.6 56 57 48 3.12 3.24 4.6 2.8 12.6 57 48 3.12 3.12 3.24 | 2.9 3 14.9 55 519 42 2.96 3.1 3 14 58 519 41 2.96 3.4 2 11.4 57 527 49 3.13 4.2 2 11.6 56 57 49 3.53 5.6 2 12.6 57 507 48 3.12 4.9 2 12.6 57 507 48 3.12 4.6 2 12.4 50 499 39 1.88 4.6 2.2 12.4 50 499 39 1.88 4.6 2.1 12.4 50 499 39 1.88 3.7 2.2 11.6 63 533 33 2.07 1.8 2.2 11.6 63 518 2.2 2.29 1.3 2.5 12.4 45 38 27 2.66 2.1 2.2 12.4 </td <td>2.9 14.9 55 519 42 2.96 3.1 14 58 519 41 2.96 3.2 1.4 58 519 41 2.96 4.2 2.2 1.1.4 55 525 45 3.33 5.6 2.2 1.1.6 56 57 507
 48 3.24 4.9 2.2 1.2.4 52 507 48 3.12 4.6 2.2 1.2.4 52 454 3.6 2.24 4.6 2.2 1.2.4 52 454 3.6 2.63 4.6 2.2 1.2.4 52 454 3.6 2.63 4.8 2.2 456 3.3 3.3 2.07 1.1.6 6.3 5.3 3.3 2.07 1.2 1.2 6.1 51 2.2 2.2 2.1 1.2 1.2 3.2 2.2 2.2 2.1<</td> <td>2.9 3 14.9 55 519 42 2.96 3.1 3 14 58 519 41 2.96 3.2 1.1 56 527 48 3.18 5.6 2.8 1.1.6 56 57 49 3.53 4.6 2.8 1.1.6 57 501 48 3.12 4.6 2.8 1.1.6 57 49 3.12 4.6 2.8 1.2.6 50 49 3.12 4.6 2.7 1.2.6 50 499 39 2.63 4.7 2.7 1.2.6 61 516 37 1.56 2.8 2.7 499 39 1.88 2.72 2.8 2.7 499 39 1.88 2.72 2.8 2.1 2.5 1.2.6 3.3 2.72 2.72 2.1 2.2 1.2.6 3.3 2.72 2.72 2.</td> <td>2.9 3 14.9 55 519 42 2.96 3.1 1.4 58 519 41 2.96 3.1 2.8 1.14 56 527 49 3.18 4.2 2.8 1.16 56 527 49 3.13 5.6 2.8 1.26 57 49 3.12 2.24 4.9 2.5 1.24 52 454 3.12 2.24 4.6 2.5 1.24 52 454 36 2.24 4.6 2.5 1.24 3.7 2.24 3.7 2.24 1.8 2.2 4.5 4.5 3.3 2.0 2.2 1.8 2.5 1.2.6 5.3 3.3 2.0 2.2 1.8 2.5 1.2.6 5.3 3.3 2.2 2.2 1.3 2.5 1.2.6 3.9 2.2 2.2 2.1 1.4.2 5.0 <td< td=""><td>2.9 4.4 5.5 5.1 4.2 5.06 3.1 4.4 5.8 5.19 4.1 2.96 3.2 2.8 1.14 5.6 5.27 4.9 3.12 4.2 2.8 1.16 5.6 5.27 4.9 3.12 4.6 2.8 1.16 5.6 5.07 4.8 3.12 4.6 2.2 1.24 5.8 50.1 4.3 2.24 4.6 2.2 1.24 5.8 50.1 4.3 2.24 4.6 2.2 1.24 5.8 50.1 4.3 2.24 4.6 2.7 1.2 6.0 4.99 3.9 1.86 3.7 2.2 1.2 6.0 4.99 3.9 1.86 1.1 3.7 1.2 6.1 5.1 5.1 2.0 2.1 1.2 1.4 5.0 4.6 3.9 2.7 2.1 2.2 1.4</td></td<></td> | 2.9 14.9 55 519 42 2.96 3.1 14 58 519 41 2.96 3.2 1.4 58 519 41 2.96 4.2 2.2 1.1.4 55 525 45 3.33 5.6 2.2 1.1.6 56 57 507 48 3.24 4.9 2.2 1.2.4 52 507 48 3.12 4.6 2.2 1.2.4 52 454 3.6 2.24 4.6 2.2 1.2.4 52 454 3.6 2.63 4.6 2.2 1.2.4 52 454 3.6 2.63 4.8 2.2 456 3.3 3.3 2.07 1.1.6 6.3 5.3 3.3 2.07 1.2 1.2 6.1 51 2.2 2.2 2.1 1.2 1.2 3.2 2.2 2.2 2.1< | 2.9 3 14.9 55 519 42 2.96 3.1 3 14 58 519 41 2.96 3.2 1.1 56 527 48 3.18 5.6 2.8 1.1.6 56 57 49 3.53 4.6 2.8 1.1.6 57 501 48 3.12 4.6 2.8 1.1.6 57 49 3.12 4.6 2.8 1.2.6 50 49 3.12 4.6 2.7 1.2.6 50 499 39 2.63 4.7 2.7 1.2.6 61 516 37 1.56 2.8 2.7 499 39 1.88 2.72 2.8 2.7 499 39 1.88 2.72 2.8 2.1 2.5 1.2.6 3.3 2.72 2.72 2.1 2.2 1.2.6 3.3 2.72 2.72 2. | 2.9 3 14.9 55 519 42 2.96 3.1 1.4 58 519 41 2.96 3.1 2.8 1.14 56 527 49 3.18 4.2 2.8 1.16 56 527 49 3.13 5.6 2.8 1.26 57 49 3.12 2.24 4.9 2.5 1.24 52 454 3.12 2.24 4.6 2.5 1.24 52 454 36 2.24 4.6 2.5 1.24 3.7 2.24 3.7 2.24 1.8 2.2 4.5 4.5 3.3 2.0 2.2 1.8 2.5 1.2.6 5.3 3.3 2.0 2.2 1.8 2.5 1.2.6 5.3 3.3 2.2 2.2 1.3 2.5 1.2.6 3.9 2.2 2.2 2.1 1.4.2 5.0 <td< td=""><td>2.9 4.4 5.5 5.1 4.2 5.06 3.1 4.4 5.8 5.19 4.1 2.96 3.2 2.8 1.14 5.6 5.27 4.9 3.12 4.2 2.8 1.16 5.6 5.27 4.9 3.12 4.6 2.8 1.16 5.6 5.07 4.8 3.12 4.6 2.2 1.24 5.8 50.1 4.3 2.24 4.6 2.2 1.24 5.8 50.1 4.3 2.24 4.6 2.2 1.24 5.8 50.1 4.3 2.24 4.6 2.7 1.2 6.0 4.99 3.9 1.86 3.7 2.2 1.2 6.0 4.99 3.9 1.86 1.1 3.7 1.2 6.1 5.1 5.1 2.0 2.1 1.2 1.4 5.0 4.6 3.9 2.7 2.1 2.2 1.4</td></td<> | 2.9 4.4 5.5 5.1 4.2 5.06 3.1 4.4 5.8 5.19 4.1 2.96 3.2 2.8 1.14 5.6 5.27 4.9 3.12 4.2 2.8 1.16 5.6 5.27 4.9 3.12 4.6 2.8 1.16 5.6 5.07 4.8 3.12 4.6 2.2 1.24 5.8 50.1 4.3 2.24 4.6 2.2 1.24 5.8 50.1 4.3 2.24 4.6 2.2 1.24 5.8 50.1 4.3 2.24 4.6 2.7 1.2 6.0 4.99 3.9 1.86 3.7 2.2 1.2 6.0 4.99 3.9 1.86 1.1 3.7 1.2 6.1 5.1 5.1 2.0 2.1 1.2 1.4 5.0 4.6 3.9 2.7 2.1 2.2 1.4 | 2.9 14.9 55 51.9 41 2.96 3.1 14 58 51.9 41 2.96 3.2 14 58 51.9 41 2.96 4.2 2.8 11.4 56 527 49 3.18 4.5 2.8 12.6 57 507 48 3.12 4.9 2.2 12.4 58 501 43 3.12 4.6 2.5 12.4 52 454 36 2.24 4.6 2.7 12.4 52 454 36 2.53 4.6 2.7 45 52 454 36 2.63 2.8 2.7 45 37 2.63
2.75 2.8 2.7 2.6 2.6 2.23 2.24 2.1 2.5 11.2 50 466 35 2.23 2.1 2.2 12.4 46 35 2.36 | 2.9 3 14.9 55 519 41 286 3.1 1.4 58 519 41 2.96 3.1 1.4 58 519 41 2.96 4.3 2.8 1.1.6 56 525 49 3.13 4.5 2.8 1.2.6 57 49 3.12 4.9 2.2 12.4 52 49 3.12 4.6 2.5 12.4 52 454 3.12 4.6 2.7 12.4 61 515 3.9 2.24 4.6 2.7 1.2.6 3.9 3.9 2.2 2.2 1.8 2.7 2.6 4.9 3.5 2.2 2.2 1.8 2.7 2.6 3.3 3.2 2.2 2.2 2.1 2.2 1.4.2 5.0 446 3.5 2.2 2.2 2.1 2.2 1.4.2 2.0 4.6 3.2 </td <td>2.9 5.8 5.19 5.9 2.96 3.1 1.4 5.8 5.19 41 2.96 3.1 2.8 1.14 5.8 5.19 41 2.96 4.2 2.8 1.16 5.6 5.7 4.9 3.13 4.5 2.8 1.16 5.6 5.7 4.8 3.12 4.6 2.8 1.2.6 5.7 4.9 3.53 3.24 4.6 2.2 1.2.6 5.7 4.9 3.53 3.24 4.6 2.5 1.2.6 6.0 4.99 3.9 3.24 3.7 2.4 1.2.5 6.1 4.99 3.9 2.24 4.6 2.5 1.2.6 6.3 5.3 3.3 2.07 1.8 2.2 1.2.5 6.1 4.99 3.2 2.0 1.1 2.2 1.4.2 5.0 4.46 3.5 2.2 2.1 2.2 1.4.2</td> <td>2.9 3 14.9 5.5 51.9 4.1 2.96 3.1 2.1 1.4 5.8 5.19 4.1 2.96 4.2 2.2 1.16 5.6 5.7 4.9 3.13 4.5 2.8 1.16 5.6 5.7 4.9 3.12 4.9 2.8 1.16 5.6 5.7 4.9 3.12 4.9 2.5 1.2.6 5.7 4.9 3.12 4.6 2.5 1.2.4 5.8 50.1 4.3 2.24 4.6 2.5 1.2.4 5.0 4.99 3.9 3.24 4.6 2.5 1.2.6 5.0 4.99 3.9 1.88 4.6 2.5 1.2.6 6.0 4.99 3.9 1.88 2.8 2.0 4.99 3.9 2.0 1.88 2.0 2.8 2.1 2.2 4.2 3.2 2.0 2.0 2.1 2</td> <td>2.9 3 14.9 5.5 51.9 4.2 2.96 3.1 14 5.8 5.19 4.1 2.96 3.1 2.8 11.4 5.7 4.9 3.12 4.2 2.8 11.6 5.6 5.7 4.9 3.12 4.9 2.5 12.4 5.8 501 4.8 3.12 4.6 2.5 12.4 5.8 501 4.8 3.12 4.6 2.5 12.4 5.8 501 4.8 3.12 4.6 2.5 12.4 5.8 501 4.8 3.12 4.6 2.5 12.4 5.9 4.9 3.9 1.8 3.7 1.2.5 1.1 6.1 5.13 3.3 3.2 2.2 1.1 2.5 1.1 5.1 4.9 3.3 3.2 2.0 2.1 2.2 1.2 4.2 3.2 3.2 3.8 2.1</td> <td>2.9 3 14.9 55 51.9 42 2.96 3.1 14 58 51.9 41 2.96 3.4 2.8 11.4 57 525 45 3.18 4.2 2.8 11.6 56 527 49 3.12 4.9 2.5 12.6 57 52 45 3.12 4.9 2.5 12.4 60 499 39 2.24 4.6 2.5 12.4 60 499 39 1.86 4.6 2.5 12.4 60 499 39 1.86 2.8 2.7 45 36 32 2.24 2.24 1.6 2.5 12.4 60 499 39 1.86 2.8 2.9 46 35 2.07 4.8 2.07 1.6 2.5 12.4 5.2 4.4 2.0 2.0 2.1 2.2 13.4</td> <td>14.9 55 519 42 2.96 14.4 58 519 41 2.96 11.6 56 525 45 3.18 11.6 56 527 49 3.53 12.6 52 454 36 2.63 12.4 58 501 43 2.24 12.4 50 499 39 1.88 12.5 61 516 37 1.56 12.6 49 32 2.24 12.7 50 499 33 2.07 11.2 60 499 32 2.23 11.2 50 460 35 2.75 12.6 33 32 2.75 12.7 46 35 2.75 12.8 53 44 3.56 12.9 47 39 3.48 12.9 42 4.28 12.9 42 4.28</td> | 2.9 5.8 5.19 5.9 2.96 3.1 1.4 5.8 5.19 41 2.96 3.1 2.8 1.14 5.8 5.19 41 2.96 4.2 2.8 1.16 5.6 5.7 4.9 3.13 4.5 2.8 1.16 5.6 5.7 4.8 3.12 4.6 2.8 1.2.6 5.7 4.9 3.53 3.24 4.6 2.2 1.2.6 5.7 4.9 3.53 3.24 4.6 2.5 1.2.6 6.0 4.99 3.9 3.24 3.7 2.4 1.2.5 6.1 4.99 3.9 2.24 4.6 2.5 1.2.6 6.3 5.3 3.3 2.07 1.8 2.2 1.2.5 6.1 4.99 3.2 2.0 1.1 2.2 1.4.2 5.0 4.46 3.5 2.2 2.1 2.2 1.4.2 | 2.9 3 14.9 5.5 51.9 4.1 2.96 3.1 2.1 1.4 5.8 5.19 4.1 2.96 4.2 2.2 1.16 5.6 5.7 4.9 3.13 4.5 2.8 1.16 5.6 5.7 4.9 3.12 4.9 2.8 1.16 5.6 5.7 4.9 3.12 4.9 2.5 1.2.6 5.7 4.9 3.12 4.6 2.5 1.2.4 5.8 50.1 4.3 2.24 4.6 2.5 1.2.4 5.0 4.99 3.9 3.24 4.6 2.5 1.2.6 5.0 4.99 3.9 1.88 4.6 2.5 1.2.6 6.0 4.99 3.9 1.88 2.8 2.0 4.99 3.9 2.0 1.88 2.0 2.8 2.1 2.2 4.2 3.2 2.0 2.0 2.1 2 | 2.9 3 14.9 5.5 51.9 4.2 2.96 3.1 14 5.8 5.19 4.1 2.96 3.1 2.8 11.4 5.7 4.9 3.12 4.2 2.8 11.6 5.6 5.7 4.9 3.12 4.9 2.5 12.4 5.8 501 4.8 3.12 4.6 2.5 12.4 5.8 501 4.8 3.12 4.6 2.5 12.4 5.8 501 4.8 3.12 4.6 2.5 12.4 5.8 501 4.8 3.12 4.6 2.5 12.4 5.9 4.9 3.9 1.8 3.7 1.2.5 1.1 6.1 5.13 3.3 3.2 2.2 1.1 2.5 1.1 5.1 4.9 3.3 3.2 2.0 2.1 2.2 1.2 4.2 3.2 3.2 3.8 2.1 | 2.9 3 14.9 55 51.9 42 2.96 3.1 14 58 51.9 41 2.96 3.4 2.8 11.4 57 525 45 3.18
4.2 2.8 11.6 56 527 49 3.12 4.9 2.5 12.6 57 52 45 3.12 4.9 2.5 12.4 60 499 39 2.24 4.6 2.5 12.4 60 499 39 1.86 4.6 2.5 12.4 60 499 39 1.86 2.8 2.7 45 36 32 2.24 2.24 1.6 2.5 12.4 60 499 39 1.86 2.8 2.9 46 35 2.07 4.8 2.07 1.6 2.5 12.4 5.2 4.4 2.0 2.0 2.1 2.2 13.4 | 14.9 55 519 42 2.96 14.4 58 519 41 2.96 11.6 56 525 45 3.18 11.6 56 527 49 3.53 12.6 52 454 36 2.63 12.4 58 501 43 2.24 12.4 50 499 39 1.88 12.5 61 516 37 1.56 12.6 49 32 2.24 12.7 50 499 33 2.07 11.2 60 499 32 2.23 11.2 50 460 35 2.75 12.6 33 32 2.75 12.7 46 35 2.75 12.8 53 44 3.56 12.9 47 39 3.48 12.9 42 4.28 12.9 42 4.28 |

17	21	23	7.6	1	7	7 5		*	77	2	2 5	3.5	22	74	24	24	7-1-	101	4.7	107	210	nic	ין ה	77
2.77	4.73	3.31	3.5	00 6	2.00	4.24	4.00 E 0.4	101 2	CAA	A 25	2 02	308	2.0	3 13	2.5	3.75	3.64	3 95	5 11	00	200	3 24	2.0.1	3.54
-								İ								-		 -	-	-		-	225	C C
22	24	92	26	2	3 5	40 45	2 3	43		34	72	29	76	.23	29	80	39	39	41	86	54	1 2	3	1
375	375	338	319	241	940	ACA	476	447	470	473	489	463	423	374	412	477	469	403	401	449	553	55.4	435	
39	39	33	30	34	47	47	46	44	S	25	58	22	48	40	46	55	25	04	38	45	62	2	48	
11.4	11.5	13.6	13.1	13.7	11.8	11	13.8	15.5	13.8	13.2	11.8	==	11.8	13	14.4	14.5	13.5	12.3	14	14.5	14.1	10.7	11.7	
2.4	2.5	2.3	2.1	2.4	2.8	2.5	3.1	3.3	3.2	m	m	2.8	2.5	2.3	2.6	2.8	3.1	2.4	2.6	2.6	3.5	3.4	2.6	
																12			0				0.58	
2	1.4	1.9	2.2	2.8	3.2	4	5.8	6.3	5.6	5.4	3.6	2.8	1.7	1.5	2.1	2.8	2.7	3.2	4.6	4.4	4.6	2.6	2.50	
10.5	티	9	6	Ö,	12	11.5	13.5	12.5	12	12	11.5	11	10.5	10	11.5	Ħ	13.5	77	12	13	14.5	14	10	
					N'		1	1	The second second		1						-				Ť			The second second

AS_CACO3 AS_CACO3 Mg/L 78 77 78 80 80 85 85 85	TOTAL DISS	TOTAL MADDRICCE		
4		AS_CACO3	TURBIDITY	F
27 7 8 8 8 92 62	mg/L	mg/L	UTN	
8 8 9			0.56	7.88
88 86 66	299	100	0.75	8.02
8 8 8 6	5 274	86		8.37
8 8 6 6	249	66	1.1	8.88
98 66	5 264	106	2.1	8.99
26		116		8.57
6		117	0.62	8.46
			j.	8.36
3		120	0.65	8.3
88		120	0.72	8.17
76		108	0.63	8.15
74	4 274	102	1	7.93
74		86	0.78	7.99
7.		1	0.82	8.01
99	6 223	84	1.1	_
9		78	1.1	7.98
77	2 213	68		8.13
78	8 249		1.1	8.25
62	9 257	, 105	0.92	
8		111	1.3	
77	7 268	104	1.1	8.35
7		110	0.88	
7		16	76.0	-
9			0.82	7.79
νδ.	50 138	9	1.3	
9		29		7.95
τ.	60 136	99		_ 1
S			1.7	
4	47 129	91 57	3.4	7.95

Page 45 of 69

4.8 7.	2.4 7.95	3.6 7.96	2 7.98	<u>. </u>	5.8 7.64	2.8 7.89		1.6 7.93	1.1 8.13	0.86 8.14	1.4 8.22	1.9 8.13	2.6 7.95	1.6 7.81	1.2 7.95	l	1	Ł.	0.76 7.87	1	1 8.05	0.83, 8.05	<u>!</u>	1 8.24	1.6 8.12	1.4 8.24		!	_	0.79 7.88	0.73 7.99	0.71 8.05
57	53	63	69	89	29	83		86	92		94	98	93	93	86			0 68				91 0		117		8	102				106 0.	104
																								1			1	-	1	1	1	1
135	124	143	163	157	166	215	248	267	244	193	234	245	232	235	220	220	235	244	255	287	255	235	254	324	287	284	273	272	289	287	289	289
47	48	52	55	52	54	62	71	73	89	. 29	74	74	72	72	70	89	29	29	88	9/	89	99	79	98	83	81	82	81	82	82	82	81

6	272	108	2	8.41
28	281	110	Ħ	8.13
8	290	112	1.2	8.36
98	285	112	1.1	8.24
86	284	116	0.83	8.34
82	281	110	0.79	8.21
78	275	100	1.4	8.09
20	248	06	2.9	7.93
73	271	92	3.6	8.09
92	278	98	1	8.02
92	278	100	1	7.98
72	272	- 6	0.95	8.02
89	220	98	ī	8.25
73	207	88	1.5	8.05
82	254	106	2.6	8.14
82	249	103	1.1	8.34
79	244	107	1.3	8.16
81	275	112	1	7.95
80	295	114	1.7	7.9
77	301	112	1.2	8.06
76	247	100	0.7	8.13
65	171	78	1.1	7.95
89	158	75	0.97	7.3
99	170	92	0.95	7.53
64	177	82	1.9	
59	173	74	1.8	8.02
51	144	64	3.8	7.5
49	128	26	4.8	7.71
50	149	29	1.4	7.8
72	173	75	1.2	7.97
55	193	80	2.2	7.91
56	207	82	2.8	7.98
74	276	101	26	7,84
	-	3		5

Page 47 of 69

7.97	8.12	L	8.04	7.94	<u> </u>	7.81	L	J	<u></u>	<u> </u>	8.01	7.92	8.09	8.01	8.07	8.14	8.22		7.97	7.98	7.97	8.02	8.07	
1.1		1.6	2.6	3.3	4.7	2.5	4.6	5.2	6.2	12	1.5	5.3	0.86	1.2	2.3	3.3	1.3	2.1	7.1	6.5	2.1	4.2	2.10	
83	06	84	80	80	102	100	118	109	102	102	102	95	91	28	95	106	111	102	104	108	115	110	25	
202	202	191	174	189	247	233	268	252	255	256	268	252	229	204	230	259	260	226	227	247	301	297	238	
72	72	70	62	09	74	71	84	80	75	79	78	76	75	17	76	82	81	76	9/	79	79	8	73	

Page 48 of 69

Attachment B

- BCVWD Well #22. Located on Oak Valley Parkway just east of 960.
 Past 5 year water quality available
 Marginal water level data.
 1 mile southeast of parcel.
- BCVP&RD irrigation well. Located at 390 W. Oak Valley Parkway
 No water quality available.
 Very good water level data
 .6-.7 mile southwest of parcel.
- Oak Valley Golf Course abandoned wellsite.
 No water quality available.
 Marginal water level data.
 1 mile southwest of parcel.
- BCVWD Well #24. Located on Brookside Ave. just east of Union St.
 Past 5 year water quality available
 Marginal water level data.
 1.3-1.4 mile west of parcel.
- Michael Joesph well. Located at 11020 Union St. No water quality available
 Marginal water level data
 1.3-1.4 mile west of parcel.
- Michelle Delph well. Located at 11133 Union 5t.
 No water quality available.
 Very good water level data.
 1.4-1.5 mile west of parcel.



Page 51 of 69

Attachment C

1						-		£	Whater Levels	-		_			-	١
7				and and	Į.	Spring	198	Spring	7	Spring	7	Spring	3	Spring Spring	Spring	2
1				2009	2008	2010	2010	2013	1102	2002	2002	2023	2013	\$00E	STAZ	202
F	BOVAD Well #22	Sast of 960 Out Valley Parkwey	1 mile St of partel													
·ľ		İ									-			1		
1	2 BCV9& RD Indeation Wall	390 W. Oak Valley Parlonay	O.6 stilles SW of partori	407.9	410.8	410.8 412.5 414.3	414.3	1 1	414: 414.2	412.3	4122	413				
4												1				
["	Oak Valley God Course Abandonad Well		1 mile SW of parcel						-		1	1		1		
ΗΞ											1	1				
13	BCVWD Well IDA	Brockside Avenue east of Union St. 1.3 miles W of parcel	1.3 miles W of parcel						_			1	1		1	
1						_	_	_	_				-		-	
ď	Michael Insech Well	11020 Union Street	1.3 miles W of parcel						435.5	439.31	438.B	437	437.B	443.1	-	
1									-	_		_				
14	Particular Porter Strait	15121 Union Greet	1.4 miles W of parter	408.7		409.2 405.6		423, 408.3	410.2	407.3	412.1	416	415.1	422	Ī	
1	MACHINE LANGE IN THE TOTAL PROPERTY OF THE PARTY OF THE P						ı						•			
1																
Į		1												_	_	
	NOTE: RESULTS are in depth to water started, in text	ימון וביבו			l	1	-									

Page 53 of 69

Attachment D

Option	
Water Oughty	
Historical	

-	~	•		٥	84		0	Z.	-					c	0	
"						100		_		-1	Ī	Minates		-		
1~									-	-	-	.V	_	_		
1"				8002	2010	2010 2011	2017	2012 2013 2014 2009	2014	-	0102	2011	2032	2013 2014		2015
1	BCWD Well #22	East of 960 Cak Valley Partway	1 mile 5% of percei		200			220		2.9	3.1		3.4	5.1	3.4	3.7
-7										-						
	6 BCVP&AD Intention Well	390 W. Oak Valley Parhyray	O.6 miles SW of pencel							_		Ī				ĺ
Ľ								_								
	Celt Valley Golf Course Abandoned Well		3 mile SW of percel							-						
1																
7	10 BCVWD Well #24	Brookside Avenue east of Union St.	1.3 miles W of parcel						ं	4.5	Ŋ		₹9	4	6.4	6.4
=	1						90			-					-	
Γ.	12 Michael Joseph Well	11020 Union Street	1.3 rathes W of percel											7		
-	3									**		-			İ	Ţ
-	4 Michele Debpt Weß	11133 Union Street	1.4 miles W of parcel						200	i i i		-		-	8.2	
1																

Page 55 of 69

Attachment E

13. WATER QUANTITY (Attachment E)

The volume of water recharged in any year could vary from zero (in some years) to as much as 13,000 acre-feet (well in the future). The 13,000 acre-feet comes from the capacity of the connection (20 cfs). This could only happen in the future when our capacity in EBX has increased and when we have procured additional sources of water.

In the near term (the next 10-12 years), the most that we would expect to recharge would be 7,500 acre-feet per year. This would only occur in a year when we get 100% allocation from the state and there is additional Article 21 water available in that year. Or, alternatively, it could occur in a year when we get a high SWP allocation (80% or higher), plus Article 21 water, plus additional water that we would obtain in the future by purchase, transfer, or exchange.

It is likely that most of this water will go directly into storage accounts of Watermaster members who would purchase the water from the Agency. Any water available to the region that is not purchased by retail water districts would be purchased by the Agency and placed into the Agency's storage account, from where it would be transferred to a Watermaster member upon purchase.

Page 57 of 69

Attachment F

14. IMPACTS TO OTHERS (Attachment F)

The impacts to others would only be positive. Storing more water in the ground than could otherwise be placed there will raise groundwater elevations, helping to preserve the basin and reducing pumping costs to appropriators and overliers alike. It is anticipated that most or all water in the account will be transferred to an account of a Watermaster member within a short time.

Basin losses due to use of this proposed facility are anticipated to be minimal or nonexistent.

During the EIR we analyzed potential damage to any homes that might be constructed on adjacent land in the future and found that this would not occur.

Page 59 of 69

Attachment G

Page 60 of 69

15. ENVIRONMENTAL REVIEW (Attachment G)

See attached EIR on CD, certified by the Agency Board of Directors on October 21, 2013. Also attached is Agency Resolution 2013-13, certifying the EIR.

RESOLUTION NO. 2013-13

A RESOLUTION OF THE SAN GORGONIO PASS WATER AGENCY CERTIFYING THE DRAFT ENVIRONMENTAL IMPACT REPORT FOR THE BEAUMONT AVENUE RECHARGE FACILITY AND PIPELINE PROJECT; ADOPTING ENVIRONMENTAL FINDINGS PURSUANT TO THE CALIFORNIA ENVIRONMENTAL QUALITY ACT; ADOPTING A MITIGATION MONITORING AND REPORTING PROGRAM; ADOPTING A STATEMENT OF PROJECT BENEFITS; AND APPROVING THE BEAUMONT AVENUE RECHARGE FACILITY AND PIPELINE PROJECT

WHEREAS, the San Gorgonio Pass Water Agency (the "Agency" or "SGPWA") is a state water contractor, that was formed with the purpose of importing water from the State Water Project ("SWP") into the San Gorgonio Pass area in 1961, the Agency's service area encompasses approximately 228 square miles and includes the Cities of Beaumont, Calimesa, and Banning, as well as the unincorporated areas of Cherry Valiey, Cabazon, Poppet Flat, Banning Bench, and San Timoteo and Live Oak Canyons; and

WHEREAS, the most heavily developed portion of the Agency's service area, the Beaumont Basin, is currently experiencing an overdraft condition; and

WHEREAS, in 2003, Phase I of SWP's East Branch Extension ("EBX") was completed, bringing raw SWP water into SGPWA's service area; however, the capacity of Phase I allows for a maximum of approximately 12,000 acre feet per year ("AFY") of the Agency's existing SWP supply contract Table A amount (17,300 AFY); and

WHEREAS, in response to these conditions, the Agency proposes to construct a groundwater recharge facility on a vacant, undeveloped property in the City of Beaumont, California, to increase recharge capabilities with the delivery SWP water, as well as other supplemental water sources via a proposed pipeline and service connection facility and to enable the Agency to replenish the groundwater basin and provide water supply for the ongoing and projected needs of the Agency's service area (the "Project").

WHEREAS, pursuant to section 21067 of the Public Resources Code, and section 15367 of the State CEQA Guidelines (Cal. Code Regs., tit. 14, § 15000 et seq.), the Agency is the lead agency for the Project; and

WHEREAS, the Agency solicited comments, including details about the scope and content of the environmental information, as well as potential teasible mitigation measures, from responsible agencies, trustee agencies, and the public, in a Notice of Preparation ("NOP") for the EIR for the Project, which was issued on November 13, 2012 and circulated for a period of 30 days pursuant to State CEQA Guidelines sections 15082, subdivision (a) and 15375; and

WHEREAS, the Agency's Statement of Project Benefits is attached hereto as Exhibit "B"; and

WHEREAS, the Agency's Mitigation Monitoring and Reporting Program setting furth the mitigation measures to which the Agency shall bind itself in connection with the Project is attached hereto as Exhibit "C"; and

WIJEREAS, the EIR reflects the independent judgment of the Agency and is fully adequate for purposes of making decisions on the merits of the Project; and

WHEREAS, the Agency has not received any comments or other information constituting substantial new information requiring recirculation of the EIR pursuant to Public Resources Code section 21092.1 and State CEQA Guidelines section 15088.5; and

WHEREAS, on October 21, 2013 the Agency conducted a duly noticed public meeting at which the Project was considered, at which time all persons wishing to testify were heard, and the Project was fully considered; and

WHEREAS, all other legal prerequisites to the adoption of this Resolution have occurred.

THE BOARD OF DIRECTORS OF THE SAN GORGONIO PASS WATER AGENCY DOES HEREBY RESOLVE AS FOLLOWS:

SECTION 1 – Consideration of EIR. The Agency finds that it has reviewed and considered the EIR (including the comment letters, responses to commenta, and errata) in evaluating the Project's potential impacts; that the BIR has been completed in full compliance with CEQA, the State CEQA Guidelines, and the Agency's local procedures for implementing CEQA; and that the EIR reflects the independent judgment and analysis of the Agency.

- SECTION 2 Recirculation. Based on the entire record before the Agency, including all written and oral evidence presented, the Agency hereby finds that no evidence of new significant impacts or any other "significant new information" as defined by State CEQA Guidelines section 15088.5 has been received by the Agency after circulation of the Draft EIR which would require recirculation.
- SECITON 3 CEQA Findings. Based on the entire record before the Agency, including all written and oral evidence presented, the Agency hereby adopts the written CEQA Findings attached hereto as Exhibit "A" to this Resolution.
- SECTION 4 Project Benefits. Based on the entire record before the Agency, including all written and oral evidence presented, the Agency hereby adopts the Statement of Project Benefits attached as Exhibit "B" to this Resolution.
- SECTION 5 Certification of EIR. Based on the entire record before the Agency, including all written and oral evidence presented, the Agency hereby certifies the EIR and finds that the implementation of the Project will not have any significant and unavoidable environmental effects. All potentially significant environmental impacts have been analyzed

in the EIR and will be mitigated to a level of less than significant. Additionally, the Board finds that a range of reasonable and potentially feasible alternatives to the Project were fully analyzed in the EIR, but are rejected in favor of the Project.

SECTION 6 - MMRP. Pursuant to Public Resources Code section 21081.6, the Agency adopts the Mitigation Monitoring and Reporting Plan attached as Exhibit "C" to this Resolution. In the event of any inconsistencies between the mitigation measures as set forth in the EIR or the CEQA Findings in Exhibit A and the Mitigation Monitoring and Reporting Plan, the Mitigation Monitoring and Reporting Plan shall control.

SECTION 7 - Project Approval. Based on the entire record before the Agency, all written and oral evidence presented, the CEQA Findings, the Statement of Project Benefits, and Mitigation Monitoring Reporting Plan, and all other evidence, the Agency hereby approves the Beaumont Avenue Recharge Facility and Pipeline Project.

SECTION 8 – Custodian of Record. The documents and materials that constitute the record of proceedings on which this Resolution has been based are located at the San Gorgonio Pass Water Agency, 1210 Beaumont Ave., Beaumont, CA 92223. The custodian for these records is Jeff Davis, General Manager. This information is provided in compliance with Public Resources Code section 21081.6.

SECTION 9 — Notice of Determination. Agency staff shall cause a Notice of Determination to be filed and posted with the Clerk of the County of Riverside and the State Clearinghouse within five (5) working days of Project approval.

ADOPTED AND APPROVED this 21th day of October, 2013.

President, Box of Directors San Gorgonio Pass Water Agency

ATTEST:

Secretary, Board of Directors San Gorgonio Pass Water Agency

APPROVED AS TO FORM:

General Counsel

San Gorgonia Pass Water Agency

55597.00016\8289065.4

Page 64 of 69

Attachment H

Page 65 of 69

3/29/05

RESOLUTION NO. 2005-01 A RESOLUTION OF THE BEAUMONT BASIN WATERMASTER ESTABLISHING PRINCIPLES OF GROUNDWATER STORAGE IN THE BEAUMONT BASIN BY NON-APPROPRIATORS

WHEREAS, there exists in the Beaumont Basin a substantial amount of available groundwater storage capacity; and

WHEREAS, such capacity can be reasonably used for storing supplemental water, and

WHEREAS, the Watermaster desires to establish by this Resolution certain fundamental principles governing the future use of such capacity by non-Appropriators.

NOW, THEREFORE, the Beaumont Basin Watermaster hereby resolves as follows:

Section 1. Definitions

As used herein, these terms shall have the following definitions:

- a. Groundwater Storage Agreement: a standard form of written agreement between the Watermaster and any Person requesting the storage of Supplemental Water.
- b. Groundwater Storage Capacity: the space available in the Beaumont Basin that is not utilized for storage or regulation of Safe Yield and is reasonably available for Stored Water and Conjunctive Use.
- c. Person: any non-appropriator individual, partnership, association, corporation, governmental entity or agency, or other organization.
- d. Storage Program: Supplemental Water stored in the Beaumont Basin for later use, or the sale of Temporary Surplus.
- e. Stored Water: Supplemental Water stored in the Beaumont Basin pursuant to a Groundwater Storage Agreement with the Watermaster.
- f. Supplemental Water: water imported into the Beaumont Basin from outside the Beaumont Basin including, without limitation, water diverted from creeks upstream and tributary to the Beaumont Basin and water which is recycled and useable within the Beaumont Basin.
- g. Temporary Surplus: the amount of groundwater that can be pumped annually in excess of the Safe Yield of the Beaumont Basin necessary to create enough additional storage capacity to prevent the waste of water.

3/29/05

Section 2. Preferred Groundwater Storage Projects

Preference shall be given to groundwater storage projects that:

- a. Increase the reliability of water supplies;
- b. Reduce the cost of enhancing the reliability of water supplies;
- c. Is proposed by, or is conducted for the benefit of, ratepayers;
- d. Financially benefit ratepayers;
- e. Will not injure existing Overlying and Appropriative Water Rights;
- f. Will not waste water;
- g. Will generate revenue to purchase rights to additional Supplemental Water and/or construct facilities for direct delivery of Supplemental Water or the percolation of Supplemental Water into the Beaumont Basin; and
 - h. Will not impair future opportunities to store water in the Beaumont Basin.

Section 3. Types of Groundwater Storage Programs

The Watermaster shall consider two types of Storage Programs:

- a. Projects which propose to rent Groundwater Storage Capacity in the Beaumont Basin: revenue generated thereby shall be used to fund capital facilities; and
- b. Projects which propose the sale of Temporary Surplus: revenue generated thereby shall be used to purchase the rights to additional Supplemental Water supplies.

Section 4. Groundwater Storage Agreement

In order to prevent injury to existing water rights, to prevent the waste of water, and to protect the use of Supplemental Water in storage and the Safe Yield of the Beaumont Basin, no Person may make reasonable beneficial use of the Groundwater Storage Capacity except pursuant to a written Groundwater Storage Agreement with the Watermaster. Without limitation, such Agreements shall include:

- a. The payment of administrative and storage fees to the Watermaster,
- b. The payment of fees for the use of Temporary Surplus;
- Accounting for Supplemental Water losses while in storage;
- d. Term limit:

Page 67 of 69

- e. Reasonable limitations on the rates of storage and recovery of Stored Water;
- f. Protection of water quality in the Beaumont Basin.

MOVED, PASSED AND ADOPTED this 12th day of April , 2005, upon the following vote:

City of Banning: Yes
City of Beaumont: Absent
Beaumont-Cherry Valley Water District: Yes
South Mesa Mutual Water Company: Yes
Yucaipa Valley Water District: Yes

Dated: April 12, 2005

BEAUMONT BASIN WATERMASTER

By /s/ George Jorritsma
Chair

17. CRITERIA ESTABLISHED BY WATERMASTER RESOLUTION 2005-01

Watermaster Resolution 2005-01 establishes principles of groundwater storage in the Beaumont Basin by non-Appropriators. The Agency is a non-Appropriator.

Section 2 of this resolution identifies groundwater storage projects that are given a preference. The following addresses each of the various types of storage and how the Agency's proposed project relates to that type of storage.

- a. Increase the reliability of water supplies. The Agency's proposed project will increase the reliability of water supplies by both providing additional storage capacity in the Basin and by providing additional connected capacity to the State Water Project. More water would be able to be stored in wet years, thus increasing the reliability of available supplies.
- b. Reduce the cost of enhancing the reliability of water supplies. The Agency's proposed facility will be funded up front with general fund revenues, to be reimbursed later (80% of costs) with developer fees. The cost of the project is not borne by water ratepayers, but by new growth and by general fund tax revenues that will be spent on this project as opposed to other expenditures that do not enhance reliability. Thus, the overall cost of enhancing reliability will be reduced for water ratepayers.
- c. Is proposed by, or is conducted for the benefit of, ratepayers. This project is proposed by the Agency and will benefit any purveyor that has a storage account in the Beaumont Basin, along with the ratepayers of those purveyors. While proposed as a project that henefits the entire region, it would have the benefit of benefitting ratepayers as the region would get additional storage and enhanced reliability without the use of ratepayer funds.
- d. Financially benefit ratepayers. The Agency's proposed project does not directly benefit water ratepayers but indirectly benefits them as additional storage would be made available using funds that are not from water rates.
- e. Will not injure existing Overlying and Appropriative Water Rights. The proposed project would not injure any party as it does not draw water out of the basin but enables any local water purveyor to add to storage in the basin. All appropriators and overliers should benefit from additional storage and from more reliability.
- f. Will not waste water. The proposed project is intended to prevent wasting water by enabling any party in the region, including any retail water purveyor or the Agency, to import all available water in wet years so that no State Water Project water gets left in Northern California to potentially be wasted in a future year.
- g. Will generate revenue to purchase rights to additional Supplemental Water and/or construct facilities for direct delivery of Supplemental Water or the percolation of Supplemental Water into the Beaumont Basin. The intent of the project is to enable the region to store more water, not necessarily to generate revenues.
- h. Will not impair future opportunities to store water in the Beaumont Basin. There is no reason that the proposed project would impair future opportunities to store water in the Beaumont Basin. If constructed, it would not prohibit any entity from constructing additional storage facilities, if needed. Studies indicate that it will not impact the ability of BCVWD to store water at its facility adjacent to the proposed site.

Section 3 of the resolution addresses types of storage projects, and states that the Watermaster will consider two types of storage programs:

- Projects which propose to rent Groundwater Storage Capacity in the Beaumont Basin—revenue generated thereby shall be used to fund capital facilities; and
- Projects which proposed the sale of Temporary Surplus—revenue generated thereby shall be used to purchase the rights to additional Supplemental Water supplies.

Agency staff has discussed this with Watermaster staff and it is not immediately clear to either what this section of the resolution is referring to. Agency staff has tried to determine if any other entity has addressed this issue in any previous application or related to construction of any facility, and has been unable to find a record of this.

Agency staff would be pleased to discuss this issue with the Watermaster so that this may be fully addressed as part of this application.