



## Weather Based Irrigation Controllers

Qualifying Products List as of March 10, 2014

Only WBICs that are Smart Water Application Technology (SWAT)-tested or EPA WaterSense certified qualify for SoCal WaterSmart rebates. For more information about SWAT independent, third party performance testing protocol specific to WBICs, visit: <http://www.irrigation.org/SWAT/swat.aspx?id=298>

For more information about EPA WaterSense certified WBICs, visit: <http://www.epa.gov/WaterSense/products/controltech.html>

Please note: Add-on devices qualify only if packaged and sold as a combined unit with a preapproved controller as listed below. All controller systems must be installed with the proper weather sensor equipment according to manufacturer specifications.

Contact a CSR at 1 (888) 376-3314 for details if you plan to purchase a Irrisoft Weather Reach Controller

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
Hunter	ICC-4800SS-SSYNC	Hunter	ICC-800M-SSYNC
Hunter	ICC-800PL-SSYNC	Hunter	ICC-800SS-SSYNC
Hunter	PC-300-SOLARSYNC	Hunter	PC-300-WSS
Hunter	PC-300i-SOLARSYNC	Hunter	PC-300i-WSS
Hunter	PCC with Solar Sync	Hunter	PCC-x00-SOLARSYNCSSEN
Hunter	PCC-x00-WSS	Hunter	PCC-x00i-SOLARSYNCSSEN
Hunter	PCC-x00i-WSS	Hunter	Pro-C with Solar Sync
Hunter	PRO-C WITH SOLARSYNC OR WSS	Hunter	SOLARSYNC
Hunter	SOLARSYNCSSEN	Hunter	WSS
Hunter	WSSSEN	Hunter	X-CORE WITH SOLARSYNCSSEN OR WSSSEN
Hunter	XC-400 X-CORE 4 STATION OUTDOOR	Hunter	XC-600 X-CORE 6 STATION OUTDOOR
Hunter	XC-x00-SOLARSYNCSSEN	Hunter	XC-x00-WSS
Hunter	XC-x00i-SOLARSYNCSSEN	Hunter	XC-x00i-WSS
Hydpoint	WTLC-C-06-PL	Hydpoint	WTLC-C-06-PL-F
Hydpoint	WTLC-C-12-PL	Hydpoint	WTLC-C-12-PL-F
Hydpoint	WTLC-C-18-PL	Hydpoint	WTLC-C-18-PL-F
Hydpoint	WTLC-C-X-PL	Hydpoint	WTLC-C-X-PL-F
Hydpoint	WTPRO2S-B-X-CH1	Hydpoint	WTPRO2S-B-X-CH2
Hydpoint	WTPRO2S-B-X-CH4	Hydpoint	WTPRO2S-B-X-CH5
Hydpoint	WTPRO2S-B-X-CH7	Hydpoint	WTPRO2S-B-X-CWM
Hydpoint	WTPRO2S-B-X-SPH	Hydpoint	WTPRO2S-B-X-SPS
Hydpoint	WTPRO2S-B-X-SPT	Hydpoint	WTPRO2S-B-X-SWM
Hydpoint	WTPRO2S-C-X-CH1	Hydpoint	WTPRO2S-C-X-CH2
Hydpoint	WTPRO2S-C-X-CH4	Hydpoint	WTPRO2S-C-X-CH5
Hydpoint	WTPRO2S-C-X-CH7	Hydpoint	WTPRO2S-C-X-CWM
Hydpoint	WTPRO2S-C-X-SPH	Hydpoint	WTPRO2S-C-X-SPS
Hydpoint	WTPRO2S-C-X-SPT	Hydpoint	WTPRO2S-C-X-SWM
Hydpoint	WTPRO3-C-X-CH1-*	Hydpoint	WTPRO3-C-X-CH2-*
Hydpoint	WTPRO3-C-X-CH4-*	Hydpoint	WTPRO3-C-X-CH5-*
Hydpoint	WTPRO3-C-X-CH7-*	Hydpoint	WTPRO3-C-X-CWM-*
Hydpoint	WTPRO3-C-X-SPH-*	Hydpoint	WTPRO3-C-X-SPS-*
Hydpoint	WTPRO3-C-X-SPT-*	Hydpoint	WTPRO3-C-X-SWM-*
Hydpoint	WTSY-C-X-PL	Hydpoint	WTSY-C-X-PL-F
Hydrosaver	ETIC 24	Irritrol	KDX-*



THE METROPOLITAN WATER DISTRICT  
OF SOUTHERN CALIFORNIA

## Weather Based Irrigation Controllers

Qualifying Products List as of March 10, 2014

Only WBICs that are Smart Water Application Technology (SWAT)-tested or EPA WaterSense certified qualify for SoCal WaterSmart rebates. For more information about SWAT independent, third party performance testing protocol specific to WBICs, visit: <http://www.irrigation.org/SWAT/swat.aspx?id=298>

For more information about EPA WaterSense certified WBICs, visit: <http://www.epa.gov/WaterSense/products/controltech.html>

Please note: Add-on devices qualify only if packaged and sold as a combined unit with a preapproved controller as listed below. All controller systems must be installed with the proper weather sensor equipment according to manufacturer specifications.

Contact a CSR at 1 (888) 376-3314 for details if you plan to purchase a Irrisoft Weather Reach Controller

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
Irritrol	KWIK DIAL W/ CLIMATE LOGIC KIT	Irritrol	MC-E SERIES W/ CLIMATE LOGIC KIT
Irritrol	MC-XE	Irritrol	RAIN DIAL -R W/ CLIMATE LOGIC KIT
Irritrol	RDX00-*-R	Irritrol	RME-X-i-*
Irritrol	RMEXEGi-*	Irritrol	SD1200-EXT
Irritrol	SD1200-INT	Irritrol	SD1200-MOD
Irritrol	SD2400-EXT	Irritrol	SD600-EXT
Irritrol	SD600-INT	Irritrol	SD600-MOD
Irritrol	SD900-EXT	Irritrol	SD900-INT
Irritrol	SD900-MOD	Irritrol	TC-YEX-R
Irritrol	TC-YIN-R	Irritrol	TOTAL CONTROL -R SERIES W/ CLIMATE LOGIC KIT
Orbit	Easy-Set Logic	Rain Bird	ESP-4-SMTE
Rain Bird	ESP-4-SMTEI	Rain Bird	ESP-SMT-4
Rain Bird	ESP-SMT-4i	Rain Bird	ESP-SMT-UPG
Rain Bird	ESP-SMTE-UPG	Rain Bird	ESPLXD-ET
Rain Bird	ESPLXME-ET	Rain Bird	ETC-LX
Rain Bird	SST-1200s	Rain Bird	SST-600s
Rain Master	RME Eagle	Rain Master	RME EAGLE PLUS
Rainbird	SST-1200S	Rainbird	SST-600S
Raindrip	RSC600is	Signature	AUTSLWY1A PxxxX4 <sup>1</sup>
Signature	AUTSLWY1A SxxxX4 <sup>1</sup>	Signature	AUTSLWY1B PxxxX4 <sup>1</sup>
Signature	AUTSLWY1B SxxxX4 <sup>1</sup>	Signature	AUTSLWY1D PxxxX4 <sup>1</sup>
Signature	AUTSPE*1B PxxxX4 <sup>1</sup>	Signature	AUTSPE*1B SxxxX4 <sup>1</sup>
Signature	AUTSPE*1C PxxxX4 <sup>1</sup>	Signature	AUTSPE*1C SxxxX4 <sup>1</sup>
Signature	AUTSPE*1D PxxxX4 <sup>1</sup>	Signature	GALSLWY1A PxxxX4 <sup>1</sup>
Signature	GALSLWY1A SxxxX4 <sup>1</sup>	Signature	GALSLWY1B PxxxX4 <sup>1</sup>
Signature	GALSLWY1B SxxxX4 <sup>1</sup>	Signature	GALSLWY1D PxxxX4 <sup>1</sup>
Signature	GALSPE*1B PxxxX4 <sup>1</sup>	Signature	GALSPE*1B SxxxX4 <sup>1</sup>
Signature	GALSPE*1C PxxxX4 <sup>1</sup>	Signature	GALSPE*1C SxxxX4 <sup>1</sup>
Signature	GALSPE*1D PxxxX4 <sup>1</sup>	Signature	GALSSWYSE S006X4 <sup>1</sup>
Signature	SHAREB8250W <sup>1</sup>	Signature	SHAREB8255S <sup>1</sup>
Signature	SHAREB8603W <sup>1</sup>	Signature	SHAREB8608W <sup>1</sup>
Signature	SHAREB8612W <sup>1</sup>	Signature	SHAREB8616W <sup>1</sup>
Signature	SHAREB8620W <sup>1</sup>	Signature	SHAREB8624W <sup>1</sup>
Smg Superior Control	All Sterling Series Models	Toro	53855

## Weather Based Irrigation Controllers

Qualifying Products List as of March 10, 2014

Only WBICs that are Smart Water Application Technology (SWAT)-tested or EPA WaterSense certified qualify for SoCal WaterSmart rebates. For more information about SWAT independent, third party performance testing protocol specific to WBICs, visit: <http://www.irrigation.org/SWAT/swat.aspx?id=298>

For more information about EPA WaterSense certified WBICs, visit: <http://www.epa.gov/WaterSense/products/controltech.html>

Please note: Add-on devices qualify only if packaged and sold as a combined unit with a preapproved controller as listed below. All controller systems must be installed with the proper weather sensor equipment according to manufacturer specifications.

Contact a CSR at 1 (888) 376-3314 for details if you plan to purchase a Irrisoft Weather Reach Controller

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
Toro	CC-*-X	Toro	EC XTRA w/ XTRA SMART Sensor and Pod 53855
Toro	SIS-240	Toro	TIS-06-ID
Toro	TIS-06-OD	Toro	TIS-09-ID
Toro	TIS-09-OD	Toro	TIS-12-ID
Toro	TIS-12-OD	Toro	TIS-24-ID
Toro	TIS-24-OD	Toro	TIS-240
Toro	TIS-612	Toro	TIS-X-*
Toro	TIS-XP-*	Toro	TMC 212 W/ CLIMATE LOGIC KIT
Toro	TMC 424E W/ CLIMATE LOGIC KIT	Toro	TMC-212-*
Weathermatic	LMC SERIES WITH SLW WEATHER SENSOR	Weathermatic	PROLINE WITH SLW WEATHER SENSOR
Weathermatic	SL1600 WITH SLW WEATHER SENSOR	Weathermatic	SL1604-SLW1
Weathermatic	SL1604-SLW15	Weathermatic	SL1604-SLW5
Weathermatic	SL1608-SLW1	Weathermatic	SL1608-SLW15
Weathermatic	SL1608-SLW5	Weathermatic	SL1612-SLW1
Weathermatic	SL1612-SLW15	Weathermatic	SL1612-SLW5
Weathermatic	SL1616-SLW1	Weathermatic	SL1616-SLW15
Weathermatic	SL1616-SLW5	Weathermatic	SL1620 WITH SLW WEATHER SENSOR
Weathermatic	SL1620-SLW1	Weathermatic	SL1620-SLW15
Weathermatic	SL1620-SLW5	Weathermatic	SL1624 WITH SLW WEATHER SENSOR
Weathermatic	SL1624-SLW1	Weathermatic	SL1624-SLW15
Weathermatic	SL1624-SLW5	Weathermatic	SL4800 WITH SLW WEATHER SENSOR
Weathermatic	SL4812-SLW1	Weathermatic	SL4812-SLW15
Weathermatic	SL4812-SLW5	Weathermatic	SL4824-SLW1
Weathermatic	SL4824-SLW15	Weathermatic	SL4824-SLW5
Weathermatic	SL4836-SLW1	Weathermatic	SL4836-SLW15
Weathermatic	SL4836-SLW5	Weathermatic	SL4848-SLW1
Weathermatic	SL4848-SLW15	Weathermatic	SL4848-SLW5
Weathermatic	SL800 WITH SLW WEATHER SENSOR	Weathermatic	SL804-SLW1
Weathermatic	SL804-SLW15	Weathermatic	SL804-SLW5
Weathermatic	SL806-SLW1	Weathermatic	SL806-SLW15



THE METROPOLITAN WATER DISTRICT OF SOUTHERN CALIFORNIA

# Weather Based Irrigation Controllers

Qualifying Products List as of March 10, 2014

Only WBICs that are Smart Water Application Technology (SWAT)-tested or EPA WaterSense certified qualify for SoCal WaterSmart rebates. For more information about SWAT independent, third party performance testing protocol specific to WBICs, visit: <http://www.irrigation.org/SWAT/swat.aspx?id=298>

For more information about EPA WaterSense certified WBICs, visit: <http://www.epa.gov/WaterSense/products/controltech.html>

Please note: Add-on devices qualify only if packaged and sold as a combined unit with a preapproved controller as listed below. All controller systems must be installed with the proper weather sensor equipment according to manufacturer specifications.

Contact a CSR at 1 (888) 376-3314 for details if you plan to purchase a Irrisoft Weather Reach Controller

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
Weathermatic	SL806-SLW5	Weathermatic	SL808-SLW1
Weathermatic	SL808-SLW15	Weathermatic	SL808-SLW5
Weathermatic	SLW10	Weathermatic	SMARTLINE WITH SLW WEATHER SENSOR

Symbols (\* + #) indicate that one or more coding variables may be used in place of the symbol to indicate a color or feature that does not affect washer efficiency.